North Lanarkshire Health and Wellbeing Profiles – key indicators and overview

Cite as: Millard A, McCartney G, MacKinnon A, Van Heelsum A, Gasiorowski A, Barkat S. *North Lanarkshire Health and Wellbeing Profiles – key indicators and overview.* Edinburgh: ScotPHO; 2016.

Introduction

The ScotPHO Health and Wellbeing profiles (www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool) provide a set of health and wellbeing indicators for Scottish local authority areas. The indicators are displayed in spine charts for each local authority and are measured in the same way in each part of Scotland. One of the key aims of the profiles is to allow comparisons between areas, and the data that are available demonstrate the inequalities in outcomes between areas.

Feedback shows that some people find using the online profiles tool daunting, therefore this report will provide key points without the need to go into the tool. For further details or up-to-date figures see the final section of this report, which explains how to use the tool.

The featured spine chart compares the local and national position for each indicator. Also included – for the worst key indicator locally – are a trend chart, showing changes over time in comparison with Scotland, and a rank chart, showing how your local authority compares with the other 31 local authorities. These charts can be accessed online by clicking on an individual indicator name in the spine chart.

Throughout this report we refer to the European Age Standardised Rate (EASR), which is the rate per 100,000 population adjusted for the different age balances. Unless the indicator is given for one sex only, the EASRs adjust for both differing age and sex balance. Crude rates are the rates before any adjustment. Unless specified as crude, 'rate' always means the EASR in this report.








Key differences from Scotland in health and wellbeing indicators for North Lanarkshire

The 'worst' indicators, ranked locally are reported below in the key differences summary. The aim is to provide an indication of which areas might be considered as priorities for improvement.



Methods

Indicators are highlighted only when it is considered that the difference between the local and national figure is not just due to random variation (in other words the difference is statistically significant). Figures were ordered from the worst to the best, then the six worst were selected and compared with the Scottish averages. This information may be of use in health improvement planning, but must be considered in a local context.

The information in this report is a snapshot taken on a particular date (25 February 2016). The indicators are updated continuously, and therefore more up-to-date information may be available online. To avoid disclosure as a result of small numbers, many indicators use aggregated figures where necessary, for example over a three- or five-year period, such as 2012–14. The data can be collected for a calendar year, such as 2012, or a financial year, such as 2012/13.

Key indicators for North Lanarkshire

For North Lanarkshire in 2013, the percentage of population within 500 metres of a derelict site was 67%, which was 125% higher than the Scottish level of 30%.


In 2014, the percentage of people claiming pension credits (aged 60+) was 10%, which was 47% higher than the Scottish level of 7%.

In 2012/2013, the percentage of active travel to work was 9%, which was 44% lower than the Scottish level of 16%.

In 2012/13–2014/15, the percentage of babies exclusively breastfed at 6–8 weeks was 15%, which was 43% lower than the Scottish level of 27%.

In 2010–2014, the rate for deaths from alcohol conditions was 33/100,000, which was 42% higher than the Scottish level of 23/100,000.

In 2014, the percentage of young people not in employment, education or training (NEET) was 9%, which was 36% higher than the Scottish level of 7%.



Health & Wellbeing Profiles (North Lanarkshire)

Domain	Indicator	Period	Period Number Measure Type	asure Tv		National Worst'	Scotland Comparator	Best'
					_	e e		
	1 Male life expectancy ¹⁸	2011	n/a	74.9 yrs		76.6	•	
	2 Female life expectancy ¹⁸	2011	n/a	79.1 yrs		80.8	•	
Life Expectancy	3 Deaths all ages ¹²	2013	3,387 1,	1,326.2 sr4		1,169.8	•	
S S	4 All-cause mortality among the 15-44 year olds. ¹²	2013	150 1	117.1 sr4		100.5		
MOLGIN	5 Early deaths from CHD (<75) ¹²	2012	217	79.8 sr4		60.7	•	
	6 Early deaths from cancer (<75) ¹²	2013	521	170.2 sr4		154.7	•	
	7 Estimated smoking attributable deaths 3,13,16	2014	685 4	431.9 sr4		366.8		
	8 Smoking prevalence (adults 16+) 3,14	2014	98	21.1		20.2	•	
C	9 Alcohol-related hospital stays ¹⁵	2014	2,518 7	773.7 sr4		671.7	•	
Benaviours	10 Deaths from alcohol conditions ¹⁷	2012	104	32.7 sr4		23.1	•	
	11 Drug-related hospital stays ^{12,15}	2013	272	80.7 sr4	-	122.0		
	12 Active travel to work 3,14	2013	30	% 0.6		16.0		
	13 Patients registered with cancer ¹²	2012	1,827 6	644.7 sr4		634.1	•	
	14 Patients hospitalised with chronic obstructive pulmonary disease (COPD) ^{12,15}	2012	2,102 7	764.0 sr4		659.9	•	
≡	15 Patients hospitalised with coronary heart disease ¹²	2012	1,441	510.4 sr4		440.3	•	
Health &	16 Patients hospitalised with asthma ¹²	2012	382 1	108.3 sr4		91.2	9	
Injury	17 Patients with emergency hospitalisations ¹²	2012	27,512 8,	8,874.8 sr4		7,500.2	•	
	18 Patients (65+) with multiple emergency hospitalisations ¹²	2012	3,013 6,	6,234.5 sr4		5,159.5	•	
	19 Road traffic accident casualties ¹²	2012	131	38.9 sr4		63.2	.	
	20 Population prescribed drugs for anxiety/depression/psychosis ³	2014	63,534	18.8 %		17.4	•	
Mental Health	21 Patients with a psychiatric hospitalisation 12	2012	966	308.1 sr4		291.6	•	
	22 Deaths from suicide ¹⁷	2011	54	15.6 sr4		14.5	•	
	23 Adults claiming incapacity benefit/severe disability allowance/ employment and support allowance	2014	21,495	6.4 %		5.1		
Social Care	People aged 65 and over with high levels of care needs who are cared for at home 24 $^{3}_{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	2013	1,245	45.9 %		34.7	•	
& Housing	25 Children looked after by local authority 3	2013	743	9.7 cr2		14.4	•	
	26 Single adult dwellings	2014	53,605	35.4 %		37.5	•	
	27 Average tariff score of all pupils on the S4 roll ¹³	2012	n/a 1	188.0 mean		193.0		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 Primary school attendance	2010	24,977	94.3 %		94.8	•	
Education	29 Secondary school attendance	2010	19,423	89.6		91.1	•	
	$oldsymbol{30}$ Working age adults with low or no educational qualifications 3	2013	35,900	17.5 %		12.6		
	31 Population income deprived	2014	54,875	16.2 %		13.1	•	
	32 Working age population employment deprived	2014	33,625	15.3 %	_	12.2	•	
	33 Working age population claiming Out of Work benefits	2014	33,535	15.3		12.0		
FCOLOUIN	34 Young people not in employment, education or training (NEET). 3	2014	1,460	8.8	%	6.5		

	36 Deporte desimina peneion gradite (ened 80±)	2014	7 540	10.2	%	6	
			2	!)	
	37 Crime rate	2014	14,578	43.1	cr2	40.4	•
	38 Prisoner population 3,13	2012	585	206.1	sr4	171.2	•
į	39 Referrals to Children's Reporter for violence-related offences 3	2013	78	2.5	cr2	2.1	•
Crime	40 Domestic Abuse ³	2014	3,963	117.3	cr9	112.0	•
	41 Violent crimes recorded ³	2014	340	10.1	cr9	11.9	*
	42 Drug crimes recorded ³	2014	2,966	87.8	cr9	6.89	•
	43 Population within 500 metres of a derelict site	2013	226,076	6.99	%	29.7	•
Environment	44 People living in 15% most 'access deprived' areas	2014	32,613	9.7	%	15.0	
	45 Adults rating neighbourhood as 'a very good place to live' 3,14	2014	n/a	50.1	%	55.8	•
	46 Teenage pregnancies ¹²	2012	462	45.4	cr2	41.1	0
	47 Mothers smoking during pregnancy ¹²	2013	684	20.6	%	18.5	•
Women's	48 Low birth weight ¹²	2013	20	2.1	%	2.0	•
& Children's	49 Babies exclusively breastfed at 6-8 weeks ¹²	2013	484	15.3	%	26.8	•
Health	50 Child dental health in primary 1	2013	2,270	63.7	%	2.99	•
	51 Child dental health in primary 7	2013	1,666	51.0	%	47.7	
	52 Child obesity in primary 1	2013	352	9.4	%	10.1	0
	53 Breast screening uptake ¹²	2011	8,978	68.3	%	72.5	•
Immunisations and	54 Bowel screening uptake ¹²	2012	24,495	47.5	%	26.0	•
Screening	55 Immunisation uptake at 24 months - 5 in 1 ¹²	2013	3,841	98.6	%	98.2	0
	56 Immunisation uptake at 24 months - MMR ¹²	2013	3,748	96.2	%	95.3	


15.3

%

17.7

2012 14,360

35 Children Living in Poverty



age-sex standardised rate per 100,000 population to ESP2013. Please see Appendix I in the technical report.

Spine Chart Key:

Notes:

See the detailed Definitions and Sources table for indicator information and Technical Report for further guidance on interpreting the spine.

Overview of the ScotPHO profiles for North Lanarkshire

Introduction

This section provides an overview of the population in North Lanarkshire and all the health and wellbeing indicators in the area. The 56 indicators are split into 13 themes (also called domains). For each theme, comparisons are made between what is observed locally and the national picture.

As we include all indicators in the overview summary, some of these differences may be due to random variation. The spine chart (page 4–5) can be used to examine this. The colour of the dot on the spine chart indicates whether the differences are considered to be due to random variation or are statistically significant. Note that an indicator shown as higher does not always mean worse; it could be better. This depends on what the individual indicator measures. Please note that in this overview we use 'similar' wherever a difference is not statistically significant.

Population structure

In 2014, 65% (219,622/337,950) of the population of North Lanarkshire was of working age (16–64 years), similar to the national percentage of 65%. Children and young people (aged 0–15 years) made up 19% (63,536/337,950) of the population, higher than the national 17%. Adults aged over 75 years comprised 7% (23,249/337,950) of the population, lower than the national average of 8%. The population structure of North Lanarkshire has more younger people, fewer older people, and similar numbers of people of working age than the national average.

Life expectancy

Life expectancies in 2011, at 74.9 years for males and 79.1 years for females, were lower than the Scottish average of 76.6 years for males and lower than the Scottish female average of 80.8 years.

Mortality

In 2012–2014, the overall mortality rate among young adults (aged 15–44 years) was, at 117, similar to the Scottish rate of 101. Among those aged under 75 years, cancer mortality was 170, so higher than the Scottish rate of 155. For the same age group, for coronary heart disease, the mortality rate was 80, higher than the Scottish rate of 61.

Behaviours

In North Lanarkshire the prevalence of smoking in adults in 2014 was, at 21%, similar to that in Scotland (20%). The rate for smoking-attributable deaths in 2013–2014, at 432, was higher than Scotland (367). The rate for alcohol-related hospital stays in 2014/15 was 774, higher than the rate for Scotland (672). The rate for drug-related hospital stays in 2012/13–2014/15, at 81, was lower than Scotland's 122. In 2010–2014, the rate for alcohol-related deaths, at 33, was higher than the Scottish rate of 23. The percentage of adults walking or cycling to work in 2012/2013, at 9%, was lower than the 16% who did so in Scotland overall.

Ill-health and injury

The rate for cancer registration in 2011–2013 was, at 645, similar to Scotland's overall rate of 634. The rate for patients hospitalised with asthma in 2011–2013, 108, was higher than the Scottish rate of 91. The rate for emergency hospitalisations in 2011–2013, at 8875t, was higher than the rate for Scotland (7500). The rate for patients hospitalised for chronic obstructive pulmonary disease (COPD) in 2011–2013, at 764, was higher than the Scottish rate of 660. In 2011–2013, coronary heart disease rate was, at 510, higher than the Scottish level of 440. For road traffic accidents in 2011–2013 the rate was, at 39, lower than the Scottish rate of 63. The rate for adults aged 65 years and over with multiple hospital admissions in 2011–2013, at 6230, was higher than that in Scotland (5160).

Mental health

The percentage of people prescribed medication for anxiety, depression or psychosis in 2014/15 was, at 19%, higher than Scotland overall (17%). The rate for psychiatric hospitalisations in 2011–2013 was 308, which was similar to the Scottish rate of 292. The suicide rate in 2009–2013 was 16, which was similar to the Scottish rate of 15.

Social care and housing

In 2014, 6% of adults claimed incapacity benefit, severe disability allowance or employment and support allowance; this was higher than the Scottish figure of 5%. The percentage of those aged 65 years and over with high care needs cared for at home, at 46%, was higher than in Scotland overall (35%). The crude rate for children who were looked after by the local authority, at 10/1000, was similar to Scotland's rate of 14/1000. The proportion of households occupied by single adults (35%) was similar to the 38% in Scotland as a whole.

Education

In 2012/13, the mean tariff score – which measures exam success rates – was 188, in comparison with the Scotland mean of 193. In 2010/11, the percentage attendance at primary school in North Lanarkshire, at 94.3%, was lower than Scotland overall (94.8%) and the secondary school attendance of 89.6% was lower than Scotland's 91.1%. In 2013, some 17.5% of working-age adults had low or no educational qualifications, in comparison with 12.6% in Scotland.

Economy

Economic deprivation indicators mostly suggested that the level of deprivation in North Lanarkshire was higher than the level for Scotland overall. In 2014, the percentage who were income deprived in North Lanarkshire was 16% for all ages, higher than the 13% for all ages for Scotland. 15% were employment deprived, higher than the 12% for those employment deprived in Scotland. In 2014, the percentage who claimed out-of-work benefits, at 15%, was higher than the 12% across Scotland. In 2014, the percentage of young adults who were outside employment, education or training was 8.8%, which was higher than the 6.5% for Scotland. In 2012, the percentage of children living in poverty was 18%, and so was higher than the 15% for Scotland. The percentage of those aged 60 years and over who claimed pension credits in 2014, at 10%, was higher than the 6.9% for Scotland.

Crime

In North Lanarkshire the crude population crime rate for 2014 was higher than Scotland at 43/1000 (Scotland: 40/1000) and the crude domestic abuse rate was higher than Scotland at 117/10,000 (Scotland: 112/10,000). The crude rate for recorded drug crimes was higher than Scotland's rate, at 88/10,000 (Scotland: 69/10,000), and the crude rate for referrals to the children's reporter for violence-related offences was similar to Scotland at 2.5/1000 (Scotland: 2.1/1000). The crude rate for recorded violent crimes was lower than Scotland at 10/10,000 (Scotland: 12/10,000). The rate for prisoner population, at 206, was higher than the Scottish rate of 171.

Environment

In 2013, the percentage of the population who lived within 500m of a derelict site in North Lanarkshire was 67%, which was higher than that in Scotland (30%) and the percentage with access deprivation (i.e. within the 15% of the Scotlish population who lived furthest away from local services) was, at 9.7%, lower than the 15% for Scotland. In 2014, the percentage of adults who rated their area as a very good place to live was, at 50%, lower than Scotland's 56%.

Women's and children's health

In 2011–2013, the crude rate for teenage pregnancy was 45/1000, so similar to Scotland's 41/1000. In 2012/13–2014/15, 2.1% of births were low weight, similar to Scotland at 2%. In 2013/14 the prevalence of childhood obesity in primary 1 was 9.4%, so similar to Scotland's 10%. The proportion of mothers smoking in pregnancy, at 21%, was higher than the 19% for Scotland in 2012/13–2014/15. The percentage exclusively breastfeeding, at 15% in 2012/13–2014/15, was lower than Scotland's 27%. In 2013/14, 64% of children in primary 1 had good dental health, lower than Scotland at 67%. The dental health of children in primary 7, at 51% with no obvious decay experience, was higher than the Scottish average of 48%.

Immunisation and screening

For breast screening, the uptake of 68% in 2010–2012 was lower than the national average of 73%. For bowel screening, the uptake of 48% was lower than the 56% uptake for Scotland. The immunisation uptake for MMR (measles, mumps, rubella) by age 2 years was 96% in 2012–2014, higher than Scotland's 95%. The immunisation uptake for 5 in 1 (diphtheria, pertussis, tetanus, polio, Hib [meningitis]) by age 2 years in 2012–2014 was 99%, similar to Scotland's 98%.

Intermediate zones

Spine charts showing the data that are available for smaller areas within North Lanarkshire (intermediate zones [IZs] – areas with approximately 10,000 individuals) are available via the online tool, but it is not possible to show these in the printed reports owing to the volume of the data (there are 1235 IZs in Scotland). The IZs can be further investigated by selecting Intermediate Zone from the Geography drop-down menu in the 'Profiles update process' section within the tool. This will show a map initially featuring the IZs for Aberdeen City. Use the buttons provided to zoom in (+) or out (–) of the map. You can select any local authority from the drop-down menu to the top-right of the map. To access the spine, trend and rank charts about a particular IZ, choose one from the list in the left-hand drop-down menu. Some indicators, particularly those reliant on survey data or those which have a very small number of outcomes, are not available at this level.

Comparisons, time trends, other indicators and further data

Using the online ScotPHO profile tool (www.scotpho.org.uk/comparative-health/profiles/online-profiles-tool) it is possible to compare the outcomes between any NHS Board, local authority or IZ area. A wider range of outcomes data are also available in the tool, including alcohol and drugs profiles, older adults' profiles, diabetes profiles and mental health profiles.

In any of the ScotPHO profiles the extent to which any differences may be due to random variation or chance is indicated by the colouring of the dots. By clicking on each individual indicator in the online tool it is also possible to compare areas on a rank chart and view time-trend data. Where relevant, data are also presented as standardised rates (to balance and account for age differences between areas) and as crude rates (to reflect the actual number of individuals/events for a particular outcome for service planning). Data across the socioeconomic determinants of health and health topic areas are available on the ScotPHO website: www.scotpho.org.uk

To examine inequalities within local authority areas, use the ScotPHO deprivation profiles from the online tool. These provide data on the inequalities across the local populations broadly in line with the outcomes relevant to Single Outcome Agreements (economic recovery and growth, employment, early years, safer and stronger communities and health inequalities).

A technical report is available on the profiles gateway page (www.scotpho.org.uk/opt/Reports/ HWP-2015-technical-report-13112015.pdf), giving more background on the indicators and how they were measured. A user guide for the online profiles tool is also available here.

Contact ScotPHO scotpho@nhs.net for further information.