



Health and Wellbeing Profiles 2010 Spine Pack: Angus





# **Angus CHP**



	page		page
Monifieth West	4	14. Forfar West	17
<ol><li>Monifieth East</li></ol>	5	15. Forfar Central	18
<ol><li>Carnoustie West</li></ol>	6	16. Forfar East	19
4. Carnoustie East	7	17. Lunan	20
5. Monikie	8	18. Friockheim	21
6. South Angus	9	19. Kirriemuir	22
7. Arbroath Keptie	10	20. Montrose South	23
8. Arbroath Harbour	11	21. Montrose North	24
<ol><li>Arbroath Kirkton</li></ol>	12	22. Brechin East	25
<ol><li>Arbroath Cliffburn</li></ol>	13	23. Brechin West	26
<ol><li>Arbroath Warddykes</li></ol>	14	24. Hillside	27
12. Letham and Glamis	15	25. Angus Glens	28
13. Kirriemuir Landward	16	Ç	

## **Angus CHP Health Summary**

for all CHP/CHCPs.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

					04	
Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	76.0	yrs	74.5	
₹.	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5	O
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	3,778	633.3	sr	707.8	
Expe Mor	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	179	42.2	sr	57.2	
μ S	5 Early deaths from cancer (< 75s) <sup>2</sup>	499	117.2	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	67	15.5	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	715	18.9	%	24.1	0
	8 Smoking prevalence <sup>3</sup>	n/a	24.0	%	25.0	
ē	9 Patients hospitalised with alcohol conditions <sup>2</sup>	2,859	700	sr	1,088	
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	260	37.9	sr	46.4	0
Beha	11 Patients hospitalised with drug related conditions <sup>2</sup>	128	49.8	sr	85.1	0
	12 Active travel to work <sup>3</sup>	n/a	21.0	%	14.0	
	13 Sporting participation <sup>3</sup>	n/a	74.0	%	73.0	
	14 Patients registered with cancer <sup>1</sup>	2,957	366.5	sr	412.6	
	15 Patients hospitalised with COPD <sup>2</sup>	649	123.9	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	1,630	330.5	sr	347.0	
2		925	161.4		173.8	
III Health & Injury	17 Patients hospitalised with cerebrovascular disease 2	993		sr		
₽ S	18 Patients hospitalised with asthma <sup>2</sup>		289.0	sr	472.9 6.379.0	
E E	19 Patients hospitalised as an emergency 2	22,482	5,897.4	sr	6,378.9	
=	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	2,762	3,896.5	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>	248	76.7	sr	79.4	
	22 Patients hospitalised after a fall in the home (65+) 2	644	771.0	sr	710.4	
	23 Prevalence of diabetes	5,238	3.4	sr2	3.5	
重壬	24 Patients prescribed drugs for anxiety/depression/psychosis	10,891	9.3	%	9.7	
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	1,117	305.3	sr	303.0	
	26 Deaths from suicide 1	77	14.2	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	877	4.0	%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	3,990	4.4	%	5.6	
Care	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	101	12.9	%	31.7	Δ
Social Care & Housing	30 Households assessed as homeless <sup>3</sup>	867	1.7	%	1.8	O
ഗ്ഗ് യ	31 Children looked after by local authority 3	261	11	cr2	14	0
	32 Single adult dwellings	19,799	36.8	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	9.8	%	7.5	
_	34 Average tariff score of all pupils on the S4 roll	n/a	173.4	mean	179.7	Δ
Education	35 Primary school attendance	n/a	95.7	%	95.2	
Educ	36 Secondary school attendance	n/a	93.1	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	11.9	%	14.8	Δ
	38 Population income deprived	14,010	12.8	%	15.1	0
È	39 Working age population employment deprived	6,065	9.3	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	2,240	3.5	%	4.4	O
Щ	41 Dependence on out of work benefits or child tax credit	11,350	45.2	%	46.6	0
	42 People claiming pension credits (aged 60+)	2,840	9.4	%	11.0	
	43 Crime rate	3,949	35.9	cr2	49.5	O
æ	44 Prisoner population	98	157.0	sr	205.5	
Crime	45 Referrals to Children's Reporter for violence-related offences	92	9.0	cr2	8.4	•
	46 Patients hospitalised after an assault <sup>2</sup>	157	60.3	sr	95.2	
Ju Ju	47 Population within 500 metres of derelict site	18,131	16.4	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	28,309	25.8	%	14.2	
Envi	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	64.0	%	52.0	0
_	50 Breast screening uptake <sup>2</sup>	11,665	82.5	%	75.3	
	51 Mothers smoking during pregnancy <sup>2</sup>	806	27.3	%	22.6	
麻	52 Teenage pregnancies <sup>2</sup>	257	43.2	cr2	41.4	
Women's & Children's Health	53 Low weight live births <sup>2</sup>	62	1.9	%	2.3	
lren':	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	916	26.5	%	26.4	
		3,245	92.7	%	92.1	
త	55 Immunisation uptake at 24 months - MMR <sup>2</sup>			%		
men	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	3,421	97.8		97.5	
Š	57 Child dental health in primary 1	661	60.0	%	61.8	
	58 Child obesity in primary 1	n/a	9.4 350.4	%	8.0 377.5	
	59 Patients hospitalised by unintentional injuries at home (<15) 2	179		sr		

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## **Monifieth West Intermediate Zone Health Summary**

for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

△No significance can be calculated



Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	78.3	yrs	74.5	0
~	2 Life expectancy - females <sup>1</sup>	n/a	90.1	yrs	79.5	0
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	76	444.5	sr	707.8	0
Sype	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		14.7	sr	57.2	
1ª ∞	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	99.0	sr	134.7	
-	6 Early deaths from cerebrovascular disease (<75s) <sup>2</sup>	10	14.7	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a	14.7	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
<u>«</u>	Patients hospitalised with alcohol conditions <sup>2</sup>	66	541	sr	1,088	
ion		n/a	341	sr	46.4	
Behaviours	Deaths from alcohol conditions <sup>1</sup> Patients hospitalised with drug related conditions <sup>2</sup>	IVa	3.6			
"		n/a	3.0	sr %	85.1 14.0	
	12 Active travel to work <sup>3</sup>	n/a		%	73.0	
	13 Sporting participation <sup>3</sup>		240.2			
	14 Patients registered with cancer 1	81	319.3	sr	412.6	0
	15 Patients hospitalised with COPD 2	17	103.0	sr	158.6	0
	16 Patients hospitalised with coronary heart disease 2	52	347.9	sr	347.0	
Ē	17 Patients hospitalised with cerebrovascular disease 2	31	172.2	sr	173.8	
III Health & Injury	18 Patients hospitalised with asthma 2	20	225.0	sr	472.9	0
Feat	19 Patients hospitalised as an emergency 2	587	5,477.6	sr	6,378.9	0
=	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	79	3,716.9	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>		15.9	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) 2	19	840.8	sr	710.4	•
	23 Prevalence of diabetes	128	2.9	sr2	3.5	0
- m	24 Patients prescribed drugs for anxiety/depression/psychosis	320	10.5	%	9.7	0
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	16	166.6	sr	303.0	0
L	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1	Δ
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	45	1.9	%	5.6	0
ing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
So *	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	392	30.9	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	195.6	mean	179.7	Δ
iti on	35 Primary school attendance	n/a	97.2	%	95.2	0
Education	36 Secondary school attendance	n/a	93.9	%	91.1	O
"	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	
	38 Population income deprived	165	5.6	%	15.1	0
>	39 Working age population employment deprived	100	5.8	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	30	1.9	%	4.4	
8	41 Dependence on out of work benefits or child tax credit	205	32.5	%	46.6	
	42 People claiming pension credits (aged 60+)	50	5.4	%	11.0	0
	43 Crime rate	20	6.8	cr2	49.5	0
	44 Prisoner population		133.2	sr	205.5	
Gine	45 Referrals to Children's Reporter for violence-related offences	n/a	100.2	cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>	0	0.0	sr	95.2	Δ
Ĭ	47 Population within 500 metres of derelict site	341	11.8	%	30.0	
June 1	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	0.0	%	52.0	
W		398	82.2	%	75.3	
	50 Breast screening uptake <sup>2</sup>	290	02.2			0
€	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6	0
Women's & Children's Health	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	0
ren's	53 Low weight live births <sup>2</sup>		10.7	%	2.3	
<u>=</u>	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	16.5	%	26.4	
88	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	76	90.5	%	92.1	0
nen's	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	82	97.6	%	97.5	
Won	57 Child dental health in primary 1	22	64.7	%	61.8	•
	58 Child obesity in primary 1	n/a		%	8.0	
1	59 Patients hospitalised by unintentional injuries at home (<15) 2		347.8	sr	377.5	•

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## **Monifieth East Intermediate Zone Health Summary**

- Statistically significantly 'worse' than Scottish average
- Ost Ost Ost

Statistically not significantly different from Scottish ave	erage		'Worse' Area ◀	Scotland	Average	<b>→</b>	'Better' Area	
Statistically significantly 'better' than Scottish average Statistically significant difference compared to Scottish		5th Pe	rcentile 25th F	Percentile	75th Pe	ercentile	95th Perc	entile:
No significance can be calculated								
omain Indicator	Number Measure Type	Scot. 'Worst'		Scotland	Average		.,	Best'

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Bes
	1 Life expectancy - males <sup>1</sup>	n/a	78.1	yrs	74.5	O
8	2 Life expectancy - females <sup>1</sup>	n/a	79.7	yrs	79.5	
ality A	3 Deaths all ages <sup>2</sup>	260	638.3	sr	707.8	
Sxpe	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	52.9	sr	57.2	
Life Expectancy & Mortality	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	83.7	sr	134.7	
-	6 Early deaths from cerebrovascular disease (<75s) <sup>2</sup>	10	14.5	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a	10	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ρ	Patients hospitalised with alcohol conditions <sup>2</sup>	126	532	sr	1,088	
vion.	10 Deaths from alcohol conditions 1	n/a	002	sr	46.4	
Behaviours	11 Patients hospitalised with drug related conditions <sup>2</sup>		7.5	sr	85.1	
-	12 Active travel to work <sup>3</sup>	n/a	7.0	%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	165	333.7	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	32	123.6	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	80	281.8	sr	347.0	
	17 Patients hospitalised with cerebrovascular disease 2	59	193.0	sr	173.8	0
k Inju	18 Patients hospitalised with asthma <sup>2</sup>	40	260.0	sr	472.9	
₹	19 Patients hospitalised as an emergency <sup>2</sup>	1,132	6,105.6	sr	6,378.9	
III Health & Injury	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	187	4,196.0	sr	4,607.6	
-	21 Road traffic accident casualties <sup>2</sup>		53.0	sr	79.4	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	53	984.6	sr	710.4	
	23 Prevalence of diabetes	250	2.8	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	508	10.2	%	9.7	
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	35	156.8	sr	303.0	
2 ₹	26 Deaths from suicide 1		15.6	sr	15.1	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	105	2.7	%	5.6	0
2 5	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
Soci E E	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	853	38.0	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	202.8	mean	179.7	Δ
igi	35 Primary school attendance	n/a	96.1	%	95.2	
Education	36 Secondary school attendance	n/a	94.6	%	91.1	Q
"	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	
	38 Population income deprived	320	6.7	%	15.1	0
≥	39 Working age population employment deprived	160	6.2	%	11.6	O
Economy	40 Working age population claiming Jobseeker's Allowance	45	1.8	%	4.4	0
Ä	41 Dependence on out of work benefits or child tax credit	260	28.5	%	46.6	0
	42 People claiming pension credits (aged 60+)	125	7.3	%	11.0	O
	43 Crime rate	59	12.4	cr2	49.5	0
e e	44 Prisoner population	0	0.0	sr	205.5	Δ
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		60.8	sr	95.2	•
nent	47 Population within 500 metres of derelict site	0	0.0	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
Envi	<b>49</b> Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	<b>50</b> Breast screening uptake <sup>2</sup>	701	85.7	%	75.3	0
_ ا	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6	0
lealth	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	0
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	O
ldre	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	21	20.8	%	26.4	0
<u>م</u> ق	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	127	95.5	%	92.1	0
er,s	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	131	98.5	%	97.5	•
Wom	57 Child dental health in primary 1	42	77.8	%	61.8	0
-	58 Child obesity in primary 1	n/a		%	8.0	
	<b>59</b> Patients hospitalised by unintentional injuries at home $(<15)^2$	12	721.1	sr	377.5	Q
Notes	:					

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## **Carnoustie West Intermediate Zone Health Summary**

for all Intermediate Zones.

05th Percentile

Scotland Average

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average

	stically significant difference compared to Scottis	h avera	ge			5th Percentile 25th Percentile	75th Percentile 95th Percentile
	ignificance can be calculated		<b>J</b> -				
Domain	Indicator	Number	Measure	Туре	Scot.	'Worst' Scotland A	verage 'Best'
Domain		n/a	76.7		Average 74.5	Horst Contains 2	Desi
>	1 Life expectancy - males 1 2 Life expectancy - females 1	n/a	79.6	yrs yrs	79.5		
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	129	640.8	sr	707.8		
Sypec		123	68.9	sr	57.2	0	
ife R	Early deaths from coronary heart disease (< 75s) <sup>2</sup> Early deaths from cancer (< 75s) <sup>2</sup>	23	130.8		134.7		
-		23	5.1	sr sr	18.7		0
	Early deaths from cerebrovascular disease (< 75s) <sup>2</sup> Smoking attributable deaths <sup>2</sup>	n/a	3.1	%	24.1		
	-				25.0		
	8 Smoking prevalence <sup>3</sup>	n/a	754	%			
ion	9 Patients hospitalised with alcohol conditions <sup>2</sup>	122	751	sr	1,088		O O
Behaviours	10 Deaths from alcohol conditions 1	n/a		sr	46.4		
	11 Patients hospitalised with drug related conditions <sup>2</sup>		57.5	sr	85.1		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		
	13 Sporting participation <sup>3</sup>	n/a		%	73.0		
	14 Patients registered with cancer <sup>1</sup>	135	455.8	sr	412.6	0	
	15 Patients hospitalised with COPD <sup>2</sup>	32	169.0	sr	158.6		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	78	431.3	sr	347.0	0	
III Health & Injury	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	173.6	sr	173.8		
8	18 Patients hospitalised with asthma <sup>2</sup>	48	317.2	sr	472.9		
ealt	19 Patients hospitalised as an emergency <sup>2</sup>	998	6,363.8	sr	6,378.9	•	
<u>=</u>	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	99	4,018.6	sr	4,607.6		
	21 Road traffic accident casualties <sup>2</sup>		56.8	sr	79.4		•
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	808.9	sr	710.4		
	23 Prevalence of diabetes	232	3.9	sr2	3.5	•	
	24 Patients prescribed drugs for anxiety/depression/psychosis	407	7.8	%	9.7		•
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	43	262.2	sr	303.0		5
ΣĪ	26 Deaths from suicide <sup>1</sup>		28.1	sr	15.1	0	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		
	28 Adults claiming incapacity benefit/severe disability allowance	170	4.4	%	5.6		0
2 p	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		
al Ca	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		
1 2 I	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		
	32 Single adult dwellings	936	39.7	%	37.8	•	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		
	34 Average tariff score of all pupils on the S4 roll	n/a	152.4	mean	179.7	^	
io	35 Primary school attendance	n/a	95.9	%	95.2		
Education	36 Secondary school attendance	n/a	92.8	%	91.1		
Ш	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	02.0	%	14.8		
	38 Population income deprived	570	12.0	%	15.1		
	39 Working age population employment deprived	255	8.8	%	11.6		
conomy	40 Working age population claiming Jobseeker's Allowance	105	3.6	%	4.4		
8	41 Dependence on out of work benefits or child tax credit						
	42 People claiming pension credits (aged 60+)	630 115	54.5 9.8	%	46.6 11.0		•
	43 Crime rate	134	28.2	cr2	49.5		
		134			205.5	C	
Crime	44 Prisoner population		105.7	sr			
	45 Referrals to Children's Reporter for violence-related offences	n/a	00.0	cr2	8.4		
¥	46 Patients hospitalised after an assault <sup>2</sup>	0.007	30.9	sr	95.2		0
Environment	47 Population within 500 metres of derelict site	2,867	59.2	%	30.0	•	
Viro	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		O
l ii	49 Adults rating neighbourhood as a very good place to live 3	n/a		%	52.0		
	50 Breast screening uptake <sup>2</sup>	166	85.1	%	75.3		0
ا ج	51 Mothers smoking during pregnancy <sup>2</sup>	33	21.2	%	22.6		
- Fealt	52 Teenage pregnancies <sup>2</sup>	16	53.5	cr2	41.4	0	
n's l	53 Low weight live births <sup>2</sup>			%	2.3		0
age	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	20.3	%	26.4	•	
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	161	92.0	%	92.1		
s,ue	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	171	97.7	%	97.5		
, wo	57 Child dental health in primary 1	23	46.0	%	61.8	•	
	58 Child obesity in primary 1	n/a		%	8.0		
1	<b>FO</b> =	T T	000.0		077.5		

### Notes:

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

377.5

## **Carnoustie East Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

	stically significant difference compared to Scottis ignificance can be calculated	h averaç	ge			5th Percentile 25th Percentile 75th Percentile 95th Percentile
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males <sup>1</sup>	n/a	78.0	yrs	74.5	0
6	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	79.8	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	191	552.4	sr	707.8	0
Mort	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		21.1	sr	57.2	0
_ e _ e	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	106.9	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		18.9	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
e l	9 Patients hospitalised with alcohol conditions <sup>2</sup>	113	487	sr	1,088	0
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
Beha	11 Patients hospitalised with drug related conditions <sup>2</sup>		36.3	sr	85.1	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	170	384.2	sr	412.6	
	15 Patients hospitalised with COPD <sup>2</sup>	21	63.5	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	86	318.6	sr	347.0	
5	17 Patients hospitalised with cerebrovascular disease 2	42	111.5	sr	173.8	
Health & Injury	18 Patients hospitalised with asthma <sup>2</sup>	44	263.0	sr	472.9	
- 8	19 Patients hospitalised with astrima	1,033	5,043.1	sr	6,378.9	
Ŧ	20 Patients (65+) with multiple hospitalisations <sup>2</sup>		-	_		
	21 Road traffic accident casualties <sup>2</sup>	142 14	3,603.2 78.9	sr sr	4,607.6 79.4	
		43		_		
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup> 23 Prevalence of diabetes		864.0	sr	710.4	
		222	2.9	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	450	7.7	%	9.7	0
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	34	149.9	sr	303.0	0
	26 Deaths from suicide <sup>1</sup>		7.2	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	110	2.4	%	5.6	0
Social Care & Housing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
F Z	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
∞ ∞	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	751	31.1	%	37.8	O
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	192.1	mean	179.7	
ducation	35 Primary school attendance	n/a	96.8	%	95.2	0
뮵	36 Secondary school attendance	n/a	94.1	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	390	7.1	%	15.1	0
È	39 Working age population employment deprived	155	4.8	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	60	1.9	%	4.4	
m	41 Dependence on out of work benefits or child tax credit	355	31.2	%	46.6	0
	42 People claiming pension credits (aged 60+)	115	6.7	%	11.0	0
	43 Crime rate	94	17.1	cr2	49.5	O
Crime	44 Prisoner population		46.5	sr	205.5	0
5	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		32.9	sr	95.2	
nent	47 Population within 500 metres of derelict site	628	11.6	%	30.0	O
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
Ē	<b>49</b> Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	220	87.0	%	75.3	0
	51 Mothers smoking during pregnancy <sup>2</sup>	11	9.9	%	22.6	0
ealth	<b>52</b> Teenage pregnancies <sup>2</sup>			cr2	41.4	
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	0
Idre	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	29.5	%	26.4	0
<u>E</u>	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	133	95.0	%	92.1	0
8 s'm	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	136	97.1	%	97.5	O
l Que	57 Child dental health in primary 1	25	58.1	%	61.8	
	58 Child obesity in primary 1	n/a		%	8.0	
1	59 Patients begritalized by unintentional injuries at home (<15) 2		154.0	er	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

# **Monikie Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

  No significance can be calculated

Scotland Average 'Best'
Δ
Δ
Δ
Δ
Δ
0
0
0
0
0
0
0
0
0
0
O
0
0
0
0
0
0
O
0
0
0
O
0
0
0
•
0
0
0
•
0
•
•

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average. See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

## **South Angus Intermediate Zone Health Summary**

- Statist
- Statis
- **○** Statis
- Statistically significant difference compared to Scottish average

 $\triangle$ No significance can be calculated

istically significantly 'worse' than Scottish average			_			_		
istically not significantly different from Scottish average		'Worse' Area	•	Scotland	Average	ightharpoonup	'Better' Area	
istically significantly 'better' than Scottish average	54h D		05th D		75th D		05# D	
intically significant difference compared to Scottish average	5th Per	rcentile	25tn P	ercentile	/5tn P	ercentile	95th Perce	entile

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males <sup>1</sup>	n/a	78.7	yrs	74.5	0
8	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	83.4	yrs	79.5	0
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	124	525.0	sr	707.8	0
Mor	4 Early deaths from coronary heart disease (< 75s) 2		33.6	sr	57.2	
£ %	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	92.8	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		4.2	sr	18.7	0
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	119	554	sr	1,088	O
Behaviours	10 Deaths from alcohol conditions 1	n/a		sr	46.4	
8	11 Patients hospitalised with drug related conditions <sup>2</sup>		32.0	sr	85.1	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer 1	112	288.6	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	32	132.6	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	88	352.8	sr	347.0	
njury	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	96.8	sr	173.8	
III Health & Injury	18 Patients hospitalised with asthma <sup>2</sup>	40	208.2	sr	472.9	0
fealt	19 Patients hospitalised as an emergency 2	1,118	5,541.7	sr	6,378.9	0
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	123	4,081.8	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>	16	93.8	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) 2	13	406.1	sr	710.4	0
	23 Prevalence of diabetes	256	3.0	sr2	3.5	0
重壬	24 Patients prescribed drugs for anxiety/depression/psychosis	677	9.6	%	9.7	
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	39	204.2	sr	303.0	0
	26 Deaths from suicide 1	-/-	7.9	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	2.0	%	5.3 5.6	
	28 Adults claiming incapacity benefit/severe disability allowance	155 n/a	2.9	%	31.7	0
- Caru	<ul> <li>29 People (65+) with intensive care needs cared for at home</li> <li>30 Households assessed as homeless</li> </ul>	n/a		%	1.8	
Social Care & Housing	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	1.6	
"	32 Single adult dwellings	728	25.5	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	20.0	%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	197.0	mean	179.7	
tion	35 Primary school attendance	n/a	95.8	%	95.2	•
Education	36 Secondary school attendance	n/a	93.3	%	91.1	0
"	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	
	38 Population income deprived	365	5.6	%	15.1	0
È	39 Working age population employment deprived	220	5.6	%	11.6	O
Economy	40 Working age population claiming Jobseeker's Allowance	70	1.7	%	4.4	0
Ш	41 Dependence on out of work benefits or child tax credit	415	25.7	%	46.6	0
	42 People claiming pension credits (aged 60+)	80	5.3	%	11.0	0
	43 Crime rate	44	6.7	cr2	49.5	•
Grime	44 Prisoner population		39.9	sr	205.5	0
ا ٥	45 Referrals to Children's Reporter for violence-related offences	n/a	4	cr2	8.4	
<b>#</b>	46 Patients hospitalised after an assault <sup>2</sup>	4	44.5	sr	95.2	0
ime	47 Population within 500 metres of derelict site	173	2.6	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	3,908 n/a	59.9	%	14.2 52.0	
<u> </u>	49 Adults rating neighbourhood as a very good place to live <sup>3</sup> 50 Breast screening uptake <sup>2</sup>	n/a 748	83.5	%	75.3	0
	51 Mothers smoking during pregnancy <sup>2</sup>	26	15.4	%	22.6	
윭	52 Teenage pregnancies <sup>2</sup>	0	15.4	cr2	41.4	
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	
dren'	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	98	42.1	%	26.4	0
튭	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	203	92.3	%	92.1	
n's &	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	215	97.7	%	97.5	
lome.	57 Child dental health in primary 1	60	71.4	%	61.8	•
*	58 Child obesity in primary 1	n/a		%	8.0	
L	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		262.1	sr	377.5	0
Notes						

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

# Arbroath Keptie Intermediate Zone Health Summary

for all Intermediate Zones.



95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

  No significance can be calculated

∐No s	ignificance can be calculated					
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	75.4	yrs	74.5	0
٧ م	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	78.4	yrs	79.5	0
ectar talify	3 Deaths all ages <sup>2</sup>	137	585.0	sr	707.8	
Life Expectancy & Mortality	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		12.4	sr	57.2	0
] # °	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	133.9	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.7	sr	18.7	0
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	92	664	sr	1,088	
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
8	11 Patients hospitalised with drug related conditions <sup>2</sup>		15.8	sr	85.1	O
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	118	377.3	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	16	64.8	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	65	368.7	sr	347.0	0
jiny	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	33	130.7	sr	173.8	0
% n	18 Patients hospitalised with asthma <sup>2</sup>	24	187.2	sr	472.9	0
III Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	679	5,153.0	sr	6,378.9	O
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	91	3,160.9	sr	4,607.6	0
	21 Road traffic accident casualties <sup>2</sup>		93.1	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	19	585.8	sr	710.4	0
	23 Prevalence of diabetes	193	3.4	sr2	3.5	0
	24 Patients prescribed drugs for anxiety/depression/psychosis	387	10.3	%	9.7	•
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	47	327.6	sr	303.0	O
	26 Deaths from suicide <sup>1</sup>		11.7	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	140	4.7	%	5.6	0
Social Care & Housing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
cial (	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
% ≈	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	750	41.6	%	37.8	•
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
_	34 Average tariff score of all pupils on the S4 roll	n/a	192.6	mean	179.7	Δ
Education	35 Primary school attendance	n/a	96.4	%	95.2	O
Edu	36 Secondary school attendance	n/a	94.1	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	410	11.5	%	15.1	0
Į,	39 Working age population employment deprived	165	8.4	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	55	2.9	%	4.4	0
"	41 Dependence on out of work benefits or child tax credit	250	37.9	%	46.6	0
	42 People claiming pension credits (aged 60+)	125	10.5	%	11.0	0
	43 Crime rate	197	55.4	cr2	49.5	
Grime	44 Prisoner population		126.4	sr	205.5	
0	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		59.7	sr	95.2	0
l meri	47 Population within 500 metres of derelict site	1,936	55.5	%	30.0	
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
<u> </u>	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	60.1	%	52.0	
	50 Breast screening uptake <sup>2</sup>	484	86.1	%	75.3	0
_ €	51 Mothers smoking during pregnancy <sup>2</sup>	13	20.0	%	22.6	0
Heal	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	
len's	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3	0
를	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	27	34.2	%	26.4	0
88	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	77	90.6	%	92.1	0
Women's & Children's Health	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	85	100.0	%	97.5	0
No.	57 Child dental health in primary 1	14	70.0	%	61.8	
	58 Child obesity in primary 1	n/a	0000	%	8.0	
Notes	59 Patients hospitalised by unintentional injuries at home (<15) 2		609.6	sr	377.5	0

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

# Arbroath Harbour Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

	Indicator	Number	Measure	Type	Scot. Average	'Worst' Scotland Average 'Be
	1 Life expectancy - males <sup>1</sup>	n/a	71.8	yrs	74.5	
	2 Life expectancy - females <sup>1</sup>	n/a	76.4	yrs	79.5	
& Mortality	3 Deaths all ages <sup>2</sup>	234	915.0	sr	707.8	
	Deaths all ages  4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	84.7	sr	57.2	
8	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	186.7	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	30	29.0	sr	18.7	0
-	7 Smoking attributable deaths <sup>2</sup>	n/a	23.0	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
		183	1,252	sr	1,088	
	Patients hospitalised with alcohol conditions <sup>2</sup> Deaths from alcohol conditions <sup>1</sup>	n/a	1,252	_	46.4	
			04.0	sr		
	11 Patients hospitalised with drug related conditions <sup>2</sup>	10	94.9	sr %	85.1	
	12 Active travel to work <sup>3</sup>	n/a			14.0	
$\dashv$	13 Sporting participation <sup>3</sup>	n/a	400.4	%	73.0	
	14 Patients registered with cancer 1	164	466.4	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	35	161.9	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	396.0	sr	347.0	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	53	233.0	sr	173.8	0
	18 Patients hospitalised with asthma <sup>2</sup>	37	301.2	sr	472.9	
	19 Patients hospitalised as an emergency 2	1,164	7,750.3	sr	6,378.9	
- 1	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	163	5,203.9	sr	4,607.6	0
	21 Road traffic accident casualties <sup>2</sup>	10	87.3	sr	79.4	O
	22 Patients hospitalised after a fall in the home (65+) 2	48	1,202.0	sr	710.4	
-	23 Prevalence of diabetes	269	4.5	sr2	3.5	•
	24 Patients prescribed drugs for anxiety/depression/psychosis	477	10.2	%	9.7	0
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	91	682.5	sr	303.0	•
	26 Deaths from suicide <sup>1</sup>		14.6	sr	15.1	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	285	8.1	%	5.6	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
5	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	1,569	56.2	%	37.8	•
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	128.6	mean	179.7	Δ
	35 Primary school attendance	n/a	94.3	%	95.2	0
	36 Secondary school attendance	n/a	89.1	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	1,105	27.3	%	15.1	•
	39 Working age population employment deprived	465	19.3	%	11.6	
	40 Working age population claiming Jobseeker's Allowance	170	6.9	%	4.4	
	41 Dependence on out of work benefits or child tax credit	455	59.8	%	46.6	•
	42 People claiming pension credits (aged 60+)	260	22.1	%	11.0	•
$\neg$	43 Crime rate	460	113.5	cr2	49.5	•
	44 Prisoner population	10	350.3	sr	205.5	0
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>	12	112.1	sr	95.2	0
$\neg$	47 Population within 500 metres of derelict site	2,058	50.6	%	30.0	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
$\exists$	50 Breast screening uptake <sup>2</sup>	412	71.9	%	75.3	O
	51 Mothers smoking during pregnancy <sup>2</sup>	58	34.9	%	22.6	
	52 Teenage pregnancies <sup>2</sup>	17	83.7	cr2	41.4	
	53 Low weight live births <sup>2</sup>	.,	55.7	%	2.3	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	29	21.8	%	26.4	
	•	102	82.9	%	92.1	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>		93.5	-		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	115 17		%	97.5	
- 1	57 Child dental health in primary 1		53.1	%	61.8	
	58 Child obesity in primary 1	n/a	358.0	% sr	8.0 377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

## **Arbroath Kirkton Intermediate Zone Health Summary**

- Statistically significantly 'worse' than Scottish average
- Stat

atistically not significantly different from Scottish average	'Worse' Are	a <del>•</del>	Scotland	Average -	<del></del>	'Better' Area	
atistically significantly 'better' than Scottish average atistically significant difference compared to Scottish average	5th Percentile	25th Pe	ercentile	75	5th Percentile	95th Per	centile
o significance can be calculated							

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males <sup>1</sup>	n/a	76.7	yrs	74.5	•
8	2 Life expectancy - finales <sup>1</sup>	n/a	77.9	yrs	79.5	0
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	195	693.7	sr	707.8	
Expe	Early deaths from coronary heart disease (< 75s) <sup>2</sup>		19.2	sr	57.2	O
å,	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	130.4	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		24.0	sr	18.7	0
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	127	684	sr	1,088	
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
뮲	11 Patients hospitalised with drug related conditions <sup>2</sup>		57.4	sr	85.1	0
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer 1	128	342.5	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	28	117.9	sr	158.6	0
	<b>16</b> Patients hospitalised with coronary heart disease <sup>2</sup>	80	355.5	sr	347.0	O
jury	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	49	198.3	sr	173.8	O
8 	18 Patients hospitalised with asthma <sup>2</sup>	46	296.2	sr	472.9	0
III Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	1,018	5,763.3	sr	6,378.9	0
=	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	106	3,500.8	sr	4,607.6	0
	21 Road traffic accident casualties <sup>2</sup>		63.6	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	32	873.7	sr	710.4	0
	23 Prevalence of diabetes	276	4.1	sr2	3.5	
豆	24 Patients prescribed drugs for anxiety/depression/psychosis	569	10.3	%	9.7	
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	55	320.1	sr	303.0	
-	26 Deaths from suicide 1		23.5	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	4.0	%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	180 n/a	4.3	%	5.6 31.7	
USing I	29 People (65+) with intensive care needs cared for at home <sup>3</sup> 30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
Social Care & Housing	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	1.6	
"	32 Single adult dwellings	826	35.3	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	00.0	%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	162.3	mean	179.7	
tion	35 Primary school attendance	n/a	95.2	%	95.2	
Education	36 Secondary school attendance	n/a	92.8	%	91.1	0
"	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	750	14.3	%	15.1	0
È	39 Working age population employment deprived	300	9.8	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	125	4.1	%	4.4	
🖁	41 Dependence on out of work benefits or child tax credit	555	42.8	%	46.6	0
	42 People claiming pension credits (aged 60+)	115	8.4	%	11.0	0
	43 Crime rate	181	34.6	cr2	49.5	
Q in	44 Prisoner population		93.2	sr	205.5	0
٥	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
=	46 Patients hospitalised after an assault <sup>2</sup>	10	80.6	sr	95.2	0
lmen	47 Population within 500 metres of derelict site	321	6.2	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	606	11.6	%	14.2	0
ш	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	95.7	%	52.0	
	50 Breast screening uptake <sup>2</sup>	598	85.7	%	75.3	0
ŧ	51 Mothers smoking during pregnancy <sup>2</sup>	48	29.8 43.2		22.6	
Women's & Children's Health	52 Teenage pregnancies <sup>2</sup> 53 Low weight live births <sup>2</sup>	16	43.2	cr2 %	2.3	
ren's	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	22.2	%	26.4	
ig	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	164	91.6	%	92.1	
1's &	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	174	97.2	%	97.5	0
omer	57 Child dental health in primary 1	25	49.0	%	61.8	0
3	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		285.4	sr	377.5	
Notes						

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## **Arbroath Cliffburn Intermediate Zone Health Summary**

- Statistically significantly 'worse' than Scottish average
- Sta

tatistically not significantly different from Scottish average	'Worse' Area	a 🗲	Scotland	Average	<b>→</b>	'Better' Area
tatistically significantly 'better' than Scottish average	511 5 (1)	0511 D		75.1		0511 D 111
tatistically significant difference compared to Scottish average	5th Percentile		25th Percentile		Percentile	95th Percentile
o significance can be calculated						

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	74.2	yrs	74.5	
ج	2 Life expectancy - females 1	n/a	79.7	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages 2	132	634.4	sr	707.8	
Sypec	Early deaths from coronary heart disease (< 75s) <sup>2</sup>	132	40.1	sr	57.2	
life B 8	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	128.2	sr	134.7	
-	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	10	23.7	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a	20.1	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	121	858	sr	1,088	
ion	10 Deaths from alcohol conditions	n/a	000	sr	46.4	
Behaviours	11 Patients hospitalised with drug related conditions <sup>2</sup>	IVa	73.9	sr	85.1	
-	12 Active travel to work <sup>3</sup>	n/a	75.5	%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	121	400.3	sr	412.6	
	15 Patients hospitalised with COPD <sup>2</sup>	28	163.1	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	68	394.2	sr	347.0	
2	17 Patients hospitalised with cerebrovascular disease 2	37	187.5		173.8	
l in	Patients nospitalised with cerebrovascular disease      Patients hospitalised with asthma <sup>2</sup>	55	452.1	sr sr	472.9	
III Health & Injury	19 Patients hospitalised with asthma <sup>2</sup> 19 Patients hospitalised as an emergency <sup>2</sup>	989	6,802.6	sr	6,378.9	
<u>\$</u>	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	969	3,822.0	sr	4,607.6	
=	21 Road traffic accident casualties <sup>2</sup>	10	76.0	sr	79.4	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	27	826.6	sr	710.4	
	23 Prevalence of diabetes	213	3.9	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	492	10.3	%	9.7	0
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	52	381.6	sr	303.0	0
울	26 Deaths from suicide 1	- 02	6.6	sr	15.1	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	0.0	%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	230	6.8	%	5.6	
0 D	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a	0.0	%	31.7	
ousin Sa	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
Social Care & Housing	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	819	40.0	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	10.0	%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	142.0	mean	179.7	A
ē	35 Primary school attendance	n/a	94.1	%	95.2	
Education	36 Secondary school attendance	n/a	90.9	%	91.1	
ŭ	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	1,020	23.4	%	15.1	
	39 Working age population employment deprived	360	14.7	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	165	6.8	%	4.4	
8	41 Dependence on out of work benefits or child tax credit	905	73.2	%	46.6	
	42 People claiming pension credits (aged 60+)	120	10.9	%	11.0	
	43 Crime rate	209	48.0	cr2	49.5	
<u>o</u>	44 Prisoner population	10	425.0	sr	205.5	0
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a	1.5	cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		72.6	sr	95.2	
ii.	47 Population within 500 metres of derelict site	0	0.0	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
invir	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	415	74.8	%	75.3	
	51 Mothers smoking during pregnancy <sup>2</sup>	59	38.8	%	22.6	
alt t	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	
<u>위</u>	53 Low weight live births <sup>2</sup>			%	2.3	•
en's & Children's Health	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	33	18.9	%	26.4	
튭	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	161	89.4	%	92.1	O
٦,5 %	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	172	95.6	%	97.5	0
Womer	57 Child dental health in primary 1	23	40.4	%	61.8	
\$	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	391.2	sr	377.5	
Notes						

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

# Arbroath Warddykes Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

					Scot.		
ain	Indicator	Number	Measure	Туре	Average	'Worst' Scotland Average	'Bes
	1 Life expectancy - males 1	n/a	74.7	yrs	74.5		
	2 Life expectancy - females <sup>1</sup>	n/a	81.3	yrs	79.5		
	3 Deaths all ages <sup>2</sup>	98	605.1	sr	707.8		
L	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		49.4	sr	57.2		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	84.2	sr	134.7	0	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		35.8	sr	18.7	0	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		
Ī	9 Patients hospitalised with alcohol conditions <sup>2</sup>	138	932	sr	1,088		
Ī	10 Deaths from alcohol conditions 1	n/a		sr	46.4		
ľ	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	103.2	sr	85.1	O	
- 1-	12 Active travel to work <sup>3</sup>	n/a		%	14.0		
- 1-	13 Sporting participation <sup>3</sup>	n/a		%	73.0		
$\rightarrow$	14 Patients registered with cancer <sup>1</sup>	106	397.1	sr	412.6		
- 1-	15 Patients hospitalised with COPD <sup>2</sup>	34	188.7	sr	158.6		
- 1-	16 Patients hospitalised with COPD	57	335.7	sr	347.0		
- 1-	17 Patients hospitalised with coronary heart disease	27	153.2	sr	173.8		
- H	·				_		
- 1	18 Patients hospitalised with asthma 2	47	334.6	sr	472.9		
	19 Patients hospitalised as an emergency 2	1,014	6,966.5	sr	6,378.9		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	77	3,901.0	sr	4,607.6		
- 1	21 Road traffic accident casualties <sup>2</sup>		51.0	sr	79.4	O	
-	Patients hospitalised after a fall in the home (65+) 2	17	833.3	sr	710.4	0	
-	23 Prevalence of diabetes	228	4.2	sr2	3.5	•	
	24 Patients prescribed drugs for anxiety/depression/psychosis	531	10.3	%	9.7		
	<sup>25</sup> Patients with a psychiatric hospitalisation <sup>2</sup>	56	396.9	sr	303.0	O	
	26 Deaths from suicide 1		9.8	sr	15.1	•	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		
	28 Adults claiming incapacity benefit/severe disability allowance	265	7.3	%	5.6		
•	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		
ľ	31 Children looked after by local authority 3	n/a		cr2	14		
Ī	32 Single adult dwellings	922	41.2	%	37.8		
ľ	33 Households in extreme fuel poverty 3	n/a		%	7.5		
$\rightarrow$	34 Average tariff score of all pupils on the S4 roll	n/a	137.8	mean	179.7	A	
- 1-	35 Primary school attendance	n/a	94.6	%	95.2		
- 1-	36 Secondary school attendance	n/a	91.6	%	91.1		
- 1	87 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		
$\rightarrow$	38 Population income deprived	1,130	23.8	%	15.1		
- 1-		485	16.8	%	11.6		
- 1	39 Working age population employment deprived	200	7.1	%			
- 1-	40 Working age population claiming Jobseeker's Allowance	915	69.2	%	4.4		
- 1	11 Dependence on out of work benefits or child tax credit						
$\rightarrow$	42 People claiming pension credits (aged 60+)	105	10.4	%	11.0		
ŀ	43 Crime rate	302	63.7	cr2	49.5		
- 1-	14 Prisoner population	15	530.9	sr	205.5		
- 1-	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		
$\rightarrow$	Patients hospitalised after an assault <sup>2</sup>	19	161.6	sr	95.2	•	
- 1-	77 Population within 500 metres of derelict site	504	10.8	%	30.0	•	
	18 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		
T	<b>50</b> Breast screening uptake <sup>2</sup>	503	76.8	%	75.3	0	
	51 Mothers smoking during pregnancy <sup>2</sup>	86	42.4	%	22.6		
- 1	52 Teenage pregnancies <sup>2</sup>	26	94.9	cr2	41.4	•	
- 1-	53 Low weight live births <sup>2</sup>			%	2.3		
- H	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	15.4	%	26.4		
- 1-	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	182	90.1	%	92.1	O	

5th Percentile

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

57 Child dental health in primary 1

58 Child obesity in primary 1

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

28

n/a

50.0

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

%

%

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

61.8

8.0

377.5

# Letham and Glamis Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

15

Scotland Average

75th Percentile

25th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

main	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Bes
	1 Life expectancy - males 1	n/a	79.0	yrs	74.5	0
& Mortality	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	84.8	yrs	79.5	0
	3 Deaths all ages <sup>2</sup>	121	479.9	sr	707.8	0
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		27.5	sr	57.2	
ð	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	80.2	sr	134.7	
l	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.8	sr	18.7	
$\dashv$	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
ŀ	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ŀ	Patients hospitalised with alcohol conditions <sup>2</sup>	134	668	sr	1,088	0
ŀ	10 Deaths from alcohol conditions 1	n/a	000	sr	46.4	
ŀ	11 Patients hospitalised with drug related conditions <sup>2</sup>	110	11.9	sr	85.1	
ŀ	12 Active travel to work <sup>3</sup>	n/a	11.5	%	14.0	
ŀ	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
$\dashv$		127	339.9			
ŀ	14 Patients registered with cancer 1			sr	412.6	0
ŀ	15 Patients hospitalised with COPD <sup>2</sup>	30	124.7	sr	158.6	0
	16 Patients hospitalised with coronary heart disease 2	98	386.4	sr	347.0	
- 1	17 Patients hospitalised with cerebrovascular disease 2	45	176.6	sr	173.8	
	18 Patients hospitalised with asthma <sup>2</sup>	38	216.1	sr	472.9	
	19 Patients hospitalised as an emergency 2	981	5,540.0	sr	6,378.9	O
- 1	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	126	4,164.1	sr	4,607.6	0
- 1	21 Road traffic accident casualties <sup>2</sup>	10	73.0	sr	79.4	0
- 1	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	23	716.5	sr	710.4	
	23 Prevalence of diabetes	244	3.0	sr2	3.5	0
	24 Patients prescribed drugs for anxiety/depression/psychosis	509	9.2	%	9.7	•
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	35	209.5	sr	303.0	0
	26 Deaths from suicide <sup>1</sup>		12.2	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	160	3.6	%	5.6	O
B I I I I	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
]	<b>30</b> Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	653	26.7	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	194.2	mean	179.7	Δ
İ	35 Primary school attendance	n/a	95.9	%	95.2	•
ı	36 Secondary school attendance	n/a	93.7	%	91.1	0
ı	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
$\rightarrow$	38 Population income deprived	435	8.3	%	15.1	.0
ŀ	39 Working age population employment deprived	235	7.3	%	11.6	O
- 1	40 Working age population claiming Jobseeker's Allowance	75	2.4	%	4.4	0
- 1	41 Dependence on out of work benefits or child tax credit	360	34.4	%	46.6	0
- 1	42 People claiming pension credits (aged 60+)	110	7.2	%	11.0	
$\rightarrow$	43 Crime rate	79	15.1	cr2	49.5	
- 1	44 Prisoner population	0	0.0	sr	205.5	
ŀ	45 Referrals to Children's Reporter for violence-related offences	n/a	0.0	cr2	8.4	
ŀ	46 Patients hospitalised after an assault <sup>2</sup>	11/4	30.1	sr	95.2	
_	47 Population within 500 metres of derelict site	117	2.2	%	30.0	0
- 1	·			%		
- 1	48 People living in 15% most 'access deprived' areas	5,223	100.0		14.2	
$\rightarrow$	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	00.7	%	52.0	
- 1	50 Breast screening uptake <sup>2</sup>	725	82.5	%	75.3	0
- 1	51 Mothers smoking during pregnancy <sup>2</sup>	14	14.6	%	22.6	0
- 1	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	
	53 Low weight live births <sup>2</sup>			%	2.3	0
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	52	41.9	%	26.4	0
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	130	96.3	%	92.1	0
- 1		124	00.3	0/	07.5	

5th Percentile

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

57 Child dental health in primary 1

58 Child obesity in primary 1

56 Immunisation uptake at 24 months - all excluding MMR

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

30

n/a

99.3

75.0

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

%

%

97.5

61.8

8.0

377.5

# Kirriemuir Landward Intermediate Zone Health Summary

for all Intermediate Zones.

Scotland Average

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average

	stically not significantly different from Scottish av					Troise 7 and 1 contains 7 and 2
-	stically significantly 'better' than Scottish average					5th Percentile 25th Percentile 75th Percentile 95th Percentile
	stically significant difference compared to Scottis	h avera	ge			
∐No s	ignificance can be calculated					
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males <sup>1</sup>	n/a	76.0	yrs	74.5	
ج ا	2 Life expectancy - finales <sup>1</sup>	n/a	81.0	yrs	79.5	
Expectancy Mortality	3 Deaths all ages <sup>2</sup>	93	619.0	sr	707.8	
Syper	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	- 50	60.8	sr	57.2	
Life	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	116.2	sr	134.7	
-	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	12	28.3	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a	20.5	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
φ	Patients hospitalised with alcohol conditions <sup>2</sup>	59	537	sr	1,088	
iour	10 Deaths from alcohol conditions 1	n/a	337	sr	46.4	
Behaviou	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1	
"	12 Active travel to work <sup>3</sup>	n/a	0.0	%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	_
	14 Patients registered with cancer <sup>1</sup>	62	309.2	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	16	116.8	sr	158.6	
		34	247.4	sr	347.0	
~	16 Patients hospitalised with coronary heart disease 2	22	161.4			
Ē	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	17	-	sr	173.8	
Health & Injury	18 Patients hospitalised with asthma <sup>2</sup>	534	188.8	sr	472.9	
<u> </u>	19 Patients hospitalised as an emergency 2		5,713.0	sr	6,378.9	
=	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	55	3,037.0	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>	12	152.3	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) 2	13	581.0	sr	710.4	
	23 Prevalence of diabetes	132	3.1	sr2	3.5	0
重重	24 Patients prescribed drugs for anxiety/depression/psychosis	221	7.9	%	9.7	0
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	20	159.5	sr	303.0	
	26 Deaths from suicide 1		13.6	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	0.0	%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	90	3.8	%	5.6	
Care	29 People (65+) with intensive care needs cared for at home 3	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless 3	n/a		%	1.8	
ى ق	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	377	29.4	%	37.8	
	33 Households in extreme fuel poverty 3	n/a	100.0	%	7.5	
5	34 Average tariff score of all pupils on the S4 roll	n/a	183.2	mean	179.7	
Education	35 Primary school attendance	n/a	96.3	%	95.2	
흅	36 Secondary school attendance	n/a	92.8	%	91.1	
	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	
	38 Population income deprived	235	8.3	%	15.1	0
omy	39 Working age population employment deprived	115	6.6	%	11.6	0
Econor	40 Working age population claiming Jobseeker's Allowance	25	1.5	%	4.4	0
-	41 Dependence on out of work benefits or child tax credit	255	43.7	%	46.6	O
	42 People claiming pension credits (aged 60+)	65	8.3	%	11.0	0
	43 Crime rate	31	10.9	cr2	49.5	0
Crime	44 Prisoner population		71.4	sr	205.5	0
"	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
-	46 Patients hospitalised after an assault <sup>2</sup>		30.0	sr	95.2	
Environment	47 Population within 500 metres of derelict site	27	1.0	%	30.0	0
viro	48 People living in 15% most 'access deprived' areas	2,323	81.7	%	14.2	
Б	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	295	81.9	%	75.3	
£	51 Mothers smoking during pregnancy <sup>2</sup>	14	21.9	%	22.6	
Healt	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	O
en's	53 Low weight live births <sup>2</sup>			%	2.3	0
il de	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	29.7	%	26.4	0
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	71	89.9	%	92.1	0
nen's	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	77	97.5	%	97.5	
Won	57 Child dental health in primary 1	11	50.0	%	61.8	0
	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) 2	10	939.7	sr	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

### Forfar West Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average
- △No significance can be calculated

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	72.5	yrs	74.5	0
٠ و	2 Life expectancy - females <sup>1</sup>	n/a	76.4	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	197	730.7	sr	707.8	O
Exp Mor	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		28.5	sr	57.2	0
§ ~	5 Early deaths from cancer (< 75s) <sup>2</sup>	27	151.0	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		14.8	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	120	650	sr	1,088	0
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
8	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	97.4	sr	85.1	O
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer 1	139	383.7	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	41	169.3	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	69	322.1	sr	347.0	0
Ę	17 Patients hospitalised with cerebrovascular disease 2	44	187.2	sr	173.8	O
& □	18 Patients hospitalised with asthma <sup>2</sup>	55	375.5	sr	472.9	0
Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	1,074	6,370.0	sr	6,378.9	
I I	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	143	4,402.3	sr	4,607.6	0
	21 Road traffic accident casualties <sup>2</sup>	10	69.9	sr	79.4	•
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	25	717.4	sr	710.4	
	23 Prevalence of diabetes	235	3.6	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	457	9.2	%	9.7	0
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	50	321.3	sr	303.0	O
2 1	26 Deaths from suicide <sup>1</sup>		30.2	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	195	4.9	%	5.6	•
Care	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social C & Housi	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
% ≈	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	854	38.4	%	37.8	O
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	184.4	mean	179.7	Δ
atio	35 Primary school attendance	n/a	95.3	%	95.2	•
Education	36 Secondary school attendance	n/a	92.9	%	91.1	0
-	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	

5th Percentile

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

38 Population income deprived

43 Crime rate

44 Prisoner population

50 Breast screening uptake 2

52 Teenage pregnancies 2

53 Low weight live births 2

57 Child dental health in primary 1

58 Child obesity in primary 1

39 Working age population employment deprived

42 People claiming pension credits (aged 60+)

46 Patients hospitalised after an assault 2

51 Mothers smoking during pregnancy 2

54 Babies exclusively breastfed at 6-8 weeks 3 55 Immunisation uptake at 24 months - MMR <sup>2</sup>

47 Population within 500 metres of derelict site

48 People living in 15% most 'access deprived' areas

49 Adults rating neighbourhood as a very good place to live

56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>

40 Working age population claiming Jobseeker's Allowance

45 Referrals to Children's Reporter for violence-related offences

41 Dependence on out of work benefits or child tax credit

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population;

685

300

125

580

125

133

592

0

571

59

18

31

170

24

n/a

%

%

%

%

%

cr2

sr

cr2

sr

%

%

%

%

%

cr2

%

%

%

%

%

13.9

10.3

4.5

51.7

9.5

26.9

22.5

12.3

0.0

85.0

41.0

59.6

19.0

95.5

97.8

54.5

15.1

11.6

4.4

46.6

11.0

49.5

205.5

8 4

95.2

30.0

14.2

52.0

75.3

22.6

414

2.3

26.4

92.1

97.5

61.8

8.0 377.5

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average. See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Forfar Central Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

	significance can be calculated					
Domai	n Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	74.0	yrs	74.5	0
≥ _	2 Life expectancy - females <sup>1</sup>	n/a	79.3	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	193	727.1	sr	707.8	
Mor	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		46.3	sr	57.2	
Life	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	194.3	sr	134.7	O
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		13.3	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ē	9 Patients hospitalised with alcohol conditions <sup>2</sup>	149	888	sr	1,088	0
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
Beh	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	134.0	sr	85.1	O
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	150	420.7	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	47	211.8	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	75	348.6	sr	347.0	
_≥	17 Patients hospitalised with cerebrovascular disease 2	52	207.2	sr	173.8	
l in	18 Patients hospitalised with asthma <sup>2</sup>	66	467.6	sr	472.9	
III Health & Injury	19 Patients hospitalised with astrima  19 Patients hospitalised as an emergency <sup>2</sup>	1,169	7,082.0	sr	6,378.9	
1 m	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	162	5,119.7	sr	4,607.6	
=	21 Road traffic accident casualties <sup>2</sup>	102	65.8	sr	79.4	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	34	787.5	sr	710.4	
	23 Prevalence of diabetes	255	4.3	sr2	3.5	
-	24 Patients prescribed drugs for anxiety/depression/psychosis	441	9.1	%	9.7	
重章						
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	82	535.4 14.5	sr	303.0	
	26 Deaths from suicide <sup>1</sup>	n/a	14.5	sr %	15.1 5.3	
	27 People (65+) receiving free personal care at home <sup>3</sup>		7.0			
	28 Adults claiming incapacity benefit/severe disability allowance	270	7.2	%	5.6	
Social Care & Housing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
ocial F For	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
ه ۳	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	1,220	48.0	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
5	34 Average tariff score of all pupils on the S4 roll	n/a	153.5	mean	179.7	
Education	35 Primary school attendance	n/a	95.0	%	95.2	
ם	36 Secondary school attendance	n/a	92.1	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	910	19.9	%	15.1	
Į,	39 Working age population employment deprived	370	13.9	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	145	5.4	%	4.4	
"	41 Dependence on out of work benefits or child tax credit	630	58.9	%	46.6	•
	42 People claiming pension credits (aged 60+)	200	16.4	%	11.0	•
	43 Crime rate	383	83.9	cr2	49.5	•
Gime	44 Prisoner population		256.3	sr	205.5	O
٥ ا	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		66.9	sr	95.2	
Environment	47 Population within 500 metres of derelict site	2,576	55.9	%	30.0	
iron	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	
ᇤ	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	422	77.4	%	75.3	
_	51 Mothers smoking during pregnancy <sup>2</sup>	51	37.8	%	22.6	
lealt	52 Teenage pregnancies <sup>2</sup>	16	76.6	cr2	41.4	•
nen's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	•
ldre	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	17.6	%	26.4	
Ğ	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	159	97.0	%	92.1	0
3 s,u	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	159	97.0	%	97.5	O
Wome	57 Child dental health in primary 1	23	46.0	%	61.8	•
- 5						
*	58 Child obesity in primary 1	n/a		%	8.0	

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

# Forfar East Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average

	Statistically significant difference compared to Scottish average  No significance can be calculated											
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'						
	1 Life expectancy - males <sup>1</sup>	n/a	81.4	yrs	74.5	0						
8	2 Life expectancy - females <sup>1</sup>	n/a	82.1	yrs	79.5	0						
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	165	611.8	sr	707.8							
Mort	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		26.8	sr	57.2	0						
ife 8	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	83.1	sr	134.7	0						
	6 Early deaths from cerebrovascular disease (<75s) <sup>2</sup>		19.6	sr	18.7							
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1							
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0							
و	Patients hospitalised with alcohol conditions <sup>2</sup>	101	633	sr	1,088	O						
Behaviours	10 Deaths from alcohol conditions 1	n/a	000	sr	46.4							
Beha	11 Patients hospitalised with drug related conditions <sup>2</sup>		14.1	sr	85.1							
-	12 Active travel to work <sup>3</sup>	n/a		%	14.0							
	13 Sporting participation <sup>3</sup>	n/a		%	73.0							
	14 Patients registered with cancer <sup>1</sup>	100	307.0	sr	412.6	0						
	15 Patients hospitalised with COPD <sup>2</sup>	15	55.2	sr	158.6	0						
		67	339.6	sr	347.0							
ا ج	16 Patients hospitalised with coronary heart disease <sup>2</sup>	31	124.8		173.8							
Health & Injury	17 Patients hospitalised with cerebrovascular disease <sup>2</sup> 18 Patients hospitalised with asthma <sup>2</sup>	37	287.8	sr	173.8 472.9							
- 8	•			sr								
Fea	<ul> <li>19 Patients hospitalised as an emergency<sup>2</sup></li> <li>20 Patients (65+) with multiple hospitalisations<sup>2</sup></li> </ul>	775	5,410.2	sr	6,378.9							
		122	3,819.1	sr	4,607.6							
	21 Road traffic accident casualties <sup>2</sup>	20	47.7	sr	79.4							
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup> 23 Prevalence of diabetes	36	1,017.7	sr	710.4							
		157	2.6	sr2	3.5	0						
	24 Patients prescribed drugs for anxiety/depression/psychosis	354	9.0	%	9.7							
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	23	181.4	sr	303.0	O						
$\vdash$	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1							
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3							
	28 Adults claiming incapacity benefit/severe disability allowance	100	3.2	%	5.6	0						
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7							
Scial Foundation	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8							
× ×	31 Children looked after by local authority 3	n/a		cr2	14							
	32 Single adult dwellings	620	34.3	%	37.8							
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5							
	34 Average tariff score of all pupils on the S4 roll	n/a	215.3	mean	179.7	Δ						
ducation	35 Primary school attendance	n/a	96.7	%	95.2	0						
륍	36 Secondary school attendance	n/a	94.7	%	91.1	0						
$\vdash$	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8							
	38 Population income deprived	290	7.6	%	15.1	0						
Į,	39 Working age population employment deprived	155	7.1	%	11.6	0						
Economy	40 Working age population claiming Jobseeker's Allowance	55	2.6	%	4.4	0						
"	41 Dependence on out of work benefits or child tax credit	245	33.1	%	46.6	0						
	42 People claiming pension credits (aged 60+)	90	7.7	%	11.0	0						
	43 Crime rate	77	20.2	cr2	49.5	O						
≞	44 Prisoner population		33.5	sr	205.5	0						
5	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4							
	46 Patients hospitalised after an assault <sup>2</sup>		22.7	sr	95.2	0						
l ment	47 Population within 500 metres of derelict site	44	1.2	%	30.0	0						
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2							
Ë	<b>49</b> Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0							
	<b>50</b> Breast screening uptake <sup>2</sup>	478	86.1	%	75.3							
ہ	51 Mothers smoking during pregnancy <sup>2</sup>	12	15.6	%	22.6	0						
Women's & Children's Health	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	0						
s.	53 Low weight live births <sup>2</sup>			%	2.3	0						
lidre	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	34	30.4	%	26.4	0						
5   5	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	92	95.8	%	92.1	0						
eu,s	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	95	99.0	%	97.5	0						
Į į	57 Child dental health in primary 1	20	52.6	%	61.8	O						
	58 Child obesity in primary 1	n/a		%	8.0							
1	59 Patients beenitalised by unintentional injuries at home (<15) 2		214 3	er	377.5							

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average. See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# **Lunan Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

					Scot.	
omain	Indicator	Number	Measure	Type	Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	78.1	yrs	74.5	0
3	2 Life expectancy - females <sup>1</sup>	n/a	77.9	yrs	79.5	
a is	3 Deaths all ages 2	68	610.1	sr	707.8	
Mort	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		41.1	sr	57.2	
& Mortality	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	118.3	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		8.1	sr	18.7	
			0.1			
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
Behaviours	9 Patients hospitalised with alcohol conditions <sup>2</sup>	67	621	sr	1,088	
havi	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
å	11 Patients hospitalised with drug related conditions <sup>2</sup>		58.4	sr	85.1	0
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	69	365.6	sr	412.6	O
	15 Patients hospitalised with COPD <sup>2</sup>	17	133.3	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	38	313.6	sr	347.0	
Š	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	17	141.9	sr	173.8	
<u>=</u>	18 Patients hospitalised with asthma <sup>2</sup>	30	346.7	sr	472.9	0
III Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	502	5,638.3	sr	6,378.9	
품	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	62	4,557.0	sr	4,607.6	
=	21 Road traffic accident casualties <sup>2</sup>	02	48.6		79.4	
				sr		
	22 Patients hospitalised after a fall in the home (65+) 2	13	1,040.0	sr	710.4	
	23 Prevalence of diabetes	145	3.7	sr2	3.5	0
<del>a</del>	24 Patients prescribed drugs for anxiety/depression/psychosis	277	9.3	%	9.7	0
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	29	293.9	sr	303.0	
	26 Deaths from suicide <sup>1</sup>		24.5	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	125	5.1	%	5.6	O
ng are	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless 3	n/a		%	1.8	
Soc E	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	446	31.6	%	37.8	O
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	188.3	mean	179.7	
<u>6</u>	35 Primary school attendance	n/a	95.9	%	95.2	
Education	36 Secondary school attendance	n/a	93.2	%	91.1	
В	-		93.2			
	37 Working age adults with low or no educational qualifications 3	n/a		%	14.8	
	38 Population income deprived	325	11.3	%	15.1	0
Ę	39 Working age population employment deprived	155	8.5	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	35	1.9	%	4.4	0
ш	41 Dependence on out of work benefits or child tax credit	290	46.4	%	46.6	
	42 People claiming pension credits (aged 60+)	50	6.9	%	11.0	0
	43 Crime rate	58	20.1	cr2	49.5	O
Crime	44 Prisoner population	0	0.0	sr	205.5	Δ
2	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		10.5	sr	95.2	0
ent	47 Population within 500 metres of derelict site	268	9.1	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	1,924	66.8	%	14.2	
īvi	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	338	80.5	%	75.3	
		16		%	22.6	
₤	51 Mothers smoking during pregnancy <sup>2</sup>	10	23.5			0
Hea	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	0
en's	53 Low weight live births <sup>2</sup>			%	2.3	•
į	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	33.8	%	26.4	0
<u>ಶ</u>	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	62	93.9	%	92.1	0
Women's & Children's Health	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	66	100.0	%	97.5	0
Vom	57 Child dental health in primary 1	12	52.2	%	61.8	0
>	58 Child obesity in primary 1	n/a		%	8.0	
			419.6	sr	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

## Friockheim Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

7140 s	ignificance can be calculated					
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	75.7	yrs	74.5	0
ે જ	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	82.0	yrs	79.5	
octan tality	3 Deaths all ages <sup>2</sup>	152	529.8	sr	707.8	
Life Expectancy & Mortality	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	41.2	sr	57.2	
å *	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	112.9	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		12.9	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ē	9 Patients hospitalised with alcohol conditions <sup>2</sup>	139	616	sr	1,088	0
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
뮵	11 Patients hospitalised with drug related conditions <sup>2</sup>		15.6	sr	85.1	0
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	161	383.9	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	26	99.6	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	78	295.8	sr	347.0	•
Ē	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	126.5	sr	173.8	0
a L	18 Patients hospitalised with asthma <sup>2</sup>	49	237.1	sr	472.9	0
III Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	1,084	5,160.0	sr	6,378.9	0
Ī	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	112	3,153.1	sr	4,607.6	O
	21 Road traffic accident casualties <sup>2</sup>	20	106.1	sr	79.4	O
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	28	724.4	sr	710.4	
	23 Prevalence of diabetes	263	2.9	sr2	3.5	0
7 C	24 Patients prescribed drugs for anxiety/depression/psychosis	673	9.9	%	9.7	O
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	170.0	sr	303.0	O
	<b>26</b> Deaths from suicide <sup>1</sup>		20.4	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	185	3.4	%	5.6	
Social Care & Housing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
cial ( Hous	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
တ္တ 🌣	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	836	27.5	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
Ę	34 Average tariff score of all pupils on the S4 roll	n/a	160.7	mean	179.7	Δ
Education	35 Primary school attendance	n/a	95.9	%	95.2	•
Edu	36 Secondary school attendance	n/a	93.3	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	595	9.2	%	15.1	0
e d	39 Working age population employment deprived	305	7.7	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	120	2.9	%	4.4	0
_	41 Dependence on out of work benefits or child tax credit	565	36.6	%	46.6	0
	42 People claiming pension credits (aged 60+)	115	7.0	%	11.0	0
	43 Crime rate	103	15.9	cr2	49.5	0
Crime	44 Prisoner population	n/-	91.5	sr	205.5	
5	45 Referrals to Children's Reporter for violence-related offences	n/a	97.7	cr2	8.4	
ŧ	46 Patients hospitalised after an assault <sup>2</sup>	12	87.7	sr o/	95.2	
Environment	47 Population within 500 metres of derelict site  48 People living in 15% most 'access deprived' areas	510 6,474	7.6	%	30.0 14.2	0
nviro		6,474 n/a	100.0	%	52.0	
ш	<ul> <li>49 Adults rating neighbourhood as a very good place to live <sup>3</sup></li> <li>50 Breast screening uptake <sup>2</sup></li> </ul>	758	83.4	%	75.3	0
	51 Mothers smoking during pregnancy <sup>2</sup>	25	16.9	%	22.6	
₽	52 Teenage pregnancies <sup>2</sup>	25	10.9	cr2	41.4	
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	0
Iren's	-	55	31.3	%		
GHIG	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup> 55 Immunisation uptake at 24 months - MMR <sup>2</sup>	166	91.7	%	26.4 92.1	
8	56 Immunisation uptake at 24 months - MMR <sup>2</sup> 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	176	97.2	%	97.5	
men	57 Child dental health in primary 1	42	61.8	%	61.8	
×	58 Child obesity in primary 1	n/a	01.0	%	8.0	
		ıva -	206.4		377.5	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		206.4	sr	311.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## Kirriemuir Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	76.5	yrs	74.5	
ক	2 Life expectancy - females <sup>1</sup>	n/a	82.1	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	214	612.3	sr	707.8	
Mort	Early deaths from coronary heart disease (< 75s) <sup>2</sup>		26.2	sr	57.2	0
Life &	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	122.3	sr	134.7	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.6	sr	18.7	0
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
e	Patients hospitalised with alcohol conditions <sup>2</sup>	152	701	sr	1,088	
vion	10 Deaths from alcohol conditions 1	n/a		sr	46.4	
Behaviours	11 Patients hospitalised with drug related conditions <sup>2</sup>		68.1	sr	85.1	
_	12 Active travel to work <sup>3</sup>	n/a	00.1	%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	153	342.8	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	36	115.1	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	78	293.8	sr	347.0	
≥	17 Patients hospitalised with cerebrovascular disease 2	45	141.4	sr	173.8	
Inju	Patients nospitalised with cerebrovascular disease  18 Patients hospitalised with asthma <sup>2</sup>	64	356.6	sr	472.9	
III Health & Injury	19 Patients hospitalised with asthma =  19 Patients hospitalised as an emergency 2	1,177	5,888.8	sr	6,378.9	
<del>2</del>	20 Patients (65+) with multiple hospitalisations <sup>2</sup>		3,379.9		4,607.6	
	21 Road traffic accident casualties <sup>2</sup>	142 16	79.9	sr	79.4	
				sr		
	22 Patients hospitalised after a fall in the home (65+) 2	32	688.9	sr	710.4	
	23 Prevalence of diabetes	269	3.2	sr2	3.5	0
重重	24 Patients prescribed drugs for anxiety/depression/psychosis	490	8.0	%	9.7	
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	55	316.2	sr	303.0	
	26 Deaths from suicide 1		18.4	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	0.5	%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	165	3.5	%	5.6	0
Social Care & Housing	29 People (65+) with intensive care needs cared for at home 3	n/a		%	31.7	
Scial Fou	30 Households assessed as homeless 3	n/a		%	1.8	
ŏ∞	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	1,141	39.8	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
Ę	34 Average tariff score of all pupils on the S4 roll	n/a	204.6	mean	179.7	Δ
Education	35 Primary school attendance	n/a	96.2	%	95.2	0
Edu	36 Secondary school attendance	n/a	93.4	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	760	13.0	%	15.1	0
Ę	39 Working age population employment deprived	280	8.4	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	100	3.1	%	4.4	
ш	41 Dependence on out of work benefits or child tax credit	620	46.8	%	46.6	
	42 People claiming pension credits (aged 60+)	205	12.1	%	11.0	0
	43 Crime rate	216	37.1	cr2	49.5	0
Crime	44 Prisoner population		217.0	sr	205.5	
Ö	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>	13	95.1	sr	95.2	
men	47 Population within 500 metres of derelict site	391	6.8	%	30.0	
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	
Ē	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	50 Breast screening uptake <sup>2</sup>	662	79.5	%	75.3	
_	51 Mothers smoking during pregnancy <sup>2</sup>	36	26.7	%	22.6	0
lealti	52 Teenage pregnancies <sup>2</sup>	14	39.2	cr2	41.4	
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	0
ildre	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	46	26.3	%	26.4	
ঠ ক	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	148	93.7	%	92.1	0
en's	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	157	99.4	%	97.5	0
Nom	57 Child dental health in primary 1	34	65.4	%	61.8	•
-	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) 2	12	465.3	sr	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

## **Montrose South Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

	ignificance can be calculated					
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males <sup>1</sup>	n/a	73.6	yrs	74.5	•
8	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	77.7	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	264	803.6	sr	707.8	
Mori	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	65.5	sr	57.2	
£ %	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	113.5	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		11.1	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ē	9 Patients hospitalised with alcohol conditions <sup>2</sup>	181	962	sr	1,088	
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
8	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	92.5	sr	85.1	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	137	365.0	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	26	93.3	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	83	370.2	sr	347.0	•
Š	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	178.3	sr	173.8	
S II	18 Patients hospitalised with asthma <sup>2</sup>	47	302.2	sr	472.9	0
III Health & Injury	19 Patients hospitalised as an emergency <sup>2</sup>	1,248	6,697.3	sr	6,378.9	0
물	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	178	4,799.0	sr	4,607.6	•
	21 Road traffic accident casualties <sup>2</sup>	13	70.1	sr	79.4	
	22 Patients hospitalised after a fall in the home (65+) 2	46	777.0	sr	710.4	•
	23 Prevalence of diabetes	278	3.9	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	488	8.9	%	9.7	0
Mental	25 Patients with a psychiatric hospitalisation <sup>2</sup>	117	637.5	sr	303.0	•
≥f	26 Deaths from suicide <sup>1</sup>		11.7	sr	15.1	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	265	6.1	%	5.6	0
ag Bu	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
S &	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	1,549	49.7	%	37.8	•
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	152.8	mean	179.7	Δ
Education	35 Primary school attendance	n/a	94.4	%	95.2	0
grc	36 Secondary school attendance	n/a	92.4	%	91.1	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	1,020	19.8	%	15.1	•
	39 Working age population employment deprived	435	14.0	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	160	5.1	%	4.4	
ш	41 Dependence on out of work benefits or child tax credit	535	50.9	%	46.6	
	42 People claiming pension credits (aged 60+)	185	13.1	%	11.0	
	43 Crime rate	481	93.4	cr2	49.5	•
Grime	44 Prisoner population	13	331.1	sr	205.5	0
5	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>	16	112.8	sr	95.2	O
ment	47 Population within 500 metres of derelict site	90	1.7	%	30.0	0
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
Ē	<b>49</b> Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	
	<b>50</b> Breast screening uptake <sup>2</sup>	488	86.5	%	75.3	
_	51 Mothers smoking during pregnancy <sup>2</sup>	54	36.5	%	22.6	
tealt	52 Teenage pregnancies <sup>2</sup>	20	68.3	cr2	41.4	•
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3	0
l dr.	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	26.6	%	26.4	•
<b>5</b>	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	149	92.0	%	92.1	
s, ue	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	156	96.3	%	97.5	O
Wom	57 Child dental health in primary 1	20	47.6	%	61.8	0
	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) 2		372.6	sr	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

## **Montrose North Intermediate Zone Health Summary**

○ Stati	stically significantly 'worse' than Scottish average stically not significantly different from Scottish av stically significantly 'better' than Scottish average	erage	'Worse' Ar	rea Scotland	Average	'Better' Area			
Stati	stically significant difference compared to Scottisi ignificance can be calculated	5th Percentile	25th Percentile	75th Percentile	95th Percentile				
Domain	Indicator	'Worst'	Scotland A	Average	'Best'				
	1 Life expectancy - males 1	n/a	74.1	yrs	74.5		0		

Domain	Indicator	Number	Measure	Type	Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	74.1	yrs	74.5	O
>	2 Life expectancy - females <sup>1</sup>	n/a	80.0	yrs	79.5	
ig y				_		
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	170	758.7	sr	707.8	
Σĕ	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	64.5	sr	57.2	0
5	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	190.5	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) 2		14.9	sr	18.7	O
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
SI S	9 Patients hospitalised with alcohol conditions <sup>2</sup>	129	765	sr	1,088	O
Behaviours	10 Deaths from alcohol conditions 1	n/a		sr	46.4	
8	11 Patients hospitalised with drug related conditions <sup>2</sup>		60.3	sr	85.1	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
			244.2			
	14 Patients registered with cancer 1	122	344.3	sr	412.6	
	15 Patients hospitalised with COPD <sup>2</sup>	30	163.6	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	83	405.1	sr	347.0	O
ξ	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	39	172.4	sr	173.8	
i <u>n</u>	18 Patients hospitalised with asthma <sup>2</sup>	32	222.3	sr	472.9	
l ∰	19 Patients hospitalised as an emergency <sup>2</sup>	945	5,881.9		6,378.9	
III Health & Injury				sr		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	102	3,628.6	sr	4,607.6	0
	21 Road traffic accident casualties <sup>2</sup>	13	110.0	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	613.1	sr	710.4	
	23 Prevalence of diabetes	215	3.6	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	430	8.9	%	9.7	
ta fa		59				
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	59	411.3	sr	303.0	
	26 Deaths from suicide <sup>1</sup>		16.8	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	210	5.7	%	5.6	
<b>₽</b> ₽	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
S is	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
0 T						
σ ~	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	
	32 Single adult dwellings	902	39.5	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
_	34 Average tariff score of all pupils on the S4 roll	n/a	163.1	mean	179.7	
Education	35 Primary school attendance	n/a	95.1	%	95.2	O
duca	36 Secondary school attendance	n/a	93.1	%	91.1	
ш	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	655	14.3	%	15.1	
È	39 Working age population employment deprived	290	11.0	%	11.6	
Economy	40 Working age population claiming Jobseeker's Allowance	90	3.4	%	4.4	
ы	41 Dependence on out of work benefits or child tax credit	510	47.3	%	46.6	
	42 People claiming pension credits (aged 60+)	125	10.3	%	11.0	O
	43 Crime rate	148	32.2	cr2	49.5	
_		1+0				0
Crime	44 Prisoner population		79.5	sr	205.5	
σ	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
	46 Patients hospitalised after an assault <sup>2</sup>		17.4	sr	95.2	0
ent	47 Population within 500 metres of derelict site	226	4.9	%	30.0	•
l iii	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
Environment	<b>49</b> Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	-	%	52.0	
ш	0 0 ,0 .		00.5			
	50 Breast screening uptake <sup>2</sup>	509	88.5	%	75.3	
ا ء	51 Mothers smoking during pregnancy <sup>2</sup>	49	34.8	%	22.6	
ealt	52 Teenage pregnancies <sup>2</sup>	12	54.8	cr2	41.4	O
l s'r	53 Low weight live births <sup>2</sup>			%	2.3	0
Women's & Children's Health	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	34	22.5	%	26.4	•
É	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	150	96.8	%	92.1	
⊗ 0	·					
ner.	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	154	99.4	%	97.5	O
Won	57 Child dental health in primary 1	29	69.0	%	61.8	
-	58 Child obesity in primary 1	n/a		%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		212.3	sr	377.5	O
Notes						
	=					

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

## **Brechin East Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'B
	1 Life expectancy - males <sup>1</sup>	n/a	73.3	yrs	74.5	0
ŀ	2 Life expectancy - females <sup>1</sup>	n/a	78.1	yrs	79.5	•
& MOTTAILITY	3 Deaths all ages <sup>2</sup>	135	866.6	sr	707.8	
	Deaths all ages  4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	100	30.5	sr	57.2	
5	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	153.0	sr	134.7	
ŀ	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	10	28.3	sr	18.7	0
$\dashv$	7 Smoking attributable deaths <sup>2</sup>	n/a	20.3	%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
ŀ		96	945	sr	1,088	
-	9 Patients hospitalised with alcohol conditions <sup>2</sup>		943		46.4	
ŀ	10 Deaths from alcohol conditions 1	n/a	70.7	sr		
ŀ	11 Patients hospitalised with drug related conditions <sup>2</sup>	2/2	78.7	sr o/	85.1	
ŀ	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
$\dashv$	13 Sporting participation <sup>3</sup>	n/a	0.45.0	%	73.0	
ŀ	14 Patients registered with cancer 1	74	345.3	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	38	286.6	sr	158.6	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	40	324.8	sr	347.0	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	32	193.7	sr	173.8	
	18 Patients hospitalised with asthma <sup>2</sup>	33	356.4	sr	472.9	
	19 Patients hospitalised as an emergency 2	683	6,617.3	sr	6,378.9	O
- 1	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	84	4,570.6	sr	4,607.6	
- 1	21 Road traffic accident casualties <sup>2</sup>		95.6	sr	79.4	0
- 1	22 Patients hospitalised after a fall in the home (65+) 2	19	875.1	sr	710.4	0
$\rightarrow$	23 Prevalence of diabetes	169	4.5	sr2	3.5	•
	24 Patients prescribed drugs for anxiety/depression/psychosis	313	9.5	%	9.7	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	46	510.6	sr	303.0	
_	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1	Δ
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	155	6.6	%	5.6	
,	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	729	44.8	%	37.8	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
	34 Average tariff score of all pupils on the S4 roll	n/a	140.0	mean	179.7	Δ
	35 Primary school attendance	n/a	95.2	%	95.2	
	36 Secondary school attendance	n/a	92.1	%	91.1	0
	$37$ Working age adults with low or no educational qualifications $^3$	n/a		%	14.8	
	38 Population income deprived	640	21.9	%	15.1	•
	39 Working age population employment deprived	255	15.2	%	11.6	
ı	40 Working age population claiming Jobseeker's Allowance	105	6.3	%	4.4	
ı	41 Dependence on out of work benefits or child tax credit	480	63.1	%	46.6	
ı	42 People claiming pension credits (aged 60+)	100	13.1	%	11.0	0
$\exists$	43 Crime rate	250	85.6	cr2	49.5	•
Ì	44 Prisoner population		277.7	sr	205.5	
ı	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
ı	46 Patients hospitalised after an assault <sup>2</sup>	10	126.1	sr	95.2	0
$\rightarrow$	47 Population within 500 metres of derelict site	2,711	91.4	%	30.0	•
- 1	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	0
ŀ	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	<u> </u>	%	52.0	
$\rightarrow$	50 Breast screening uptake <sup>2</sup>	285	78.1	%	75.3	•
- 1	51 Mothers smoking during pregnancy <sup>2</sup>	47	36.4	%	22.6	
	52 Teenage pregnancies <sup>2</sup>	11	67.5	cr2	41.4	
	53 Low weight live births <sup>2</sup>	'''	07.0	%	2.3	
- 1		27	20.0	-		
- 1	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	27 99	20.9	%	26.4	
- 1	55 Immunisation uptake at 24 months - MMR <sup>2</sup>		92.5	%	92.1	
- 1	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	103	96.3	%	97.5	0
- 1	57 Child dental health in primary 1  58 Child obesity in primary 1	17	54.8	%	61.8	0
	sx ( nua obseit/ in primary 1	n/a	I	%	8.0	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

### **Brechin West Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

Ó

75th Percentile

25th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average
- No significance can be calculated

Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	75.0	yrs	74.5	0
6	2 Life expectancy - females <sup>1</sup>	n/a	79.3	yrs	79.5	
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	144	628.6	sr	707.8	
Expe	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	61.4	sr	57.2	
å.	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	141.7	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.7	sr	18.7	
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
€	9 Patients hospitalised with alcohol conditions <sup>2</sup>	97	618	sr	1,088	
Behaviours	10 Deaths from alcohol conditions 1	n/a		sr	46.4	
윰	11 Patients hospitalised with drug related conditions <sup>2</sup>		16.6	sr	85.1	0
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	116	377.1	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	20	80.6	sr	158.6	O
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	53	306.9	sr	347.0	
ξ	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	191.2	sr	173.8	
& i	18 Patients hospitalised with asthma <sup>2</sup>	29	246.3	sr	472.9	
Health & Injury	19 Patients hospitalised as an emergency 2	745	5,486.2	sr	6,378.9	O
<u>₹</u> 	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	134	4,608.6	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>		52.8	sr	79.4	0
	22 Patients hospitalised after a fall in the home (65+) 2	24	560.8	sr	710.4	
	23 Prevalence of diabetes	190	3.7	sr2	3.5	
	24 Patients prescribed drugs for anxiety/depression/psychosis	356	9.5	%	9.7	
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	21	118.0	sr	303.0	0
2 +	26 Deaths from suicide <sup>1</sup>		30.8	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	85	2.9	%	5.6	0
are ing	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	<b>30</b> Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
S ~	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	728	39.4	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
_	34 Average tariff score of all pupils on the S4 roll	n/a	175.4	mean	179.7	Δ
Education	35 Primary school attendance	n/a	96.5	%	95.2	0
Educ	36 Secondary school attendance	n/a	93.7	%	91.1	0
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	355	10.3	%	15.1	0
Ę	39 Working age population employment deprived	110	5.6	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	65	3.3	%	4.4	0
ш ш	41 Dependence on out of work benefits or child tax credit	320	47.1	%	46.6	

5th Percentile

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

42 People claiming pension credits (aged 60+)

46 Patients hospitalised after an assault 2

51 Mothers smoking during pregnancy 2

47 Population within 500 metres of derelict site

54 Babies exclusively breastfed at 6-8 weeks 2 55 Immunisation uptake at 24 months - MMR <sup>2</sup>

48 People living in 15% most 'access deprived' areas

49 Adults rating neighbourhood as a very good place to live

56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>

45 Referrals to Children's Reporter for violence-related offences

43 Crime rate

44 Prisoner population

50 Breast screening uptake 2

52 Teenage pregnancies 2

53 Low weight live births 2

57 Child dental health in primary 1

58 Child obesity in primary 1

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

125

157

505

0

429

38

25

83

17

n/a

11.1

45.4

34.8

14.5

0.0

82.5

41.3

26.0

94.3

98.9

70.8

%

cr2

sr

cr2

sr

%

%

%

%

%

cr2

%

%

%

%

%

11.0

49.5

205.5

8 4

95.2

30.0

14.2

52.0

75.3

22.6

414

2.3

26.4

92.1

61.8

8.0 377.5

### Hillside Intermediate Zone Health Summary

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average
- No significance can be calculated

_	No significance can be calculated							
	Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'	
ľ		1 Life expectancy - males 1	n/a	73.9	yrs	74.5	0	
	٥ ر	2 Life expectancy - females <sup>1</sup>	n/a	82.9	yrs	79.5	0	
	Expectancy Mortality	3 Deaths all ages <sup>2</sup>	62	505.7	sr	707.8	0	
	Exp Mor	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		33.3	sr	57.2	0	
	-   ∞	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	111.3	sr	134.7		
		6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7	Δ	
ſ		7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		
		8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		
	2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	71	648	sr	1,088	0	
	Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		
	器	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1	Δ	
		12 Active travel to work <sup>3</sup>	n/a		%	14.0		
		13 Sporting participation <sup>3</sup>	n/a		%	73.0		
ľ		14 Patients registered with cancer <sup>1</sup>	72	378.8	sr	412.6	0	
		15 Patients hospitalised with COPD <sup>2</sup>	10	73.1	sr	158.6	0	
		16 Patients hospitalised with coronary heart disease <sup>2</sup>	32	247.9	sr	347.0	0	
	Ē	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	152.2	sr	173.8	0	
	& Injury	18 Patients hospitalised with asthma <sup>2</sup>	25	211.9	sr	472.9	0	
	att.	19 Patients hospitalised as an emergency 2	556	5,464.2	sr	6,378.9	0	
	± ≡	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	40	2,925.5	sr	4,607.6	0	
		21 Road traffic accident casualties <sup>2</sup>		84.9	sr	79.4	O	
		22 Patients hospitalised after a fall in the home (65+) 2	10	791.3	sr	710.4	0	
		23 Prevalence of diabetes	131	3.1	sr2	3.5		
ſ		24 Patients prescribed drugs for anxiety/depression/psychosis	313	8.8	%	9.7	•	
	Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	372.4	sr	303.0	0	
	žΙ	26 Deaths from suicide <sup>1</sup>		4.0	sr	15.1	0	
Ī		27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		
		28 Adults claiming incapacity benefit/severe disability allowance	85	3.2	%	5.6	0	
	Care	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		
	ial C Jousi	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		
	Social & Hous	31 Children looked after by local authority 3	n/a		cr2	14		
		32 Single adult dwellings	390	26.4	%	37.8	0	
		33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		
	_	34 Average tariff score of all pupils on the S4 roll	n/a	174.0	mean	179.7	Δ	
	ducation	35 Primary school attendance	n/a	96.1	%	95.2	•	
	Educ	36 Secondary school attendance	n/a	94.6	%	91.1	0	
	-	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		
		38 Population income deprived	325	10.3	%	15.1	0	
	È	39 Working age population employment deprived	125	6.4	%	11.6	0	
	Economy	40 Working age population claiming Jobseeker's Allowance	35	1.8	%	4.4	0	
	Щ	41 Dependence on out of work benefits or child tax credit	325	39.7	%	46.6	•	
		42 People claiming pension credits (aged 60+)	50	6.4	%	11.0	0	
ſ		43 Crime rate	32	10.1	cr2	49.5	O	
	ē	44 Prisoner population		93.5	sr	205.5		
	Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		
- 1		2						

5th Percentile

59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

46 Patients hospitalised after an assault 2

51 Mothers smoking during pregnancy

57 Child dental health in primary 1

58 Child obesity in primary 1

50 Breast screening uptake 2

52 Teenage pregnancies 2

53 Low weight live births 2

47 Population within 500 metres of derelict site

54 Babies exclusively breastfed at 6-8 weeks 2 55 Immunisation uptake at 24 months - MMR <sup>2</sup>

48 People living in 15% most 'access deprived' areas

49 Adults rating neighbourhood as a very good place to live

56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

21.1

9.9

38.5

88.7

25.0

28.9

95.3

99.2

67 4

330

1,217

369

23

37

121

29

n/a

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

95.2

30.0

14.2

52.0

75.3

22.6

414

2.3

26.4

92.1

61.8

8.0 377.5

sr

%

%

%

%

%

cr2

%

%

%

%

%

## **Angus Glens Intermediate Zone Health Summary**

for all Intermediate Zones.

95th Percentile

Scotland Average

75th Percentile

25th Percentile

5th Percentile

- Statistically significantly 'worse' than Scottish average
- OStatistically not significantly different from Scottish average
- OStatistically significantly 'better' than Scottish average
- OStatistically significant difference compared to Scottish average

7140.2	ignificance can be calculated					
Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average 'Best'
	1 Life expectancy - males 1	n/a	78.9	yrs	74.5	0
₹.	<sup>2</sup> Life expectancy - females <sup>1</sup>	n/a	83.4	yrs	79.5	0
Life Expectancy & Mortality	3 Deaths all ages <sup>2</sup>	122	665.7	sr	707.8	
Expe	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	85.1	sr	57.2	0
μ Ψ	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	92.6	sr	134.7	0
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.4	sr	18.7	O
	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	
2	9 Patients hospitalised with alcohol conditions <sup>2</sup>	88	636	sr	1,088	0
Behaviours	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	
윰	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	
	13 Sporting participation <sup>3</sup>	n/a		%	73.0	
	14 Patients registered with cancer <sup>1</sup>	97	386.7	sr	412.6	0
	15 Patients hospitalised with COPD <sup>2</sup>	12	73.3	sr	158.6	0
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	41	257.5	sr	347.0	0
<u>r</u>	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	156.4	sr	173.8	
III Health & Injury	18 Patients hospitalised with asthma <sup>2</sup>	30	211.0	sr	472.9	0
ealth	19 Patients hospitalised as an emergency <sup>2</sup>	607	4,780.1	sr	6,378.9	0
Ĭ E	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	82	3,838.2	sr	4,607.6	
	21 Road traffic accident casualties <sup>2</sup>	14	163.5	sr	79.4	•
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	865.7	sr	710.4	•
	23 Prevalence of diabetes	140	2.8	sr2	3.5	0
<b>-</b> -	24 Patients prescribed drugs for anxiety/depression/psychosis	317	8.6	%	9.7	O
Mental Health	25 Patients with a psychiatric hospitalisation <sup>2</sup>	19	185.1	sr	303.0	•
2 ±	26 Deaths from suicide <sup>1</sup>		14.3	sr	15.1	0
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	
	28 Adults claiming incapacity benefit/severe disability allowance	95	3.2	%	5.6	O
are	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	
Social Care & Housing	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	
S ∞	31 Children looked after by local authority 3	n/a		cr2	14	
	32 Single adult dwellings	465	26.0	%	37.8	0
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	
_	34 Average tariff score of all pupils on the S4 roll	n/a	176.3	mean	179.7	$\Delta$
Education	35 Primary school attendance	n/a	96.5	%	95.2	0
Eg	36 Secondary school attendance	n/a	93.0	%	91.1	•
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	
	38 Population income deprived	315	8.8	%	15.1	•
Ę	39 Working age population employment deprived	135	6.2	%	11.6	0
Economy	40 Working age population claiming Jobseeker's Allowance	30	1.4	%	4.4	0
ш	41 Dependence on out of work benefits or child tax credit	350	46.1	%	46.6	
	42 People claiming pension credits (aged 60+)	55	5.7	%	11.0	0
	43 Crime rate	39	10.9	cr2	49.5	
Crime	44 Prisoner population	0	0.0	sr	205.5	Δ
O	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	
+	46 Patients hospitalised after an assault <sup>2</sup>		56.7	sr	95.2	0
Environment	47 Population within 500 metres of derelict site	443	12.4	%	30.0	0
viro.	48 People living in 15% most 'access deprived' areas	2,592	72.4	%	14.2	
ш	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	04.7	%	52.0	
	50 Breast screening uptake <sup>2</sup>	388	81.7	%	75.3	0
€	51 Mothers smoking during pregnancy <sup>2</sup>	14	21.2	%	22.6	0
Women's & Children's Health	52 Teenage pregnancies <sup>2</sup> 53 Low weight live births <sup>2</sup>			cr2	41.4	0
ren's	ū	20	40.7	%	2.3	
띪	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	33	40.7	%	26.4	0
8 & C	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	91	93.8	%	92.1	0
men.	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	96	99.0	%	97.5	0
No.	57 Child dental health in primary 1	32	76.2	%	61.8	
	58 Child obesity in primary 1	n/a	050 -	%	8.0	
	59 Patients hospitalised by unintentional injuries at home (<15) 2		258.7	sr	377.5	

### Notes:

- Five-year combined number, and 5-year average annual measure.
   Three-year combined number, and 3-year average annual measure.
   Data available down to local authority level only.

n/a= data not available, or cannot be calculated; cr= crude rate per 100,000 population; cr2= crude rate per 1,000 population;

sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at www.scotpho.org.uk/profiles.

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths). *	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year. *	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work. *	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity. *	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly agesex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

<sup>\*</sup>see technical report (at <a href="www.scotpho.org.uk/profiles">www.scotpho.org.uk/profiles</a>) for more detail

1 In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Indicator	Description	Deficition	Time Deviced	<b>c</b> 1
No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/ depression/ psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.  'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.  In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

<sup>\*</sup>see technical report (at <a href="https://www.scotpho.org.uk/profiles">www.scotpho.org.uk/profiles</a>) for more detail

In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

<sup>\*</sup>see technical report (at <a href="www.scotpho.org.uk/profiles">www.scotpho.org.uk/profiles</a>) for more detail

<sup>&</sup>lt;sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

<sup>\*</sup>see technical report (at <a href="www.scotpho.org.uk/profiles">www.scotpho.org.uk/profiles</a>) for more detail

1 In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





### **Abbreviations**

APS: Annual Population Survey

BMI: Body Mass Index

CHI: Community Health Index

CHSP-PS: Child Health Systems Programme – Pre-school Children CHSP-S: Child Health Systems Programme – School aged Children

COPD: Chronic obstructive pulmonary disease DWP: Department for Work and Pensions GROS: General Register Office for Scotland

ISD: Information Services Division (of NHS Scotland)

NDIP: National Dental Inspection Programme

ROS: Registers of Scotland

SBSP: Scottish Breast Screening Programme

SCI-DC: Scottish Care Information - Diabetes Collaboration

SCRA: Scottish Children's Reporter Administration

SDA: Severe Disability Allowance SG: Scottish Government

SHCS: Scottish House Condition Survey
SHoS: Scottish Household Survey

SIMD2009: Scottish Index of Multiple Deprivation 2009
SIRS: Scottish Immunisation Recall System

SMR01/02/04: Scottish Morbidity Records
SNS: Scottish Neighbourhood Statistics

SPS: Scottish Prison Service

SVDLS Scottish Vacant and Derelict Land Survey

### **Additional Profiles Products:**

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

### Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszczak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

ISD ScotPHO Team:

Andrew Gasiorowski:

Dr Diane Stockton:

email: <a href="mailto:scotpho@nhs.net">scotpho@nhs.net</a>

 $email: \ \underline{andrew.gasiorowski@nhs.net}$ 

email: <u>diane.stockton@nhs.net</u>

fax: 0131 275 7511

tel: 0141 282 2143

tel: 0131 275 6817

Dataworx: Adrian Watson

email: adrian@dataworx-solutions.co.uk

Published by:

ScotPHO (Scottish Public Health Observatory) Team Information Services Division (ISD) Scotland Gyle Square 1 South Gyle Crescent

1 South Cyle Cresc

EDINBURGH EH12 9EB