



# Health and Wellbeing Profiles 2010

## Spine Pack: East Renfrewshire



# East Renfrewshire CHCP



|   | page |
|---|------|
| 1. Eaglesham and Waterfoot                    | 4    |
| 2. Mearns Kirk and South Kirkhill             | 5    |
| 3. North Kirkhill                             | 6    |
| 4. Mearns Village, Westacres and Greenfarm    | 7    |
| 5. West Neilston and Uplawmoor                | 8    |
| 6. Busby                                      | 9    |
| 7. Whitecraigs and Broom                      | 10   |
| 8. Clarkston and Sheddens                     | 11   |
| 9. Crookfur and Fruin                         | 12   |
| 10. Williamwood                               | 13   |
| 11. Stamperland                               | 14   |
| 12. West Arthurlie and North Neilston         | 15   |
| 13. Auchenback                                | 16   |
| 14. Lower Whitecraigs and South Giffnock      | 17   |
| 15. South Thornliebank and Woodfarm           | 18   |
| 16. Netherlee                                 | 19   |
| 17. Merrylee and Braidbar                     | 20   |
| 18. North Giffnock and North Thornliebank     | 21   |
| 19. Dunterlie, East Arthurlie and Dovecothall | 22   |
| 20. Cross Stobbs                              | 23   |

# East Renfrewshire CHCP Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 76.9    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 81.4    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 2,580  | 593.6   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               | 129    | 42.2    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 320    | 101.9   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 35     | 11.3    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | 552    | 21.4    | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    | 19.0    | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 2,256  | 710     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | 174    | 32.8    | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 83     | 37.6    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    | 2.0     | %    | 14.0          | ●       |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    | 75.0    | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 2,223  | 374.6   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 406    | 99.5    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 1,003  | 274.5   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 580    | 138.2   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 790    | 275.4   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 16,251 | 5,238.8 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 2,055  | 3,999.4 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              | 129    | 45.8    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 277    | 464.7   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 3,442  | 3.0     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 8,843  | 9.4     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 618    | 229.1   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   | 46     | 10.4    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | 769    | 4.8     | %    | 5.3           | ●       |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 2,555  | 3.6     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | 262    | 45.9    | %    | 31.7          |         |                  | △      |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | 264    | 0.7     | %    | 1.8           |         |                  | ○      |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | 159    | 7       | cr2  | 14            |         |                  | ●      |
|                             | 32 Single adult dwellings   | 11,641 | 31.6    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    | 8.6     | %    | 7.5           | ●       |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 258.8   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 96.6    | %    | 95.2          |         |                  | ○      |
|                             | 36 Secondary school attendance  | n/a    | 94.5    | %    | 91.1          |         |                  | ○      |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    | 11.5    | %    | 14.8          |         |                  | △      |
|                             | 38 Population income deprived   | 7,935  | 8.9     | %    | 15.1          |         |                  | ○      |
| Economy                     | 39 Working age population employment deprived                                 | 3,780  | 7.1     | %    | 11.6          |         |                  | ○      |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 1,485  | 2.8     | %    | 4.4           |         |                  | ○      |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 6,995  | 30.7    | %    | 46.6          |         |                  | ○      |
|                             | 42 People claiming pension credits (aged 60+)                                 | 1,505  | 7.0     | %    | 11.0          |         |                  | ○      |
|                             | 43 Crime rate   | 2,347  | 26.3    | cr2  | 49.5          |         |                  | ○      |
|                             | 44 Prisoner population  | 61     | 127.4   | sr   | 205.5         |         |                  | ○      |
| Crime                       | 45 Referrals to Children's Reporter for violence-related offences             | 34     | 3.5     | cr2  | 8.4           |         |                  | ●      |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        | 129    | 56.5    | sr   | 95.2          |         |                  | ○      |
|                             | 47 Population within 500 metres of derelict site                              | 19,800 | 22.2    | %    | 30.0          |         |                  | ○      |
|                             | 48 People living in 15% most 'access deprived' areas                          | 1,180  | 1.3     | %    | 14.2          |         |                  | ○      |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    | 64.0    | %    | 52.0          |         |                  | ○      |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 7,187  | 79.4    | %    | 75.3          |         |                  | ○      |
| Women's & Children's Health | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 309    | 13.6    | %    | 22.6          |         |                  | ○      |
|                             | 52 Teenage pregnancies <sup>2</sup>   | 95     | 17.4    | cr2  | 41.4          |         |                  | ○      |
|                             | 53 Low weight live births <sup>2</sup>  | 58     | 2.5     | %    | 2.3           |         |                  | ○      |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 970    | 36.4    | %    | 26.4          |         |                  | ○      |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 2,713  | 92.4    | %    | 92.1          |         |                  | ○      |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 2,894  | 98.6    | %    | 97.5          |         |                  | ○      |
|                             | 57 Child dental health in primary 1   | 659    | 70.8    | %    | 61.8          |         |                  | ○      |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> | 144    | 322.2   | sr   | 377.5         |         |                  | ○      |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Eaglesham and Waterfoot Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 77.6    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 82.2    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 107    | 536.9   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 41.9    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 19     | 105.3   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 10.3    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 114    | 674     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 6.6     | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 110    | 345.0   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 29     | 120.0   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 49     | 260.0   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 24     | 113.1   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 39     | 311.2   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 773    | 4,752.5 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 102    | 3,784.6 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 52.4    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 16     | 556.9   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 190    | 3.1     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 421    | 8.6     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 25     | 160.3   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 9.3     | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 90     | 2.4     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 641    | 32.3    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 256.2   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 97.2    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.0    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 315    | 6.8     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 130    | 4.8     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 60     | 2.3     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 310    | 27.4    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 85     | 7.1     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 33     | 7.1     | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 58.7    | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 71.1    | sr   | 95.2          |         |                  |        |
|                             | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 557    | 12.0    | %    | 14.2          |         |                  |        |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 399    | 79.0    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 16     | 15.1    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 53     | 42.4    | %    | 26.4          |         |                  |        |
| Women's & Children's Health | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 124    | 92.5    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 134    | 100.0   | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 39     | 75.0    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 448.2   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Mearnskirk and South Kirkhill Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 78.3    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 80.8    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 231    | 611.3   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               | 13     | 53.5    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 24     | 89.5    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 12.0    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 120    | 453     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 0      | 0.0     | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 150    | 315.2   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 17     | 52.7    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 57     | 207.6   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 41     | 109.4   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 35     | 182.8   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 1,025  | 4,292.0 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 149    | 3,469.4 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              | 11     | 46.3    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 21     | 443.7   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 231    | 2.6     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 509    | 8.1     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 29     | 141.0   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   | 0      | 0.0     | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 75     | 1.5     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 705    | 28.8    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
| Education                   | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 275.1   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 97.2    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.4    | %    | 91.1          |         |                  |        |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
| Economy                     | 38 Population income deprived   | 240    | 4.0     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 115    | 3.5     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 50     | 1.5     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 255    | 16.7    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 55     | 3.2     | %    | 11.0          |         |                  |        |
|                             | 43 Crime rate   | 88     | 14.7    | cr2  | 49.5          |         |                  |        |
| Crime                       | 44 Prisoner population  |        | 36.2    | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 44.0    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 525    | 78.6    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 57     | 36.5    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 178    | 89.4    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 193    | 97.0    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 50     | 83.3    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> | 13     | 429.9   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# North Kirkhill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 80.9    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    |         | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 37     | 298.9   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 8.4     | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               |        | 54.2    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 58     | 512     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 0      | 0.0     | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 70     | 398.1   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 22.5    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 28     | 238.4   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 15     | 109.0   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 30     | 320.0   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 449    | 4,167.4 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 36     | 2,466.7 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              | 0      | 0.0     | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 457.2   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 87     | 2.2     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 271    | 8.3     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   |        | 61.7    | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   | 0      | 0.0     | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 50     | 2.0     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 482    | 36.4    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 259.4   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 96.9    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 93.4    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 155    | 4.9     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 65     | 3.4     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 25     | 1.3     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 185    | 23.6    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 35     | 4.8     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 53     | 16.7    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 133.2   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 23.8    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              |        | 0.2     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 268    | 79.3    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 36     | 46.8    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 103    | 94.5    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 108    | 99.1    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 20     | 83.3    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 149.4   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Mearns Village, Westacres and Greenfarm Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 78.3    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 81.5    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 120    | 604.5   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 25.4    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 13     | 87.4    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 8.4     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 137    | 816     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 12.8    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 96     | 367.5   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 24     | 150.2   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 49     | 305.5   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 29     | 142.0   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 56     | 301.6   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 944    | 5,309.0 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 107    | 5,391.9 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 31.3    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 16     | 696.0   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 177    | 3.1     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 497    | 8.0     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 38     | 231.0   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 6.8     | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 155    | 3.4     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 656    | 29.2    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 269.2   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 96.3    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 93.9    | %    | 91.1          |         |                  |        |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 530    | 9.0     | %    | 15.1          |         |                  |        |
| Economy                     | 39 Working age population employment deprived                                 | 215    | 5.9     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 105    | 2.8     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 515    | 28.3    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 90     | 9.8     | %    | 11.0          |         |                  |        |
|                             | 43 Crime rate   | 106    | 18.1    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 93.0    | sr   | 205.5         |         |                  |        |
| Crime                       | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 61.1    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 52     | 0.9     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 356    | 71.5    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 14     | 7.1     | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
| Women's & Children's Health | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 92     | 37.9    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 239    | 93.0    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 249    | 96.9    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 53     | 58.9    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> | 16     | 402.4   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# West Neilston and Uplawmoor Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 73.7    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 81.6    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 148    | 693.1   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 48.6    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 31     | 159.8   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 15.1    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 140    | 718     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 52.4    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 135    | 411.3   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 31     | 144.4   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 58     | 261.5   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 38     | 170.8   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 38     | 211.8   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 1,197  | 6,849.8 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 128    | 5,347.9 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              | 10     | 63.0    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 15     | 523.4   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 239    | 3.4     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 628    | 10.5    | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 39     | 239.9   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 20.9    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 250    | 5.4     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 692    | 29.4    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 234.5   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 96.0    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.1    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 740    | 12.8    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 370    | 10.1    | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 135    | 3.7     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 650    | 45.1    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 110    | 8.9     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 159    | 27.5    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  | 10     | 315.6   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        | 15     | 103.0   | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 1,789  | 31.2    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 623    | 10.8    | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 612    | 79.0    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 37     | 23.4    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 43     | 25.6    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 172    | 95.6    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 178    | 98.9    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 33     | 64.7    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 207.0   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Busby Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 74.8    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 81.0    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 117    | 683.0   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 47.7    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 19     | 185.5   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 38.9    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 114    | 934     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 59.7    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 104    | 419.3   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 27     | 112.6   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 49     | 363.4   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 34     | 210.5   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 32     | 258.8   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 684    | 5,228.7 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 98     | 4,244.7 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 68.0    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 13     | 350.7   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 144    | 3.2     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 318    | 8.6     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 34     | 293.4   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 11.5    | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 130    | 4.6     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 723    | 43.2    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 249.0   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 96.3    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.5    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 420    | 12.1    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 210    | 10.3    | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 70     | 3.4     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 360    | 42.7    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 100    | 11.3    | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 77     | 22.1    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 189.8   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 57.7    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 1,257  | 35.7    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 176    | 73.6    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 11     | 13.9    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 32     | 31.4    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 100    | 90.9    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 108    | 98.2    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 22     | 68.8    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 287.2   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Whitecraigs and Broom Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 81.6    | yrs  | 74.5          |         |                  | ●      |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    |         | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 66     | 377.4   | sr   | 707.8         |         |                  | ●      |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 32.9    | sr   | 57.2          |         |                  | ○      |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 16     | 102.8   | sr   | 134.7         |         |                  | ○      |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  | △      |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 56     | 396     | sr   | 1,088         |         |                  | ●      |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 70.6    | sr   | 85.1          |         |                  | ○      |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 83     | 325.9   | sr   | 412.6         |         |                  | ●      |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 42.2    | sr   | 158.6         |         |                  | ○      |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 43     | 249.4   | sr   | 347.0         |         |                  | ●      |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 15     | 84.4    | sr   | 173.8         |         |                  | ●      |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 16     | 123.6   | sr   | 472.9         |         |                  | ○      |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 514    | 4,191.4 | sr   | 6,378.9       |         |                  | ●      |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 60     | 2,745.4 | sr   | 4,607.6       |         |                  | ●      |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 22.2    | sr   | 79.4          |         |                  | ○      |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 12     | 519.8   | sr   | 710.4         |         |                  | ○      |
|                             | 23 Prevalence of diabetes   | 132    | 2.9     | sr2  | 3.5           |         |                  | ○      |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 309    | 8.1     | %    | 9.7           |         |                  | ○      |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 10     | 75.2    | sr   | 303.0         |         |                  | ○      |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 24.2    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 40     | 1.4     | %    | 5.6           |         |                  | ○      |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 291    | 20.9    | %    | 37.8          |         |                  | ●      |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 273.2   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 97.3    | %    | 95.2          |         |                  | ○      |
|                             | 36 Secondary school attendance  | n/a    | 95.1    | %    | 91.1          |         |                  | ○      |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 85     | 2.4     | %    | 15.1          |         |                  | ○      |
|                             | 39 Working age population employment deprived                                 | 55     | 2.7     | %    | 11.6          |         |                  | ○      |
| Economy                     | 40 Working age population claiming Jobseeker's Allowance                      | 25     | 1.3     | %    | 4.4           |         |                  | ○      |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 75     | 8.8     | %    | 46.6          |         |                  | ○      |
|                             | 42 People claiming pension credits (aged 60+)                                 | 0      | 0.0     | %    | 11.0          |         |                  | ○      |
|                             | 43 Crime rate   | 52     | 14.8    | cr2  | 49.5          |         |                  | ○      |
|                             | 44 Prisoner population  | 0      | 0.0     | sr   | 205.5         |         |                  | △      |
| Crime                       | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 7.0     | sr   | 95.2          |         |                  | ○      |
|                             | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  | ○      |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  | ○      |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 337    | 79.5    | %    | 75.3          |         |                  | ○      |
| Women's & Children's Health | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  | ○      |
|                             | 52 Teenage pregnancies <sup>2</sup>   | 0      | 0.0     | cr2  | 41.4          |         |                  | △      |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  | ○      |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 47     | 48.0    | %    | 26.4          |         |                  | ○      |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 81     | 90.0    | %    | 92.1          |         |                  | ○      |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 90     | 100.0   | %    | 97.5          |         |                  | ○      |
|                             | 57 Child dental health in primary 1   | 23     | 79.3    | %    | 61.8          |         |                  | ○      |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 496.8   | sr   | 377.5         |         |                  | ○      |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Clarkston and Sheddens Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 79.7    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 85.6    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 113    | 505.8   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 20.2    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 15     | 69.7    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 114    | 565     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 16.4    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 126    | 364.6   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 37.6    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 45     | 205.7   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 27     | 113.9   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 56     | 272.1   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 788    | 4,100.5 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 81     | 3,085.3 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 36.5    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 20     | 726.7   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 177    | 2.5     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 540    | 8.4     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 13     | 71.6    | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 10.7    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 65     | 1.4     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 525    | 23.3    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 281.5   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 97.3    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.5    | %    | 91.1          |         |                  |        |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
| Economy                     | 38 Population income deprived   | 200    | 3.4     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 115    | 3.2     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 55     | 1.5     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 370    | 22.4    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 15     | 1.2     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 113    | 19.3    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 61.1    | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 14.0    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              |        | 0.1     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 305    | 82.7    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 75     | 38.1    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 210    | 94.2    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 223    | 100.0   | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 54     | 75.0    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 188.6   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Crookfur and Fruin Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 78.8    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 81.2    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 182    | 484.3   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 31.0    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 11     | 57.6    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 110    | 510     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 5.2     | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 126    | 317.8   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 17     | 56.0    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 59     | 232.5   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 34     | 113.2   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 56     | 342.6   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 916    | 4,464.9 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 133    | 3,603.3 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 29.3    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 199.8   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 238    | 3.2     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 496    | 8.5     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 25     | 151.6   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 2.8     | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 85     | 1.9     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 677    | 30.9    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 261.8   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 96.3    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.5    | %    | 91.1          |         |                  |        |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
| Economy                     | 38 Population income deprived   | 435    | 7.8     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 155    | 4.7     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 50     | 1.5     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 425    | 29.6    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 115    | 8.3     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 137    | 24.5    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 72.3    | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 25.0    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 30     | 0.5     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 479    | 76.9    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 64     | 42.1    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 155    | 92.8    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 163    | 97.6    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 39     | 63.9    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 164.1   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Williamwood Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 80.2    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 83.1    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 60     | 523.9   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 25.9    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               |        | 83.9    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 10.7    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 56     | 539     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 18.1    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 74     | 443.6   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 76.9    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 25     | 225.5   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 14     | 125.9   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 20     | 219.4   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 403    | 4,153.9 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 35     | 2,567.5 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 52.6    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 342.9   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 93     | 2.7     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 252    | 8.1     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   |        | 90.7    | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 6.9     | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 25     | 1.1     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 229    | 21.2    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 297.5   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 97.2    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.6    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 85     | 2.9     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 55     | 3.1     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 35     | 2.0     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 140    | 16.4    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 |        | 0.8     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 29     | 9.8     | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  | 0      | 0.0     | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 13.2    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 107    | 77.0    | %    | 75.3          |         |                  |        |
| Women's & Children's Health | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 60     | 46.9    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 108    | 92.3    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 117    | 100.0   | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 33     | 89.2    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 414.3   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Stamperland Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 76.4    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 82.9    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 68     | 595.1   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 53.0    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 13     | 108.1   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 16.4    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 85     | 756     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 46.1    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 76     | 373.5   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 12     | 103.5   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 31     | 257.9   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 25     | 188.0   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 28     | 230.7   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 523    | 4,664.9 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 49     | 3,693.8 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 69.9    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 523.9   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 106    | 2.7     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 342    | 8.8     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 19     | 187.4   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 9.8     | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 70     | 2.4     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 374    | 26.0    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 278.3   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 97.0    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.1    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 190    | 5.2     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 115    | 5.0     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 50     | 2.2     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 285    | 30.0    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 35     | 4.8     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 96     | 26.5    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 128.0   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 29.2    | sr   | 95.2          |         |                  |        |
|                             | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 189    | 81.8    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 47     | 38.5    | %    | 26.4          |         |                  |        |
| Women's & Children's Health | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 100    | 87.0    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 115    | 100.0   | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 26     | 68.4    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 173.8   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# West Arthurlie and North Neilston Intermediate Zone

## Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 74.9    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 83.7    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 149    | 603.9   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 39.5    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 24     | 126.1   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 27.5    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 146    | 803     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 38.3    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 132    | 378.8   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 39     | 177.7   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 63     | 301.0   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 35     | 151.4   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 43     | 256.6   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 1,108  | 6,286.0 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 136    | 4,469.2 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 53.2    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 10     | 208.2   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 211    | 3.1     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 636    | 11.9    | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 57     | 341.7   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 20.6    | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 240    | 5.5     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 727    | 32.4    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 229.8   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 96.1    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.1    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 630    | 11.8    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 325    | 10.2    | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 105    | 3.3     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 505    | 39.5    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 110    | 8.0     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 207    | 38.6    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 114.6   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 46.0    | sr   | 95.2          |         |                  |        |
|                             | 47 Population within 500 metres of derelict site                              | 3,811  | 71.8    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 530    | 83.3    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 30     | 19.7    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 41     | 26.8    | %    | 26.4          |         |                  |        |
| Women's & Children's Health | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 152    | 92.7    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 162    | 98.8    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 30     | 62.5    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 339.7   | sr   | 377.5         |         |                  |        |

### Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

### Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Auchenback Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 71.6    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 77.0    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 97     | 742.1   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 78.9    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 20     | 143.4   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 33.3    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 138    | 1,301   | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 12     | 134.4   | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 93     | 420.1   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 30     | 184.0   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 67     | 511.8   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 29     | 192.4   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 48     | 439.3   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 930    | 8,483.2 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 79     | 4,443.4 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 83.8    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 283.3   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 173    | 4.3     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 513    | 12.6    | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 57     | 628.1   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 16.5    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 290    | 10.1    | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 567    | 35.0    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 199.5   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 94.8    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 92.2    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 855    | 23.4    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 430    | 19.3    | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 170    | 7.8     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 695    | 70.6    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 120    | 15.2    | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 165    | 45.1    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 486.7   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        | 12     | 155.0   | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 325    | 79.5    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 43     | 38.4    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   | 12     | 45.1    | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 20     | 15.4    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 118    | 92.2    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 126    | 98.4    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 27     | 67.5    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 452.4   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Lower Whitecraigs and South Giffnock Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 80.6    | yrs  | 74.5          |         |                  | ●      |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 80.4    | yrs  | 79.5          |         |                  | ○      |
|                             | 3 Deaths all ages <sup>2</sup>  | 129    | 550.7   | sr   | 707.8         |         |                  | ●      |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 8.7     | sr   | 57.2          |         |                  | ●      |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               |        | 54.3    | sr   | 134.7         |         |                  | ●      |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  | △      |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 81     | 580     | sr   | 1,088         |         |                  | ●      |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 0      | 0.0     | sr   | 85.1          |         |                  | △      |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 93     | 376.8   | sr   | 412.6         |         |                  | ○      |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 13     | 69.9    | sr   | 158.6         |         |                  | ●      |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 30     | 160.7   | sr   | 347.0         |         |                  | ●      |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 28     | 139.2   | sr   | 173.8         |         |                  | ○      |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 32     | 213.3   | sr   | 472.9         |         |                  | ●      |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 536    | 3,990.2 | sr   | 6,378.9       |         |                  | ●      |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 88     | 3,740.9 | sr   | 4,607.6       |         |                  | ○      |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 51.9    | sr   | 79.4          |         |                  | ○      |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 282.7   | sr   | 710.4         |         |                  | ●      |
| Mental Health               | 23 Prevalence of diabetes   | 117    | 2.5     | sr2  | 3.5           |         |                  | ●      |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 324    | 8.8     | %    | 9.7           |         |                  | ○      |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   |        | 79.1    | sr   | 303.0         |         |                  | ●      |
| Social Care & Housing       | 26 Deaths from suicide <sup>1</sup>   |        | 8.0     | sr   | 15.1          |         |                  | ○      |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 25     | 0.9     | %    | 5.6           |         |                  | ●      |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
| Education                   | 32 Single adult dwellings   | 251    | 20.1    | %    | 37.8          |         |                  | ●      |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 297.6   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 97.5    | %    | 95.2          |         |                  | ○      |
|                             | 36 Secondary school attendance  | n/a    | 95.7    | %    | 91.1          |         |                  | ●      |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
| Economy                     | 38 Population income deprived   | 85     | 2.5     | %    | 15.1          |         |                  | ●      |
|                             | 39 Working age population employment deprived                                 | 50     | 2.5     | %    | 11.6          |         |                  | ●      |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 20     | 1.0     | %    | 4.4           |         |                  | ●      |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 100    | 11.2    | %    | 46.6          |         |                  | ●      |
|                             | 42 People claiming pension credits (aged 60+)                                 | 20     | 2.2     | %    | 11.0          |         |                  | ●      |
| Crime                       | 43 Crime rate   | 24     | 7.0     | cr2  | 49.5          |         |                  | ●      |
|                             | 44 Prisoner population  | 0      | 0.0     | sr   | 205.5         |         |                  | △      |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 27.8    | sr   | 95.2          |         |                  | ●      |
| Environment                 | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  | ●      |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  | ●      |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 224    | 79.4    | %    | 75.3          |         |                  | ○      |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  | ●      |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  | ○      |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  | ○      |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 52     | 50.0    | %    | 26.4          |         |                  | ●      |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 110    | 96.5    | %    | 92.1          |         |                  | ○      |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 114    | 100.0   | %    | 97.5          |         |                  | ○      |
|                             | 57 Child dental health in primary 1   | 28     | 87.5    | %    | 61.8          |         |                  | ●      |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 230.1   | sr   | 377.5         |         |                  | ○      |

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# South Thornliebank and Woodfarm Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 75.0    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 78.7    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 104    | 647.6   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               | 10     | 74.7    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 16     | 121.6   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 7.7     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 106    | 772     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 43.2    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 94     | 375.8   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 25     | 150.9   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 45     | 309.7   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 19     | 113.8   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 61     | 456.7   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 741    | 5,414.6 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 103    | 5,603.6 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 61.2    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 12     | 620.8   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 185    | 3.8     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 404    | 9.4     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 35     | 263.1   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 5.7     | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 165    | 5.0     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 570    | 34.3    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 258.8   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 96.2    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.6    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 490    | 12.0    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 210    | 8.2     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 95     | 3.7     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 475    | 45.1    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 80     | 9.6     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 157    | 38.5    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 147.0   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 40.1    | sr   | 95.2          |         |                  |        |
|                             | 47 Population within 500 metres of derelict site                              | 2,796  | 68.4    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 360    | 75.6    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 15     | 14.4    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   | 0      | 0.0     | cr2  | 41.4          |         |                  | △      |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 43     | 37.7    | %    | 26.4          |         |                  |        |
| Women's & Children's Health | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 120    | 90.2    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 132    | 99.2    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 26     | 61.9    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 165.5   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Netherlee Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 77.3    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 83.4    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 146    | 508.0   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 34.6    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 15     | 85.7    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 4.9     | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 96     | 471     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 6.3     | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 158    | 413.3   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 17     | 65.1    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 39     | 204.8   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 24     | 84.9    | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 33     | 190.5   | sr   | 472.9         |         |                  |        |
| Mental Health               | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 759    | 3,985.3 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 104    | 3,213.3 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 28.1    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 21     | 430.9   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 169    | 2.6     | sr2  | 3.5           |         |                  |        |
|                             | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 412    | 8.6     | %    | 9.7           |         |                  |        |
| Social Care & Housing       | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 21     | 112.6   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   | 0      | 0.0     | sr   | 15.1          |         |                  |        |
|                             | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 55     | 1.5     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
| Education                   | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 614    | 32.7    | %    | 37.8          |         |                  |        |
|                             | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 276.2   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 97.6    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.9    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 170    | 3.7     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 95     | 3.8     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 30     | 1.2     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 150    | 12.4    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 55     | 4.3     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 101    | 21.8    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  | 0      | 0.0     | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 10.0    | sr   | 95.2          |         |                  |        |
|                             | 47 Population within 500 metres of derelict site                              | 0      | 0.0     | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
| Environment                 | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
|                             | 50 Breast screening uptake <sup>2</sup>                                       | 432    | 88.0    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  | 0      | 0.0     | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 63     | 57.8    | %    | 26.4          |         |                  |        |
| Women's & Children's Health | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 117    | 91.4    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 127    | 99.2    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 44     | 91.7    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> | 10     | 487.5   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Merrylee and Braidbar Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 82.5    | yrs  | 74.5          |         |                  | ●      |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 83.7    | yrs  | 79.5          |         |                  | ●      |
|                             | 3 Deaths all ages <sup>2</sup>  | 124    | 400.1   | sr   | 707.8         |         |                  | ●      |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 31.6    | sr   | 57.2          |         |                  | ○      |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 15     | 79.7    | sr   | 134.7         |         |                  | ●      |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              | 0      | 0.0     | sr   | 18.7          |         |                  | △      |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 110    | 513     | sr   | 1,088         |         |                  | ●      |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 12.9    | sr   | 85.1          |         |                  | ●      |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 131    | 331.3   | sr   | 412.6         |         |                  | ●      |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 33.6    | sr   | 158.6         |         |                  | ●      |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 63     | 255.6   | sr   | 347.0         |         |                  | ●      |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 30     | 110.8   | sr   | 173.8         |         |                  | ●      |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 43     | 258.1   | sr   | 472.9         |         |                  | ●      |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 834    | 4,243.9 | sr   | 6,378.9       |         |                  | ●      |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 136    | 3,593.9 | sr   | 4,607.6       |         |                  | ●      |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 39.9    | sr   | 79.4          |         |                  | ○      |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 25     | 571.7   | sr   | 710.4         |         |                  | ○      |
|                             | 23 Prevalence of diabetes   | 178    | 2.4     | sr2  | 3.5           |         |                  | ●      |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 433    | 8.4     | %    | 9.7           |         |                  | ●      |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 25     | 187.3   | sr   | 303.0         |         |                  | ●      |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 3.0     | sr   | 15.1          |         |                  | ○      |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 75     | 1.8     | %    | 5.6           |         |                  | ●      |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 630    | 31.6    | %    | 37.8          |         |                  | ●      |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 291.1   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 97.0    | %    | 95.2          |         |                  | ○      |
|                             | 36 Secondary school attendance  | n/a    | 95.2    | %    | 91.1          |         |                  | ●      |
|                             | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
| Economy                     | 38 Population income deprived   | 225    | 4.5     | %    | 15.1          |         |                  | ●      |
|                             | 39 Working age population employment deprived                                 | 115    | 4.0     | %    | 11.6          |         |                  | ●      |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 55     | 2.0     | %    | 4.4           |         |                  | ●      |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 250    | 22.0    | %    | 46.6          |         |                  | ●      |
|                             | 42 People claiming pension credits (aged 60+)                                 | 50     | 3.5     | %    | 11.0          |         |                  | ●      |
| Crime                       | 43 Crime rate   | 55     | 11.1    | cr2  | 49.5          |         |                  | ●      |
|                             | 44 Prisoner population  |        | 29.3    | sr   | 205.5         |         |                  | ●      |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 13.3    | sr   | 95.2          |         |                  | ●      |
| Environment                 | 47 Population within 500 metres of derelict site                              | 425    | 8.6     | %    | 30.0          |         |                  | ●      |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  | ●      |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 505    | 81.3    | %    | 75.3          |         |                  | ●      |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  | ●      |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  | ●      |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  | ○      |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 53     | 46.1    | %    | 26.4          |         |                  | ●      |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 132    | 93.6    | %    | 92.1          |         |                  | ○      |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 140    | 99.3    | %    | 97.5          |         |                  | ○      |
|                             | 57 Child dental health in primary 1   | 37     | 77.1    | %    | 61.8          |         |                  | ●      |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 208.0   | sr   | 377.5         |         |                  | ○      |

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# North Giffnock and North Thornliebank Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 75.1    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 82.9    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 195    | 657.6   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 23.9    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 11     | 84.7    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 18.8    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 147    | 961     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 35.9    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 128    | 396.1   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 22     | 74.5    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 58     | 253.7   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 41     | 138.7   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 50     | 421.5   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 990    | 5,933.6 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 208    | 5,798.2 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 18.7    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          | 38     | 808.0   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 175    | 3.5     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 349    | 9.3     | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 29     | 270.4   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   | 0      | 0.0     | sr   | 15.1          |         |                  | △      |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 115    | 3.9     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 724    | 41.8    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 273.2   | mean | 179.7         |         |                  | △      |
|                             | 35 Primary school attendance  | n/a    | 96.3    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 94.8    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 410    | 11.5    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 150    | 7.7     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 70     | 3.6     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 230    | 30.4    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 135    | 12.8    | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 134    | 37.6    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 163.7   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 76.7    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 2,511  | 70.9    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 308    | 80.0    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 14     | 13.6    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 55     | 50.5    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 115    | 89.8    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 121    | 94.5    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 25     | 64.1    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 382.7   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Dunterlie, East Arthurlie and Dovecothall Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 69.8    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 76.7    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 251    | 1,015.0 | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               | 18     | 102.9   | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               | 27     | 148.0   | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 14.4    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 264    | 1,497   | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            | 24     | 152.3   | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 169    | 504.8   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               | 62     | 302.6   | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 111    | 528.7   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 60     | 249.3   | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 53     | 295.4   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 1,519  | 8,277.1 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 155    | 5,410.1 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              | 10     | 57.3    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 335.2   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 284    | 4.3     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 783    | 13.2    | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 111    | 638.7   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 32.3    | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 465    | 10.2    | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 1,223  | 43.3    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 178.9   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 94.9    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 92.4    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 1,465  | 25.7    | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 675    | 19.5    | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 235    | 6.8     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 885    | 59.1    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 215    | 17.9    | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 521    | 91.3    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  | 13     | 365.5   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        | 35     | 222.1   | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 4,736  | 83.4    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 386    | 74.2    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              | 79     | 37.3    | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   | 16     | 46.8    | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  | 10     | 4.8     | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     | 30     | 15.9    | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 203    | 92.7    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 214    | 97.7    | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 32     | 50.0    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> | 13     | 422.7   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cross Stobbs Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



| Domain                      | Indicator   | Number | Measure | Type | Scot. Average | 'Worst' | Scotland Average | 'Best' |
|-----------------------------|---|--------|---------|------|---------------|---------|------------------|--------|
| Life Expectancy & Mortality | 1 Life expectancy - males <sup>1</sup>  | n/a    | 77.7    | yrs  | 74.5          |         |                  |        |
|                             | 2 Life expectancy - females <sup>1</sup>                                      | n/a    | 80.9    | yrs  | 79.5          |         |                  |        |
|                             | 3 Deaths all ages <sup>2</sup>  | 136    | 815.8   | sr   | 707.8         |         |                  |        |
|                             | 4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>               |        | 61.8    | sr   | 57.2          |         |                  |        |
|                             | 5 Early deaths from cancer (< 75s) <sup>2</sup>                               |        | 66.6    | sr   | 134.7         |         |                  |        |
|                             | 6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>              |        | 18.5    | sr   | 18.7          |         |                  |        |
| Behaviours                  | 7 Smoking attributable deaths <sup>2</sup>                                    | n/a    |         | %    | 24.1          |         |                  |        |
|                             | 8 Smoking prevalence <sup>3</sup>   | n/a    |         | %    | 25.0          |         |                  |        |
|                             | 9 Patients hospitalised with alcohol conditions <sup>2</sup>                  | 64     | 519     | sr   | 1,088         |         |                  |        |
|                             | 10 Deaths from alcohol conditions <sup>1</sup>                                | n/a    |         | sr   | 46.4          |         |                  |        |
|                             | 11 Patients hospitalised with drug related conditions <sup>2</sup>            |        | 17.2    | sr   | 85.1          |         |                  |        |
|                             | 12 Active travel to work <sup>3</sup>   | n/a    |         | %    | 14.0          |         |                  |        |
| Ill Health & Injury         | 13 Sporting participation <sup>3</sup>  | n/a    |         | %    | 73.0          |         |                  |        |
|                             | 14 Patients registered with cancer <sup>1</sup>                               | 75     | 323.1   | sr   | 412.6         |         |                  |        |
|                             | 15 Patients hospitalised with COPD <sup>2</sup>                               |        | 35.4    | sr   | 158.6         |         |                  |        |
|                             | 16 Patients hospitalised with coronary heart disease <sup>2</sup>             | 34     | 235.8   | sr   | 347.0         |         |                  |        |
|                             | 17 Patients hospitalised with cerebrovascular disease <sup>2</sup>            | 18     | 97.2    | sr   | 173.8         |         |                  |        |
|                             | 18 Patients hospitalised with asthma <sup>2</sup>                             | 21     | 192.2   | sr   | 472.9         |         |                  |        |
|                             | 19 Patients hospitalised as an emergency <sup>2</sup>                         | 618    | 5,712.6 | sr   | 6,378.9       |         |                  |        |
|                             | 20 Patients (65+) with multiple hospitalisations <sup>2</sup>                 | 68     | 3,519.0 | sr   | 4,607.6       |         |                  |        |
|                             | 21 Road traffic accident casualties <sup>2</sup>                              |        | 31.9    | sr   | 79.4          |         |                  |        |
|                             | 22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>          |        | 386.1   | sr   | 710.4         |         |                  |        |
|                             | 23 Prevalence of diabetes   | 136    | 3.0     | sr2  | 3.5           |         |                  |        |
| Mental Health               | 24 Patients prescribed drugs for anxiety/depression/psychosis                 | 406    | 12.3    | %    | 9.7           |         |                  |        |
|                             | 25 Patients with a psychiatric hospitalisation <sup>2</sup>                   | 27     | 217.1   | sr   | 303.0         |         |                  |        |
|                             | 26 Deaths from suicide <sup>1</sup>   |        | 5.8     | sr   | 15.1          |         |                  |        |
| Social Care & Housing       | 27 People (65+) receiving free personal care at home <sup>3</sup>             | n/a    |         | %    | 5.3           |         |                  |        |
|                             | 28 Adults claiming incapacity benefit/severe disability allowance             | 90     | 3.2     | %    | 5.6           |         |                  |        |
|                             | 29 People (65+) with intensive care needs cared for at home <sup>3</sup>      | n/a    |         | %    | 31.7          |         |                  |        |
|                             | 30 Households assessed as homeless <sup>3</sup>                               | n/a    |         | %    | 1.8           |         |                  |        |
|                             | 31 Children looked after by local authority <sup>3</sup>                      | n/a    |         | cr2  | 14            |         |                  |        |
|                             | 32 Single adult dwellings   | 340    | 26.0    | %    | 37.8          |         |                  |        |
| Education                   | 33 Households in extreme fuel poverty <sup>3</sup>                            | n/a    |         | %    | 7.5           |         |                  |        |
|                             | 34 Average tariff score of all pupils on the S4 roll                          | n/a    | 260.7   | mean | 179.7         |         |                  |        |
|                             | 35 Primary school attendance  | n/a    | 97.0    | %    | 95.2          |         |                  |        |
|                             | 36 Secondary school attendance  | n/a    | 95.7    | %    | 91.1          |         |                  |        |
| Economy                     | 37 Working age adults with low or no educational qualifications <sup>3</sup>  | n/a    |         | %    | 14.8          |         |                  |        |
|                             | 38 Population income deprived   | 210    | 6.3     | %    | 15.1          |         |                  |        |
|                             | 39 Working age population employment deprived                                 | 130    | 6.2     | %    | 11.6          |         |                  |        |
|                             | 40 Working age population claiming Jobseeker's Allowance                      | 45     | 2.2     | %    | 4.4           |         |                  |        |
|                             | 41 Dependence on out of work benefits or child tax credit                     | 135    | 19.7    | %    | 46.6          |         |                  |        |
|                             | 42 People claiming pension credits (aged 60+)                                 | 75     | 8.7     | %    | 11.0          |         |                  |        |
| Crime                       | 43 Crime rate   | 40     | 12.0    | cr2  | 49.5          |         |                  |        |
|                             | 44 Prisoner population  |        | 102.7   | sr   | 205.5         |         |                  |        |
|                             | 45 Referrals to Children's Reporter for violence-related offences             | n/a    |         | cr2  | 8.4           |         |                  |        |
|                             | 46 Patients hospitalised after an assault <sup>2</sup>                        |        | 28.1    | sr   | 95.2          |         |                  |        |
| Environment                 | 47 Population within 500 metres of derelict site                              | 2,383  | 72.6    | %    | 30.0          |         |                  |        |
|                             | 48 People living in 15% most 'access deprived' areas                          | 0      | 0.0     | %    | 14.2          |         |                  |        |
|                             | 49 Adults rating neighbourhood as a very good place to live <sup>3</sup>      | n/a    |         | %    | 52.0          |         |                  |        |
| Women's & Children's Health | 50 Breast screening uptake <sup>2</sup>                                       | 364    | 85.2    | %    | 75.3          |         |                  |        |
|                             | 51 Mothers smoking during pregnancy <sup>2</sup>                              |        |         | %    | 22.6          |         |                  |        |
|                             | 52 Teenage pregnancies <sup>2</sup>   |        |         | cr2  | 41.4          |         |                  |        |
|                             | 53 Low weight live births <sup>2</sup>  |        |         | %    | 2.3           |         |                  |        |
|                             | 54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>                     |        |         | %    | 26.4          |         |                  |        |
|                             | 55 Immunisation uptake at 24 months - MMR <sup>2</sup>                        | 76     | 95.0    | %    | 92.1          |         |                  |        |
|                             | 56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>          | 80     | 100.0   | %    | 97.5          |         |                  |        |
|                             | 57 Child dental health in primary 1   | 18     | 75.0    | %    | 61.8          |         |                  |        |
|                             | 58 Child obesity in primary 1   | n/a    |         | %    | 8.0           |         |                  |        |
|                             | 59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup> |        | 332.2   | sr   | 377.5         |         |                  |        |

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

| Indicator No. | Description  | Definition   | Time Period        | Source <sup>1</sup>                             |
|---------------|--|--|--------------------|---|
| 1 – 2         | Life expectancy                                    | Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*   | 1994-98 to 2003-07 | GROS  |
| 3 - 6         | Deaths   | Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*   | 2007-09            | GROS  |
| 7             | Smoking attributable deaths                        | Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*   | 2007-09            | GROS  |
| 8             | Smoking prevalence                                 | Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).   | 2007/08            | SHoS (question RG19YN)                          |
| 9             | Patients hospitalised with alcohol conditions      | Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*   | 1997-99 to 2007-09 | ISD Scotland (SMR1/01, Linked Database)         |
| 10            | Deaths from alcohol conditions                     | Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*   | 2005-09            | GROS  |
| 11            | Patients hospitalised with drug related conditions | Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*   | 2007-09            | ISD Scotland (SMR1/01, Linked Database)         |
| 12            | Active travel to work                              | Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*  | 2007/08            | SHoS (question RD3)                             |
| 13            | Sporting participation                             | Number and percentage of adults participating in sporting activity.*   | 2007/08            | SHoS (question SPRT3a)                          |
| 14            | Patients registered with cancer                    | Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.   | 2003-07            | ISD Scotland, Scottish Cancer Registry (SMR06)  |
| 15 – 20       | Hospitalised patients                              | Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. | 1997-99 to 2007-09 | ISD Scotland (SMR1/01, Linked Database)         |
| 21            | Road traffic accident casualties                   | Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.   | 2007-09            | ISD Scotland (SMR1/01, Linked Database) or GROS |

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





# Definitions and Sources

| Indicator No. | Description  | Definition  | Time Period                                  | Source <sup>1</sup>  |
|---------------|--|---|--|--|
| 22            | Patients hospitalised after a fall in the home (65+)           | Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.  | 2007-09                                      | ISD Scotland (SMR1/01, Linked Database)                    |
| 23            | Prevalence of diabetes   | Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.   | 2010 (snapshot as at 16 <sup>th</sup> March) | SCI-DC   |
| 24            | Patients prescribed drugs for anxiety/depression/psychosis     | Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.  | 2009   | ISD Scotland (Prescribing Information System), CHI extract |
| 25            | Patients with a psychiatric hospitalisation                    | Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.   | 2006-08                                      | ISD Scotland (SMR04)                                       |
| 26            | Deaths from suicide  | Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.   | 2005-09                                      | GROS   |
| 27            | People (65+) receiving free personal care at home              | Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.   | 2009/10 (year ending 31 <sup>st</sup> March) | SG- Community Care Statistics                              |
| 28            | Adults claiming incapacity benefit/severe disability allowance | Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).   | 2010 (Quarter ending February)               | DWP  |
| 29            | People (65+) with intensive care needs cared for at home       | <p>Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.</p> <p>'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.</p> <p>In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.</p> | 2008/09 (year ending 31 <sup>st</sup> March) | SG- Community Care Statistics                              |
| 30            | Households assessed as homeless                                | Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.   | 2008/09 (year ending 31 <sup>st</sup> March) | SG – Housing Statistics                                    |
| 31            | Children looked after by local authority                       | Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.   | 2009   | SG   |
| 32            | Single adult dwellings   | Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.  | 2009   | GROS   |

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

| Indicator No. | Description  | Definition  | Time Period                                   | Source <sup>1</sup>                     |
|---------------|--|---|---|---|
| 33            | Households in extreme fuel poverty                             | Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).  | 2005-08                                       | SHCS                                    |
| 34            | Average tariff score of all pupils on the S4 roll              | Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*   | 2003/04 to 2008/09 (school year)              | SNS/SG                                  |
| 35 – 36       | School attendance  | Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).  | 2008/09 (school year)                         | SG (via SNS)                            |
| 37            | Working age adults with low or no educational qualifications   | Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.   | 2008  | APS (via SNS)                           |
| 38            | Population income deprived                                     | Adults defined as 'income deprived' expressed as a number and percentage of the total population.   | 2008  | SIMD 2009, SG                           |
| 39            | Working age population employment deprived                     | Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).   | 2008  | SIMD 2009, SG                           |
| 40            | Working age population claiming Jobseeker's allowance          | Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).   | 2000 to 2010 (Quarter ending February)        | DWP                                     |
| 41            | Dependence on out of work benefits or child tax credit         | Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.   | 2008 (snapshot as at 31 <sup>st</sup> August) | HMRC                                    |
| 42            | People claiming pension credits (aged 60+)                     | Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.  | 2010 (Quarter ending February)                | DWP                                     |
| 43            | Crime rate   | Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.                                       | 2007/08 (year ending 31 <sup>st</sup> March)  | SIMD 2009, SG                           |
| 44            | Prisoner population  | Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.                            | 30 <sup>th</sup> June 2008 snapshot           | SPS                                     |
| 45            | Referrals to Children's Reporter for violence-related offences | Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *                     | 2009/10 (year ending 31 <sup>st</sup> March)  | SCRA                                    |
| 46            | Patients hospitalised after an assault                         | Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. * | 2007-09                                       | ISD Scotland (SMR1/01, Linked Database) |

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

| Indicator No. | Description   | Definition   | Time Period           | Source <sup>1</sup>   |
|---------------|---|--|-----------------------|---|
| 47            | Population within 500 metres of a derelict site               | Number and percentage of total population living within 500 metres of a derelict site.   | 2009                  | SVDLS/SNS   |
| 48            | People living in 15% most 'access deprived' areas             | Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.   | 2008                  | SIMD 2009, SG   |
| 49            | Adults rating neighborhood as 'very good place to live'       | Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.   | 2007/08               | SHoS (question RB1)   |
| 50            | Breast screening uptake                                       | Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.   | 2006-08               | SBSP  |
| 51            | Mothers smoking during pregnancy                              | Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.<br><br>Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded) | 2006-08               | ISD Scotland (SMR02)  |
| 52            | Teenage pregnancies   | Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*  | 2006-08               | GROS and Notifications of Abortions to the Chief Medical Officer for Scotland |
| 53            | Low weight live births  | Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.  | 2006-08               | ISD Scotland (SMR02)  |
| 54            | Babies exclusively breastfed at 6-8 weeks                     | Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.<br><br>Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*          | 2006-08               | CHSP-PS   |
| 55 – 56       | Immunisation uptake   | Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.   | 2006-08               | SIRS  |
| 57            | Child dental health in primary 1                              | Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.                         | 2008/09 (school year) | NDIP Basic Inspection   |
| 58            | Child obesity in primary 1                                    | Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*   | 2008/09 (school year) | CHSP-S  |
| 59            | Patients hospitalised by unintentional injuries at home (<15) | Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.                 | 2007-09               | ISD Scotland (SMR1/01, Linked Database)                                       |

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



## Further information

### Abbreviations

|              |   |
|--------------|---|
| APS:         | Annual Population Survey                              |
| BMI:         | Body Mass Index                                       |
| CHI:         | Community Health Index                                |
| CHSP-PS:     | Child Health Systems Programme – Pre-school Children  |
| CHSP-S:      | Child Health Systems Programme – School aged Children |
| COPD:        | Chronic obstructive pulmonary disease                 |
| DWP:         | Department for Work and Pensions                      |
| GROS:        | General Register Office for Scotland                  |
| ISD:         | Information Services Division (of NHS Scotland)       |
| NDIP:        | National Dental Inspection Programme                  |
| ROS:         | Registers of Scotland                                 |
| SBSP:        | Scottish Breast Screening Programme                   |
| SCI-DC:      | Scottish Care Information - Diabetes Collaboration    |
| SCRA:        | Scottish Children's Reporter Administration           |
| SDA:         | Severe Disability Allowance                           |
| SG:          | Scottish Government                                   |
| SHCS:        | Scottish House Condition Survey                       |
| SHoS:        | Scottish Household Survey                             |
| SIMD2009:    | Scottish Index of Multiple Deprivation 2009           |
| SIRS:        | Scottish Immunisation Recall System                   |
| SMR01/02/04: | Scottish Morbidity Records                            |
| SNS:         | Scottish Neighbourhood Statistics                     |
| SPS:         | Scottish Prison Service                               |
| SVDLS        | Scottish Vacant and Derelict Land Survey              |

### Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

### Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

#### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

#### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

#### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

#### Dataworx:

##### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB