



Health and Wellbeing Profiles 2010

Spine Pack: Edinburgh




City of Edinburgh CHP



	page		page
1. Balerno	5	23. Craighouse and South Morningside	27
2. Bonaly and Pentlands	6	24. Parkhead	28
3. South East Bypass	7	25. Greendykes and Niddrie Mains	29
4. Gracemount, Southouse and Burdiehouse	8	26. Blackford	30
5. Mortonhall	9	27. Longstone and Saughton Mains	31
6. Fairmilehead	10	28. Morningside	32
7. Comiston and Swanston	11	29. Broomhouse and Sighthill	33
8. Currie East	12	30. Hutchison and Moat	34
9. Hyvots and Gilmerton Dykes	13	31. Merchiston and Greenhill	35
10. Currie West	14	32. Grange	36
11. Baberton and Juniper Green	15	33. Niddrie	37
12. Oxbgangs and Firrhill	16	34. South Gyle	38
13. Liberton East	17	35. Prestonfield	39
14. Ferniehill, South Moredun and Craighour	18	36. Shandon	40
15. Colinton and Kingsknowe	19	37. Forrester Park and Broomhall	41
16. Moredun	20	38. Stenhouse	42
17. Liberton West	21	39. Jewel, Brunstane and Newcraighall	43
18. Braids	22	40. Ratho, Gogarburn and Airport	44
19. Clovenstone and Drumbrayden	23	41. Dalkeith Rd	45
20. The Inch	24	42. Marchmont West	46
21. Calders	25	43. Carrick Knowe	47
22. Craiglockhart	26	44. Gorgie West	48

(continued...)

City of Edinburgh CHP (2/2)



	page
45. Marchmont East and Sciennes	49
46. Polwarth	50
47. Bruntsfield	51
48. Gorgie East	52
49. Bingham, Magdalene and the Christians	53
50. Meadows	54
51. Balgreen and Roseburn	55
52. Dalry and Fountainbridge	56
53. Willowbrae and Duddingston Village	57
54. Corstorphine	58
55. Duddingston	59
56. Tollcross	60
57. Joppa	61
58. Southside and Canongate	62
59. East Craigs	63
60. Dean, West End and West Coates	64
61. Murrayfield and Ravelston	65
62. Kirkliston	66
63. Northfield	67
64. Old Town and Leith Street	68


	page
65. Clerwood and Corstorphine (Hillview)	69
66. Mountcastle	70
67. Portobello	71
68. Blackhall	72
69. New Town West	73
70. Bughtlin and Parkgrove	74
71. Clermiston	75
72. Abbeyhill, Meado	76
73. Hillside and Calton Hill	76
74. Restalrig (Loganlea)	77
75. Stockbridge	78
76. New Town East	79
77. Craigentinny	80
78. Craigleith	81
79. Comely Bank	82
80. Lorne	83
81. Restalrig and Lochend	84
82. Drylaw	85
83. Broughton	86
84. Barnton and Cammo	87
85. Hermitage Park and Prospect Bank	88
86. Inverleith	89
87. South Leith	90
88. Silverknowes and Davidson's Mains	91
89. Bonnington and Pilrig	92
90. Muirhousewbank and Marionville	93
91. Great Junction Street	94
92. Cramond	95
93. West Pilton	96
94. Boswall and Pilton	97
95. East Trinity and Bonnyhaugh	98
96. Trinity	99
97. Leith Docks	100
98. North Leith and Newhaven	101
99. Waterfront and Granton	102
100. South Queensferry (East) and Dalmeny	103
101. South Queensferry West	104

Edinburgh CHP Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.9	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	80.9	yrs	79.5		○	
	3 Deaths all ages ²	12,687	628.4	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²	709	54.4	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	1,673	125.6	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²	226	16.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	2,827	22.3	%	24.1		○	
	8 Smoking prevalence ³	n/a	21.0	%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	13,905	894	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	1,025	41.3	sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²	1,282	80.0	sr	85.1		○	
	12 Active travel to work ³	n/a	26.0	%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a	78.0	%	73.0		○	
	14 Patients registered with cancer ¹	11,304	422.8	sr	412.6		●	
	15 Patients hospitalised with COPD ²	2,359	135.8	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	4,669	284.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	3,016	156.8	sr	173.8		○	
	18 Patients hospitalised with asthma ²	4,335	302.0	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	80,723	5,215.2	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	10,030	4,316.6	sr	4,607.6		○	
	21 Road traffic accident casualties ²	723	49.1	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	2,196	775.8	sr	710.4		●	
	23 Prevalence of diabetes	16,098	3.1	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	39,145	7.8	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	4,647	292.5	sr	303.0		○	
	26 Deaths from suicide ¹	337	13.8	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	3,369	4.9	%	5.3		●	
	28 Adults claiming incapacity benefit/severe disability allowance	17,840	4.4	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	1,105	26.2	%	31.7		△	
	30 Households assessed as homeless ³	4,704	2.2	%	1.8		●	
	31 Children looked after by local authority ³	1,328	15	cr2	14		○	
	32 Single adult dwellings	91,127	39.3	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a	5.2	%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	181.4	mean	179.7		△	
	35 Primary school attendance	n/a	94.9	%	95.2		●	
	36 Secondary school attendance	n/a	90.7	%	91.1		●	
Economy	37 Working age adults with low or no educational qualifications ³	n/a	8.0	%	14.8		△	
	38 Population income deprived	55,795	11.9	%	15.1		○	
	39 Working age population employment deprived	27,735	8.7	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	11,170	3.4	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	35,655	38.3	%	46.6		○	
	42 People claiming pension credits (aged 60+)	7,290	7.9	%	11.0		○	
Crime	43 Crime rate	27,605	59.0	cr2	49.5		●	
	44 Prisoner population	606	164.9	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	169	4.9	cr2	8.4		○	
	46 Patients hospitalised after an assault ²	897	58.6	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	114,653	24.0	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	1,683	0.4	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a	50.0	%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	34,331	71.5	%	75.3		●	
	51 Mothers smoking during pregnancy ²	1,637	11.7	%	22.6		○	
	52 Teenage pregnancies ²	898	41.9	cr2	41.4		○	
	53 Low weight live births ²	330	2.4	%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	6,057	42.6	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	12,100	91.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	12,822	96.7	%	97.5		○	
	57 Child dental health in primary 1	2,181	66.6	%	61.8		○	
	58 Child obesity in primary 1	n/a	9.1	%	8.0		●	
	59 Patients hospitalised by unintentional injuries at home (<15) ²	535	273.2	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:


n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average. See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Balerno Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	82.1	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	86.2	yrs	79.5			○
	3 Deaths all ages ²	120	420.0	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		35.3	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	31	139.2	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		5.7	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	130	637	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		31.1	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	173	440.2	sr	412.6			○
	15 Patients hospitalised with COPD ²	19	73.3	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	84	324.1	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	38	131.0	sr	173.8			○
	18 Patients hospitalised with asthma ²	53	257.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	932	4,633.4	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	122	3,739.9	sr	4,607.6			○
	21 Road traffic accident casualties ²	13	75.4	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	32	855.1	sr	710.4			○
	23 Prevalence of diabetes	208	2.7	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	393	6.3	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	30	160.6	sr	303.0			○
	26 Deaths from suicide ¹		16.9	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	100	2.2	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	624	26.2	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	212.3	mean	179.7			△
	35 Primary school attendance	n/a	97.4	%	95.2			○
	36 Secondary school attendance	n/a	94.8	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	280	4.9	%	15.1			○
	39 Working age population employment deprived	150	4.4	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	55	1.6	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	280	19.6	%	46.6			○
	42 People claiming pension credits (aged 60+)	55	3.6	%	11.0			○
Crime	43 Crime rate	72	12.5	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			△
	46 Patients hospitalised after an assault ²		30.6	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	734	81.5	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	104	57.1	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	174	91.1	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	185	96.9	%	97.5			○
	57 Child dental health in primary 1	50	86.2	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		276.2	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Bonaly and Pentlands Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	83.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	85.2	yrs	79.5			
	3 Deaths all ages ²	70	365.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		44.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		36.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		17.2	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	68	415	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	102	368.2	sr	412.6			
	15 Patients hospitalised with COPD ²		41.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	26	143.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	29	149.4	sr	173.8			
	18 Patients hospitalised with asthma ²	28	184.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	533	3,570.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	45	1,948.2	sr	4,607.6			
	21 Road traffic accident casualties ²		58.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	18	719.8	sr	710.4			
Mental Health	23 Prevalence of diabetes	106	1.7	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	280	5.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	17	100.9	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		13.3	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	50	1.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	487	26.5	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	245.0	mean	179.7			
	35 Primary school attendance	n/a	97.6	%	95.2			
Economy	36 Secondary school attendance	n/a	95.6	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	110	2.3	%	15.1			
	39 Working age population employment deprived	80	2.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	25	0.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	165	14.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	10	0.9	%	11.0			
	43 Crime rate	74	15.7	cr2	49.5			
	44 Prisoner population		22.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		14.6	sr	95.2			
	47 Population within 500 metres of derelict site	2,256	48.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	519	80.0	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	85	57.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	143	91.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	155	99.4	%	97.5			
	57 Child dental health in primary 1	30	88.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		401.4	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

South East Bypass Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a		yrs	74.5			
	2 Life expectancy - females ¹	n/a		yrs	79.5			
	3 Deaths all ages ²	39	470.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		66.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		113.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		14.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	50	583	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		56.2	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
	13 Sporting participation ³	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer ¹	52	398.5	sr	412.6			
	15 Patients hospitalised with COPD ²	13	174.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	31	339.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²		105.7	sr	173.8			
	18 Patients hospitalised with asthma ²	33	375.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	406	4,787.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	33	3,973.1	sr	4,607.6			
	21 Road traffic accident casualties ²		41.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		799.2	sr	710.4			
	23 Prevalence of diabetes	110	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	257	8.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	13	141.0	sr	303.0			
	26 Deaths from suicide ¹		8.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	75	3.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	349	32.7	%	37.8			
33 Households in extreme fuel poverty ³	n/a		%	7.5				
Education	34 Average tariff score of all pupils on the S4 roll	n/a	231.5	mean	179.7			△
	35 Primary school attendance	n/a	95.1	%	95.2			
	36 Secondary school attendance	n/a	93.7	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
Economy	38 Population income deprived	260	8.7	%	15.1			
	39 Working age population employment deprived	100	4.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	2.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	280	39.4	%	46.6			
	42 People claiming pension credits (aged 60+)	30	7.0	%	11.0			
Crime	43 Crime rate	60	20.2	cr2	49.5			
	44 Prisoner population		95.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		50.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	248	72.7	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	11	75.9	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	27	29.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	97	92.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	101	96.2	%	97.5			
	57 Child dental health in primary 1	20	74.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		359.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Gracemount, Southouse and Burdiehouse Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	68.8	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	76.0	yrs	79.5	●		
	3 Deaths all ages ²	182	819.1	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²	12	85.9	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	30	200.8	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) ²		19.7	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	285	1,805	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	40	278.5	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	146	470.3	sr	412.6		○	
	15 Patients hospitalised with COPD ²	78	408.3	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	77	459.5	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease ²	37	173.6	sr	173.8		○	
	18 Patients hospitalised with asthma ²	104	630.5	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	1,549	9,036.7	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	179	6,489.7	sr	4,607.6	●		
	21 Road traffic accident casualties ²		24.6	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	31	907.2	sr	710.4		○	
	23 Prevalence of diabetes	290	5.2	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	476	8.4	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	92	556.1	sr	303.0	●		
	26 Deaths from suicide ¹		23.0	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	405	9.9	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,109	41.3	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	117.5	mean	179.7	△		
	35 Primary school attendance	n/a	92.0	%	95.2	●		
	36 Secondary school attendance	n/a	85.3	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,730	32.1	%	15.1	●		
	39 Working age population employment deprived	635	19.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	225	7.1	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,105	72.6	%	46.6	●		
	42 People claiming pension credits (aged 60+)	155	14.2	%	11.0	●		
Crime	43 Crime rate	624	115.9	cr2	49.5		○	
	44 Prisoner population	21	664.2	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	16	99.3	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	368	7.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	327	59.2	%	75.3	●		
	51 Mothers smoking during pregnancy ²	51	23.4	%	22.6	●		
	52 Teenage pregnancies ²	27	70.1	cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	51	25.1	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	208	91.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	221	96.9	%	97.5		○	
	57 Child dental health in primary 1	27	34.2	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	11	346.1	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Mortonhall Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.8	yrs	74.5			
	2 Life expectancy - females ¹	n/a	84.5	yrs	79.5			
	3 Deaths all ages ²	41	441.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		8.1	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	11	130.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	51	558	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	62	339.8	sr	412.6			
	15 Patients hospitalised with COPD ²		52.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	30	277.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	13	101.1	sr	173.8			
	18 Patients hospitalised with asthma ²	19	199.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	379	4,527.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	47	3,909.6	sr	4,607.6			
	21 Road traffic accident casualties ²		43.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		1,150.0	sr	710.4			
	23 Prevalence of diabetes	113	3.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	207	7.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	16	165.7	sr	303.0			
	26 Deaths from suicide ¹		15.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	50	2.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	443	36.2	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	224.5	mean	179.7			
	35 Primary school attendance	n/a	94.4	%	95.2			
	36 Secondary school attendance	n/a	94.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	140	5.2	%	15.1			
	39 Working age population employment deprived	65	3.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	35	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	170	33.3	%	46.6			
	42 People claiming pension credits (aged 60+)	25	3.7	%	11.0			
Crime	43 Crime rate	73	27.1	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		13.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	339	77.2	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	32	45.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	73	94.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	76	98.7	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		252.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Fairmilehead Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	87.4	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	92.3	yrs	79.5			○
	3 Deaths all ages ²	58	309.4	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		12.3	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		45.1	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.4	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	87	535	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		12.3	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	93	347.2	sr	412.6			○
	15 Patients hospitalised with COPD ²		10.1	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	53	289.1	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	24	124.9	sr	173.8			○
	18 Patients hospitalised with asthma ²	25	181.0	sr	472.9			○
	19 Patients hospitalised as an emergency ²	609	3,943.1	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	53	2,635.9	sr	4,607.6			○
	21 Road traffic accident casualties ²		27.9	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	14	557.1	sr	710.4			○
	23 Prevalence of diabetes	140	2.3	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	304	5.6	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	18	101.5	sr	303.0			○
	26 Deaths from suicide ¹		15.2	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	45	1.1	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	363	19.3	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	227.3	mean	179.7			△
	35 Primary school attendance	n/a	97.4	%	95.2			○
	36 Secondary school attendance	n/a	94.5	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	120	2.3	%	15.1			○
	39 Working age population employment deprived	80	2.5	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	35	1.1	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	225	15.5	%	46.6			○
	42 People claiming pension credits (aged 60+)	20	2.0	%	11.0			○
Crime	43 Crime rate	59	11.4	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			△
	46 Patients hospitalised after an assault ²		72.3	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	789	15.3	%	14.2			●
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	552	79.3	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	117	62.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	171	92.9	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	183	99.5	%	97.5			○
	57 Child dental health in primary 1	59	90.8	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²	10	344.5	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Comiston and Swanston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	82.1	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	86.7	yrs	79.5			○
	3 Deaths all ages ²	99	380.0	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		37.6	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	20	106.0	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	100	537	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		8.4	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	135	407.6	sr	412.6			○
	15 Patients hospitalised with COPD ²	11	50.8	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	48	214.3	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	28	94.1	sr	173.8			○
	18 Patients hospitalised with asthma ²	38	245.5	sr	472.9			○
	19 Patients hospitalised as an emergency ²	720	4,046.0	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	92	3,053.1	sr	4,607.6			○
	21 Road traffic accident casualties ²	13	81.3	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	22	653.1	sr	710.4			○
	23 Prevalence of diabetes	172	2.6	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	333	6.4	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	24	122.9	sr	303.0			○
	26 Deaths from suicide ¹	0	0.0	sr	15.1			△
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	60	1.4	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	524	24.7	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	221.0	mean	179.7			△
	35 Primary school attendance	n/a	96.7	%	95.2			○
	36 Secondary school attendance	n/a	94.5	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	95	1.8	%	15.1			○
	39 Working age population employment deprived	80	2.6	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	40	1.3	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	300	23.5	%	46.6			○
	42 People claiming pension credits (aged 60+)	20	1.6	%	11.0			○
Crime	43 Crime rate	79	15.2	cr2	49.5			○
	44 Prisoner population		48.8	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		38.9	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	1,248	24.4	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	588	82.8	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	82	42.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	168	93.3	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	176	97.8	%	97.5			○
	57 Child dental health in primary 1	32	74.4	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		337.5	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Currie East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	83.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	84.0	yrs	79.5			
	3 Deaths all ages ²	73	440.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		13.6	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	14	103.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		12.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	70	631	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		11.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	119	490.4	sr	412.6			
	15 Patients hospitalised with COPD ²	11	73.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	35	269.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	16	109.5	sr	173.8			
	18 Patients hospitalised with asthma ²	20	190.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	496	4,638.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	76	3,511.8	sr	4,607.6			
	21 Road traffic accident casualties ²		60.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	14	633.7	sr	710.4			
	23 Prevalence of diabetes	145	3.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	206	6.5	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	14	154.2	sr	303.0			
	26 Deaths from suicide ¹	0	0.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	45	1.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	350	27.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	233.3	mean	179.7			
	35 Primary school attendance	n/a	97.4	%	95.2			
	36 Secondary school attendance	n/a	95.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	115	4.0	%	15.1			
	39 Working age population employment deprived	85	5.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	20	1.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	135	21.4	%	46.6			
	42 People claiming pension credits (aged 60+)	15	1.7	%	11.0			
Crime	43 Crime rate	81	28.1	cr2	49.5			
	44 Prisoner population		51.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	0	0.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,272	44.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	385	80.9	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	33	41.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	71	92.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	75	97.4	%	97.5			
	57 Child dental health in primary 1	29	85.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		173.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Hyvots and Gilmerton Dykes Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	72.1	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.4	yrs	79.5			
	3 Deaths all ages ²	125	758.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		72.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	19	160.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		14.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	129	1,056	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	13	126.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	97	402.0	sr	412.6			
	15 Patients hospitalised with COPD ²	42	284.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	60	428.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	27	159.5	sr	173.8			
	18 Patients hospitalised with asthma ²	73	635.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	888	7,286.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	98	4,631.7	sr	4,607.6			
	21 Road traffic accident casualties ²	12	123.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	19	730.5	sr	710.4			
	23 Prevalence of diabetes	171	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	338	9.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	42	353.5	sr	303.0			
	26 Deaths from suicide ¹		27.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	230	7.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	686	40.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.3	mean	179.7			
	35 Primary school attendance	n/a	91.8	%	95.2			
	36 Secondary school attendance	n/a	87.3	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	795	21.8	%	15.1			
	39 Working age population employment deprived	325	14.8	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	135	6.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	565	65.5	%	46.6			
	42 People claiming pension credits (aged 60+)	120	14.1	%	11.0			
	43 Crime rate	191	52.4	cr2	49.5			
	44 Prisoner population		254.0	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	12	121.3	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	251	60.9	%	75.3			
	51 Mothers smoking during pregnancy ²	31	22.6	%	22.6			
	52 Teenage pregnancies ²	13	63.4	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	33	22.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	131	94.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	136	97.8	%	97.5			
	57 Child dental health in primary 1	24	66.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		474.1	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Currie West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.1	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5			
	3 Deaths all ages ²	80	518.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		51.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		59.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		18.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	98	681	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		41.2	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	105	445.1	sr	412.6			
	15 Patients hospitalised with COPD ²	15	89.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	43	287.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	24	137.8	sr	173.8			
	18 Patients hospitalised with asthma ²	29	213.0	sr	472.9			
	19 Patients hospitalised as an emergency ²	645	4,732.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	104	5,582.6	sr	4,607.6			
	21 Road traffic accident casualties ²		38.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	22	1,159.0	sr	710.4			
	23 Prevalence of diabetes	174	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	240	6.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	17	153.4	sr	303.0			
	26 Deaths from suicide ¹		11.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	2.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	444	30.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	190.6	mean	179.7			
	35 Primary school attendance	n/a	97.1	%	95.2			
	36 Secondary school attendance	n/a	92.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	235	4.6	%	15.1			
	39 Working age population employment deprived	110	3.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	1.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	235	16.5	%	46.6			
	42 People claiming pension credits (aged 60+)	50	6.0	%	11.0			
Crime	43 Crime rate	111	21.9	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		46.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	393	83.3	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	44	44.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	101	94.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	105	98.1	%	97.5			
	57 Child dental health in primary 1	14	66.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		139.9	sr	377.5			

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Baberton and Juniper Green Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	84.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.4	yrs	79.5			
	3 Deaths all ages ²	109	504.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		36.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	14	86.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.9	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	90	571	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		23.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	98	368.0	sr	412.6			
	15 Patients hospitalised with COPD ²	14	83.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	55	301.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	22	106.0	sr	173.8			
	18 Patients hospitalised with asthma ²	24	168.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	579	4,138.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	85	4,020.4	sr	4,607.6			
	21 Road traffic accident casualties ²		47.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	21	854.4	sr	710.4			
	23 Prevalence of diabetes	161	3.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	338	8.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	22	130.9	sr	303.0			
	26 Deaths from suicide ¹		15.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	50	1.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	468	27.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	204.5	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	93.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	150	3.8	%	15.1			
	39 Working age population employment deprived	90	3.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	35	1.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	150	17.9	%	46.6			
	42 People claiming pension credits (aged 60+)	35	3.3	%	11.0			
Crime	43 Crime rate	145	36.4	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		10.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	481	12.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	530	82.2	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	39	39.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	88	96.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	91	100.0	%	97.5			
	57 Child dental health in primary 1	24	82.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		114.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Oxgangs and Firrhill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	79.2	yrs	79.5			
	3 Deaths all ages ²	206	645.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	12	66.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	24	134.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		9.8	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	232	1,157	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	13	82.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	210	474.2	sr	412.6			
	15 Patients hospitalised with COPD ²	38	145.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	85	347.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	48	140.3	sr	173.8			
	18 Patients hospitalised with asthma ²	67	335.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,258	5,937.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	172	4,635.6	sr	4,607.6			
	21 Road traffic accident casualties ²		36.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	50	1,038.7	sr	710.4			
Mental Health	23 Prevalence of diabetes	266	3.4	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	496	7.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	103	540.0	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		17.8	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	330	6.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,412	46.1	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	170.3	mean	179.7			
	35 Primary school attendance	n/a	95.2	%	95.2			
Economy	36 Secondary school attendance	n/a	90.8	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,065	18.3	%	15.1			
	39 Working age population employment deprived	455	13.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	185	5.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	680	54.9	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	195	13.2	%	11.0			
	43 Crime rate	376	64.5	cr2	49.5			
	44 Prisoner population	10	255.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	10	66.7	sr	95.2			
	47 Population within 500 metres of derelict site	3,700	63.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	482	70.7	%	75.3			
	51 Mothers smoking during pregnancy ²	28	14.4	%	22.6			
	52 Teenage pregnancies ²	16	50.6	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	81	34.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	181	90.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	196	97.5	%	97.5			
	57 Child dental health in primary 1	21	51.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		316.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Liberton East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	74.8	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5			
	3 Deaths all ages ²	116	693.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		42.6	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		97.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		29.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	63	567	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	80	428.2	sr	412.6			
	15 Patients hospitalised with COPD ²		48.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	26	229.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	13	84.9	sr	173.8			
	18 Patients hospitalised with asthma ²	19	196.4	sr	472.9			
	19 Patients hospitalised as an emergency ²	460	4,301.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	54	3,511.5	sr	4,607.6			
	21 Road traffic accident casualties ²		26.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	10	505.2	sr	710.4			
Mental Health	23 Prevalence of diabetes	99	2.5	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	299	8.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	26	218.7	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		5.5	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	45	1.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	289	28.8	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	215.9	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
Economy	36 Secondary school attendance	n/a	93.8	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	170	5.1	%	15.1			
	39 Working age population employment deprived	80	3.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	25	1.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	210	28.5	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	20	3.0	%	11.0			
	43 Crime rate	89	26.5	cr2	49.5			
	44 Prisoner population		125.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		20.7	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	301	79.6	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	46	46.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	111	92.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	118	98.3	%	97.5			
	57 Child dental health in primary 1	19	76.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		190.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Ferniehill, South Moredun and Craigour Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	73.3	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5		○	●
	3 Deaths all ages ²	117	683.9	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		50.5	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	27	188.3	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		5.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	170	1,262	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²	19	171.6	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	108	415.2	sr	412.6		○	
	15 Patients hospitalised with COPD ²	39	229.6	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	55	363.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	39	226.3	sr	173.8		○	
	18 Patients hospitalised with asthma ²	58	449.3	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	1,013	7,523.1	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	121	5,465.1	sr	4,607.6		○	
	21 Road traffic accident casualties ²		62.2	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	22	885.2	sr	710.4		○	
	23 Prevalence of diabetes	226	4.5	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	417	9.4	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	50	358.4	sr	303.0		○	
	26 Deaths from suicide ¹		20.9	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	260	7.9	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	696	38.7	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	161.8	mean	179.7		△	
	35 Primary school attendance	n/a	92.4	%	95.2		●	
	36 Secondary school attendance	n/a	88.1	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	865	21.9	%	15.1		●	
	39 Working age population employment deprived	355	14.7	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	140	5.7	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	580	58.3	%	46.6		●	
	42 People claiming pension credits (aged 60+)	120	12.8	%	11.0		○	
Crime	43 Crime rate	300	75.8	cr2	49.5		●	
	44 Prisoner population		250.4	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²	12	103.1	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site		0.2	%	30.0		○	●
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	●
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	349	65.7	%	75.3		●	
	51 Mothers smoking during pregnancy ²	21	13.9	%	22.6		○	●
	52 Teenage pregnancies ²	22	75.6	cr2	41.4		○	
	53 Low weight live births ²			%	2.3		●	
	54 Babies exclusively breastfed at 6-8 weeks ²	30	19.9	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	116	85.9	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	130	96.3	%	97.5		○	
	57 Child dental health in primary 1	22	50.0	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²	10	477.5	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Colinton and Kingsknowe Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.5	yrs	79.5			
	3 Deaths all ages ²	120	457.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		30.9	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		47.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	136	664	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		8.5	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	137	400.7	sr	412.6			
	15 Patients hospitalised with COPD ²	19	75.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	51	231.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	30	118.6	sr	173.8			
	18 Patients hospitalised with asthma ²	56	300.1	sr	472.9			
	19 Patients hospitalised as an emergency ²	916	4,471.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	123	3,757.5	sr	4,607.6			
	21 Road traffic accident casualties ²	12	64.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	34	829.8	sr	710.4			
	23 Prevalence of diabetes	205	3.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	418	6.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	31	147.1	sr	303.0			
	26 Deaths from suicide ¹		7.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	95	1.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	759	31.9	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	231.8	mean	179.7			△
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	93.8	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	305	4.9	%	15.1			
	39 Working age population employment deprived	130	3.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	1.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	445	27.3	%	46.6			
	42 People claiming pension credits (aged 60+)	70	5.6	%	11.0			
Crime	43 Crime rate	129	20.8	cr2	49.5			
	44 Prisoner population		46.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		40.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	334	5.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	525	80.9	%	75.3			
	51 Mothers smoking during pregnancy ²	20	10.7	%	22.6			
	52 Teenage pregnancies ²	10	33.0	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	109	44.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	207	92.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	216	96.0	%	97.5			
	57 Child dental health in primary 1	43	79.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	11	322.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Moredun Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	71.5	yrs	74.5			
	2 Life expectancy - females ¹	n/a	75.7	yrs	79.5			
	3 Deaths all ages ²	166	1,194.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	11	126.1	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	25	251.5	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) ²		15.0	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	154	1,529	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	24	287.3	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	93	496.3	sr	412.6			
	15 Patients hospitalised with COPD ²	26	200.9	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	37	337.7	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	21	146.7	sr	173.8			○
	18 Patients hospitalised with asthma ²	55	606.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	769	7,703.5	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	62	3,885.5	sr	4,607.6			○
	21 Road traffic accident casualties ²		82.9	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	14	777.1	sr	710.4			○
	23 Prevalence of diabetes	151	4.0	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	315	9.8	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	45	447.4	sr	303.0		●	
	26 Deaths from suicide ¹		20.1	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	9.9	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	695	45.8	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	150.9	mean	179.7			△
	35 Primary school attendance	n/a	91.2	%	95.2	●		
	36 Secondary school attendance	n/a	88.5	%	91.1			○
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	825	26.3	%	15.1		●	
	39 Working age population employment deprived	405	20.9	%	11.6		●	
Economy	40 Working age population claiming Jobseeker's Allowance	175	9.3	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	455	62.3	%	46.6		●	
	42 People claiming pension credits (aged 60+)	75	10.1	%	11.0			○
	43 Crime rate	244	77.7	cr2	49.5		●	
	44 Prisoner population	11	551.6	sr	205.5		●	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		103.6	sr	95.2			○
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	211	63.6	%	75.3		●	
	51 Mothers smoking during pregnancy ²	38	24.2	%	22.6			○
	52 Teenage pregnancies ²	17	94.4	cr2	41.4		●	
	53 Low weight live births ²			%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks ²	36	25.2	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	118	88.1	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	127	94.8	%	97.5			○
	57 Child dental health in primary 1	12	52.2	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		317.0	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Liberton West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	78.6	yrs	79.5			
	3 Deaths all ages ²	305	736.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		55.6	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	101.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		17.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	97	677	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	100	368.5	sr	412.6			
	15 Patients hospitalised with COPD ²	29	122.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	26	137.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	45	130.2	sr	173.8			
	18 Patients hospitalised with asthma ²	30	252.4	sr	472.9			
	19 Patients hospitalised as an emergency ²	726	4,473.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	144	3,717.0	sr	4,607.6			
	21 Road traffic accident casualties ²		41.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	26	467.6	sr	710.4			
Mental Health	23 Prevalence of diabetes	143	2.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	260	7.8	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation ²	42	262.8	sr	303.0			
	26 Deaths from suicide ¹		5.6	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	35	1.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
Education	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	391	29.9	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
Economy	34 Average tariff score of all pupils on the S4 roll	n/a	204.9	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	92.1	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
Crime	38 Population income deprived	195	6.3	%	15.1			
	39 Working age population employment deprived	85	5.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	25	1.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	120	19.8	%	46.6			
	42 People claiming pension credits (aged 60+)	70	6.1	%	11.0			
Environment	43 Crime rate	95	30.5	cr2	49.5			
	44 Prisoner population		133.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Women's & Children's Health	46 Patients hospitalised after an assault ²		72.1	sr	95.2			
	47 Population within 500 metres of derelict site	280	8.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	332	76.9	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	53	64.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	81	92.0	%	92.1			
56 Immunisation uptake at 24 months - all excluding MMR ²	83	94.3	%	97.5				
57 Child dental health in primary 1	17	81.0	%	61.8				
58 Child obesity in primary 1	n/a		%	8.0				
59 Patients hospitalised by unintentional injuries at home (<15) ²		307.3	sr	377.5				

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Brads Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	83.5	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	87.3	yrs	79.5			○
	3 Deaths all ages ²	76	416.5	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		8.4	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	14	103.2	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		6.9	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	61	489	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		11.1	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	102	402.9	sr	412.6			○
	15 Patients hospitalised with COPD ²		22.3	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	14	94.8	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	18	119.6	sr	173.8			○
	18 Patients hospitalised with asthma ²	19	165.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	371	3,030.9	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	40	1,919.9	sr	4,607.6			○
	21 Road traffic accident casualties ²		20.8	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	15	591.1	sr	710.4			○
	23 Prevalence of diabetes	76	1.5	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	203	5.8	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²		59.4	sr	303.0			○
	26 Deaths from suicide ¹	0	0.0	sr	15.1			△
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	25	0.9	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	329	24.4	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	243.3	mean	179.7			△
	35 Primary school attendance	n/a	97.4	%	95.2			○
	36 Secondary school attendance	n/a	94.4	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	60	1.8	%	15.1			○
	39 Working age population employment deprived	45	2.3	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	10	0.5	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	80	9.7	%	46.6			○
	42 People claiming pension credits (aged 60+)	0	0.0	%	11.0			○
Crime	43 Crime rate	33	10.0	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			△
	46 Patients hospitalised after an assault ²		35.1	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	111	3.3	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	426	81.8	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	55	67.1	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	90	95.7	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	93	98.9	%	97.5			○
	57 Child dental health in primary 1	31	93.9	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		222.5	sr	377.5			○

Notes:
 1. Five-year combined number, and 5-year average annual measure.
 2. Three-year combined number, and 3-year average annual measure.
 3. Data available down to local authority level only.


Key:
 n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population;
 sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.
See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Clovenstone and Drumbyrden Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	69.6	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	76.6	yrs	79.5		●	
	3 Deaths all ages ²	138	857.7	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) ²	14	104.2	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	25	173.0	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		40.7	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	320	1,878	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	75	369.2	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	119	482.4	sr	412.6		○	
	15 Patients hospitalised with COPD ²	40	249.5	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	66	435.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	43	280.4	sr	173.8		●	
	18 Patients hospitalised with asthma ²	138	746.5	sr	472.9		●	
	19 Patients hospitalised as an emergency ²	1,557	8,576.7	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	73	4,357.9	sr	4,607.6		○	
	21 Road traffic accident casualties ²	21	107.1	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	17	959.2	sr	710.4		○	
	23 Prevalence of diabetes	253	4.7	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	962	13.0	%	9.7		●	
	25 Patients with a psychiatric hospitalisation ²	123	663.3	sr	303.0		●	
	26 Deaths from suicide ¹	11	38.4	sr	15.1		●	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	715	14.6	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,799	53.7	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	129.8	mean	179.7		△	
	35 Primary school attendance	n/a	92.0	%	95.2		●	
	36 Secondary school attendance	n/a	82.6	%	91.1		●	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	2,440	39.0	%	15.1		●	
	39 Working age population employment deprived	1,165	28.8	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	470	11.2	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	1,565	81.5	%	46.6		●	
	42 People claiming pension credits (aged 60+)	110	12.8	%	11.0		○	
Crime	43 Crime rate	1,000	159.9	cr2	49.5		●	
	44 Prisoner population	32	688.7	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	37	191.6	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	335	53.3	%	75.3		●	
	51 Mothers smoking during pregnancy ²	135	37.2	%	22.6		●	
	52 Teenage pregnancies ²	40	78.6	cr2	41.4		●	
	53 Low weight live births ²	16	4.8	%	2.3		●	
	54 Babies exclusively breastfed at 6-8 weeks ²	73	21.7	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	262	87.0	%	92.1		●	
	56 Immunisation uptake at 24 months - all excluding MMR ²	281	93.4	%	97.5		●	
	57 Child dental health in primary 1	47	51.6	%	61.8		●	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	27	613.6	sr	377.5		●	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

The Inch Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	74.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	79.2	yrs	79.5			
	3 Deaths all ages ²	182	780.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		63.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	33	217.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		31.9	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	239	1,408	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	19	135.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	180	500.0	sr	412.6			
	15 Patients hospitalised with COPD ²	48	214.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	107	505.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	50	206.0	sr	173.8			
	18 Patients hospitalised with asthma ²	68	388.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,280	7,258.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	203	6,309.7	sr	4,607.6			
	21 Road traffic accident casualties ²	10	67.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	49	1,341.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	284	4.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	478	9.1	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	60	361.1	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		4.0	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	320	7.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,100	44.8	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	130.4	mean	179.7			
	35 Primary school attendance	n/a	92.2	%	95.2			
Economy	36 Secondary school attendance	n/a	87.3	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,015	21.0	%	15.1			
	39 Working age population employment deprived	425	14.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	160	5.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	610	56.4	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	190	16.2	%	11.0			
	43 Crime rate	386	79.8	cr2	49.5			
	44 Prisoner population		207.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	14	101.3	sr	95.2			
	47 Population within 500 metres of derelict site	153	3.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	362	61.5	%	75.3			
	51 Mothers smoking during pregnancy ²	34	20.5	%	22.6			
	52 Teenage pregnancies ²	23	83.9	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	63	36.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	127	87.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	138	94.5	%	97.5			
	57 Child dental health in primary 1	30	69.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		257.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Calders Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	70.8	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	77.8	yrs	79.5		○	
	3 Deaths all ages ²	114	736.0	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²	10	79.3	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	15	115.1	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.5	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		●	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	233	1,742	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²	37	263.1	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	109	483.7	sr	412.6		○	
	15 Patients hospitalised with COPD ²	53	349.7	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	65	470.3	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease ²	24	165.3	sr	173.8		○	
	18 Patients hospitalised with asthma ²	65	502.4	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	1,041	7,700.8	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	90	4,870.8	sr	4,607.6		○	
	21 Road traffic accident casualties ²	12	85.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	12	586.2	sr	710.4		○	
	23 Prevalence of diabetes	224	5.0	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	597	12.4	%	9.7		●	
	25 Patients with a psychiatric hospitalisation ²	95	730.2	sr	303.0		●	
	26 Deaths from suicide ¹		24.9	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	375	10.5	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	1,124	49.7	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	155.8	mean	179.7		△	
	35 Primary school attendance	n/a	92.6	%	95.2		●	
	36 Secondary school attendance	n/a	84.9	%	91.1		●	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	1,310	30.0	%	15.1		●	
	39 Working age population employment deprived	645	22.1	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	285	10.0	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	730	70.8	%	46.6		●	
	42 People claiming pension credits (aged 60+)	105	12.6	%	11.0		○	
Crime	43 Crime rate	394	90.1	cr2	49.5		●	
	44 Prisoner population	21	606.3	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		●	
	46 Patients hospitalised after an assault ²	29	218.2	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	269	57.6	%	75.3		●	
	51 Mothers smoking during pregnancy ²	53	27.5	%	22.6		○	
	52 Teenage pregnancies ²	22	94.8	cr2	41.4		●	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	42	23.0	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	144	92.3	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	150	96.2	%	97.5		○	
	57 Child dental health in primary 1	18	42.9	%	61.8		●	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²		276.8	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Craiglockhart Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	81.9	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	86.3	yrs	79.5			○
	3 Deaths all ages ²	127	349.9	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		27.9	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	13	56.5	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		13.2	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	112	427	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			△
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	136	320.1	sr	412.6			○
	15 Patients hospitalised with COPD ²	16	52.8	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	75	247.0	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	39	119.8	sr	173.8			○
	18 Patients hospitalised with asthma ²	36	142.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	899	3,774.8	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	141	3,316.2	sr	4,607.6			○
	21 Road traffic accident casualties ²		27.1	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	33	619.4	sr	710.4			○
	23 Prevalence of diabetes	160	2.0	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	493	7.7	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	37	164.1	sr	303.0			○
	26 Deaths from suicide ¹		3.1	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	65	1.2	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	758	29.1	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	237.3	mean	179.7			△
	35 Primary school attendance	n/a	96.8	%	95.2			○
	36 Secondary school attendance	n/a	93.6	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	145	2.3	%	15.1			○
	39 Working age population employment deprived	95	2.4	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	45	1.1	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	235	15.8	%	46.6			○
	42 People claiming pension credits (aged 60+)	35	2.2	%	11.0			○
Crime	43 Crime rate	145	22.8	cr2	49.5			○
	44 Prisoner population		24.0	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		19.0	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	643	82.3	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	101	50.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	172	94.0	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	183	100.0	%	97.5			○
	57 Child dental health in primary 1	48	84.2	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		193.7	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Craighouse and South Morningside Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.1	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	82.7	yrs	79.5		○	
	3 Deaths all ages ²	117	538.5	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		11.3	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	13	112.0	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		23.9	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	91	623	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²		48.8	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	82	320.2	sr	412.6		○	
	15 Patients hospitalised with COPD ²	12	74.8	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	31	186.0	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	24	120.8	sr	173.8		○	
	18 Patients hospitalised with asthma ²	29	187.3	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	569	3,632.9	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	81	3,045.2	sr	4,607.6		○	
	21 Road traffic accident casualties ²		47.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	24	716.0	sr	710.4		○	
	23 Prevalence of diabetes	112	2.2	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	270	6.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	47	358.1	sr	303.0		○	
	26 Deaths from suicide ¹		3.3	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	70	1.9	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	881	42.0	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	219.7	mean	179.7		△	
	35 Primary school attendance	n/a	97.3	%	95.2		○	
	36 Secondary school attendance	n/a	92.0	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	225	5.2	%	15.1		○	
	39 Working age population employment deprived	110	3.8	%	11.6		○	
Economy	40 Working age population claiming Jobseeker's Allowance	50	1.7	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	130	15.5	%	46.6		○	
	42 People claiming pension credits (aged 60+)	40	4.8	%	11.0		○	
	43 Crime rate	93	21.6	cr2	49.5		○	
	44 Prisoner population		32.2	sr	205.5		○	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²		28.8	sr	95.2		○	
	47 Population within 500 metres of derelict site	0	0.0	%	30.0		○	
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	312	74.8	%	75.3		○	
	51 Mothers smoking during pregnancy ²			%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	76	65.0	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	121	89.6	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	132	97.8	%	97.5		○	
	57 Child dental health in primary 1	24	82.8	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²		111.2	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Parkhead Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5			
	3 Deaths all ages ²	60	494.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		11.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		86.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		32.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	88	811	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		26.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	92	497.7	sr	412.6			
	15 Patients hospitalised with COPD ²		41.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	48	473.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	21	185.9	sr	173.8			
	18 Patients hospitalised with asthma ²	40	390.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	582	5,655.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	73	5,517.3	sr	4,607.6			
	21 Road traffic accident casualties ²		21.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	16	974.1	sr	710.4			
	23 Prevalence of diabetes	136	3.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	379	11.3	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	21	199.9	sr	303.0			
	26 Deaths from suicide ¹		5.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	70	2.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	544	37.4	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	182.3	mean	179.7			
	35 Primary school attendance	n/a	95.2	%	95.2			
	36 Secondary school attendance	n/a	90.1	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	370	11.5	%	15.1			
	39 Working age population employment deprived	125	5.9	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	75	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	405	58.5	%	46.6			
	42 People claiming pension credits (aged 60+)	30	4.4	%	11.0			
	43 Crime rate	273	84.9	cr2	49.5			
	44 Prisoner population		161.8	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		54.1	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	334	78.8	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	21	18.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	14	11.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	100	90.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	109	98.2	%	97.5			
	57 Child dental health in primary 1	16	57.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		509.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Greenykes and Niddrie Mains Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	61.1	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	73.7	yrs	79.5	●		
	3 Deaths all ages ²	101	1,100.0	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	12	160.4	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	16	207.2	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		73.7	sr	18.7	●		
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	171	2,153	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	16	191.5	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	84	567.1	sr	412.6	●		
	15 Patients hospitalised with COPD ²	32	364.7	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	42	478.9	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease ²	29	300.1	sr	173.8	●		
	18 Patients hospitalised with asthma ²	48	581.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	841	9,907.3	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	72	6,668.2	sr	4,607.6	●		
	21 Road traffic accident casualties ²		123.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	10	734.0	sr	710.4	○		
	23 Prevalence of diabetes	147	5.6	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	407	11.9	%	9.7	●		
	25 Patients with a psychiatric hospitalisation ²	45	564.6	sr	303.0	●		
	26 Deaths from suicide ¹		31.0	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	340	15.6	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	768	41.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	144.9	mean	179.7			△
	35 Primary school attendance	n/a	91.3	%	95.2	●		
	36 Secondary school attendance	n/a	83.9	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,140	41.2	%	15.1	●		
	39 Working age population employment deprived	535	31.3	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	185	10.6	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	595	81.6	%	46.6	●		
	42 People claiming pension credits (aged 60+)	75	14.3	%	11.0	●		
Crime	43 Crime rate	475	171.5	cr2	49.5	●		
	44 Prisoner population	10	529.3	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	12	159.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	13	0.5	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	137	42.4	%	75.3	●		
	51 Mothers smoking during pregnancy ²	33	22.3	%	22.6	●		
	52 Teenage pregnancies ²	20	137.9	cr2	41.4	●		
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	35	25.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	128	85.9	%	92.1	●		
	56 Immunisation uptake at 24 months - all excluding MMR ²	142	95.3	%	97.5	○		
	57 Child dental health in primary 1	13	43.3	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	10	588.3	sr	377.5	○		

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Blackford Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	81.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	88.1	yrs	79.5			
	3 Deaths all ages ²	173	458.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		26.2	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	22	109.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		9.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	144	588	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		40.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	165	371.5	sr	412.6			
	15 Patients hospitalised with COPD ²	20	62.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	67	251.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	54	141.3	sr	173.8			
	18 Patients hospitalised with asthma ²	45	159.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,033	4,182.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	151	3,517.8	sr	4,607.6			
	21 Road traffic accident casualties ²	10	39.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	44	804.0	sr	710.4			
	23 Prevalence of diabetes	193	2.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	455	6.5	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	25	104.0	sr	303.0			
	26 Deaths from suicide ¹		8.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	105	2.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	950	33.7	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	219.2	mean	179.7			
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	93.2	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	330	5.1	%	15.1			
	39 Working age population employment deprived	145	3.6	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	60	1.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	285	20.5	%	46.6			
	42 People claiming pension credits (aged 60+)	80	5.3	%	11.0			
	43 Crime rate	142	21.9	cr2	49.5			
	44 Prisoner population		141.4	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		31.6	sr	95.2			
	47 Population within 500 metres of derelict site	1,727	26.8	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	594	78.0	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	149	70.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	224	93.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	234	97.9	%	97.5			
	57 Child dental health in primary 1	47	82.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		220.1	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Longstone and Saughton Mains Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.3	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	81.1	yrs	79.5		○	
	3 Deaths all ages ²	127	777.7	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		76.1	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	18	159.5	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		8.5	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	155	1,341	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²	35	318.8	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	118	512.8	sr	412.6		●	
	15 Patients hospitalised with COPD ²	33	247.6	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	64	514.9	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease ²	24	148.4	sr	173.8		○	
	18 Patients hospitalised with asthma ²	58	629.9	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	848	7,452.9	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	107	5,530.5	sr	4,607.6		○	
	21 Road traffic accident casualties ²		38.1	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	21	806.6	sr	710.4		○	
	23 Prevalence of diabetes	152	3.6	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	326	10.4	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	49	448.7	sr	303.0		●	
	26 Deaths from suicide ¹		10.3	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	180	6.3	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	560	39.9	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	158.8	mean	179.7		△	
	35 Primary school attendance	n/a	95.4	%	95.2		○	
	36 Secondary school attendance	n/a	91.2	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	555	17.1	%	15.1		●	
	39 Working age population employment deprived	260	12.5	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	85	3.9	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	360	55.6	%	46.6		●	
	42 People claiming pension credits (aged 60+)	95	12.1	%	11.0		○	
Crime	43 Crime rate	409	125.8	cr2	49.5		●	
	44 Prisoner population		137.1	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²	15	125.0	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	306	72.3	%	75.3		○	
	51 Mothers smoking during pregnancy ²	13	18.1	%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	17	19.8	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	83	93.3	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	88	98.9	%	97.5		○	
	57 Child dental health in primary 1	12	48.0	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²		352.3	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Morningside Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.6	yrs	79.5			
	3 Deaths all ages ²	261	727.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		48.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	13	76.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		45.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	111	554	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		15.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	138	356.2	sr	412.6			
	15 Patients hospitalised with COPD ²	11	57.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	43	212.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	37	123.2	sr	173.8			
	18 Patients hospitalised with asthma ²	29	134.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	809	4,026.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	115	3,478.8	sr	4,607.6			
	21 Road traffic accident casualties ²		27.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	32	763.8	sr	710.4			
	23 Prevalence of diabetes	128	1.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	346	5.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	44	217.9	sr	303.0			
	26 Deaths from suicide ¹		14.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	1.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	948	36.4	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	217.6	mean	179.7			
	35 Primary school attendance	n/a	97.0	%	95.2			
	36 Secondary school attendance	n/a	94.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	220	3.9	%	15.1			
	39 Working age population employment deprived	110	3.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	1.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	145	13.7	%	46.6			
	42 People claiming pension credits (aged 60+)	55	4.5	%	11.0			
Crime	43 Crime rate	119	21.4	cr2	49.5			
	44 Prisoner population		21.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		10.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,756	30.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	473	74.1	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	93	60.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	138	93.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	144	97.3	%	97.5			
	57 Child dental health in primary 1	36	100.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		297.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Broomhouse and Sighthill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	68.5	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	74.4	yrs	79.5	●		
	3 Deaths all ages ²	134	983.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	13	127.5	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	19	190.2	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		12.4	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	186	1,682	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	22	165.5	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	95	526.4	sr	412.6	●		
	15 Patients hospitalised with COPD ²	40	350.0	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	53	467.9	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease ²	25	202.3	sr	173.8		○	
	18 Patients hospitalised with asthma ²	55	477.5	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	953	8,183.0	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	104	7,687.6	sr	4,607.6	●		
	21 Road traffic accident casualties ²		42.5	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	12	806.0	sr	710.4		○	
	23 Prevalence of diabetes	179	4.9	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	482	11.3	%	9.7	●		
	25 Patients with a psychiatric hospitalisation ²	63	552.0	sr	303.0	●		
	26 Deaths from suicide ¹		28.9	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	8.2	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	620	34.8	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	130.9	mean	179.7	△		
	35 Primary school attendance	n/a	93.4	%	95.2	○		
	36 Secondary school attendance	n/a	85.4	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,110	27.9	%	15.1	●		
	39 Working age population employment deprived	465	17.9	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	150	6.0	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	790	76.8	%	46.6	●		
	42 People claiming pension credits (aged 60+)	75	11.8	%	11.0		○	
Crime	43 Crime rate	604	151.8	cr2	49.5	●		
	44 Prisoner population	17	527.2	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	15	107.2	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	249	59.3	%	75.3	●		
	51 Mothers smoking during pregnancy ²	40	25.2	%	22.6	●		
	52 Teenage pregnancies ²	25	105.5	cr2	41.4	●		
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	24	17.0	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR ²	161	90.4	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	169	94.9	%	97.5		○	
	57 Child dental health in primary 1	22	40.7	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		219.3	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Hutchison and Moat Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	78.9	yrs	79.5			
	3 Deaths all ages ²	144	741.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	12	84.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	22	155.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		19.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	154	1,002	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	11	69.8	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	143	521.1	sr	412.6			
	15 Patients hospitalised with COPD ²	54	297.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	67	337.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	37	181.3	sr	173.8			
	18 Patients hospitalised with asthma ²	43	285.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	895	5,619.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	140	5,437.0	sr	4,607.6			
	21 Road traffic accident casualties ²		33.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	33	1,141.0	sr	710.4			
	23 Prevalence of diabetes	199	3.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	438	9.1	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	42	295.5	sr	303.0			
	26 Deaths from suicide ¹		9.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	165	4.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,295	47.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	175.1	mean	179.7			
	35 Primary school attendance	n/a	94.9	%	95.2			
	36 Secondary school attendance	n/a	90.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	620	14.2	%	15.1			
	39 Working age population employment deprived	255	8.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	105	3.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	340	48.0	%	46.6			
	42 People claiming pension credits (aged 60+)	135	13.0	%	11.0			
Crime	43 Crime rate	351	80.3	cr2	49.5			
	44 Prisoner population		211.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		48.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	36	0.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	370	71.4	%	75.3			
	51 Mothers smoking during pregnancy ²	21	15.7	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	28	24.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	106	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	110	94.0	%	97.5			
	57 Child dental health in primary 1	15	62.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		142.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Merchiston and Greenhill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.5	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.7	yrs	79.5			
	3 Deaths all ages ²	188	602.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		49.2	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	10	71.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	119	643	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		5.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	126	402.7	sr	412.6			
	15 Patients hospitalised with COPD ²	14	70.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	42	196.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	31	132.8	sr	173.8			
	18 Patients hospitalised with asthma ²	24	165.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	777	4,119.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	108	3,534.8	sr	4,607.6			
	21 Road traffic accident casualties ²		25.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	37	897.0	sr	710.4			
	23 Prevalence of diabetes	119	2.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	307	5.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	94	542.8	sr	303.0			
	26 Deaths from suicide ¹		7.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	150	3.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	798	35.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	222.9	mean	179.7			
	35 Primary school attendance	n/a	96.6	%	95.2			
	36 Secondary school attendance	n/a	92.4	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
Economy	38 Population income deprived	190	3.7	%	15.1			
	39 Working age population employment deprived	195	5.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	55	1.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	105	12.2	%	46.6			
	42 People claiming pension credits (aged 60+)	40	3.9	%	11.0			
Crime	43 Crime rate	192	37.8	cr2	49.5			
	44 Prisoner population		23.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		5.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	766	14.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	376	78.5	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	94	69.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	104	86.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	114	95.0	%	97.5			
	57 Child dental health in primary 1	25	86.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		163.6	sr	377.5			

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Grange Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.3	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	82.2	yrs	79.5			○
	3 Deaths all ages ²	234	524.5	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		16.1	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	24	132.0	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	103	402	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		0.8	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	149	366.1	sr	412.6			○
	15 Patients hospitalised with COPD ²	11	33.9	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	41	152.2	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	35	85.9	sr	173.8			○
	18 Patients hospitalised with asthma ²	26	108.9	sr	472.9			○
	19 Patients hospitalised as an emergency ²	824	3,558.6	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	123	2,752.1	sr	4,607.6			○
	21 Road traffic accident casualties ²		35.4	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	45	675.5	sr	710.4			○
	23 Prevalence of diabetes	153	2.1	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	354	6.1	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	32	123.7	sr	303.0			○
	26 Deaths from suicide ¹		12.5	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	65	1.4	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	892	34.9	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	242.9	mean	179.7			△
	35 Primary school attendance	n/a	97.1	%	95.2			○
	36 Secondary school attendance	n/a	94.2	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	200	3.7	%	15.1			○
	39 Working age population employment deprived	100	3.0	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	75	2.2	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	150	15.3	%	46.6			○
	42 People claiming pension credits (aged 60+)	55	3.6	%	11.0			○
Crime	43 Crime rate	137	25.2	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		20.8	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	2,099	37.5	%	30.0			●
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	508	77.4	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	104	73.2	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	139	90.8	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	151	98.7	%	97.5			○
	57 Child dental health in primary 1	17	70.8	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	0	0.0	sr	377.5			△

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Niddrie Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	70.6	yrs	74.5			
	2 Life expectancy - females ¹	n/a	76.0	yrs	79.5			
	3 Deaths all ages ²	113	1,110.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	18	228.4	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	19	220.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		12.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	201	2,013	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	42	376.4	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	75	530.6	sr	412.6			
	15 Patients hospitalised with COPD ²	49	543.7	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	48	508.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	30	309.3	sr	173.8			
	18 Patients hospitalised with asthma ²	67	612.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,057	9,863.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	72	6,350.2	sr	4,607.6			
	21 Road traffic accident casualties ²	16	144.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		677.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	161	4.9	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	512	11.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	81	779.5	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		25.8	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	455	16.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	872	51.9	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	130.8	mean	179.7			
Economy	35 Primary school attendance	n/a	92.1	%	95.2			
	36 Secondary school attendance	n/a	84.7	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,520	42.7	%	15.1			
	39 Working age population employment deprived	675	29.5	%	11.6			
Crime	40 Working age population claiming Jobseeker's Allowance	215	9.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	900	80.4	%	46.6			
	42 People claiming pension credits (aged 60+)	85	15.6	%	11.0			
	43 Crime rate	605	170.1	cr2	49.5			
Environment	44 Prisoner population	29	1,165.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	22	203.1	sr	95.2			
Women's & Children's Health	47 Population within 500 metres of derelict site	737	19.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	137	42.0	%	75.3			
	51 Mothers smoking during pregnancy ²	58	27.6	%	22.6			
	52 Teenage pregnancies ²	32	96.1	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	31	14.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	171	91.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	179	95.7	%	97.5			
	57 Child dental health in primary 1	21	42.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
59 Patients hospitalised by unintentional injuries at home (<15) ²		307.9	sr	377.5				

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

South Gyle Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.3	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.5	yrs	79.5			
	3 Deaths all ages ²	153	543.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		19.9	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	81.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	115	655	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		18.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	91	296.3	sr	412.6			
	15 Patients hospitalised with COPD ²	14	62.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	29	155.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	32	144.6	sr	173.8			
	18 Patients hospitalised with asthma ²	32	210.0	sr	472.9			
	19 Patients hospitalised as an emergency ²	778	4,624.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	104	3,479.8	sr	4,607.6			
	21 Road traffic accident casualties ²		46.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	14	431.1	sr	710.4			
	23 Prevalence of diabetes	163	2.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	388	7.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	27	151.7	sr	303.0			
	26 Deaths from suicide ¹		3.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	80	1.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	781	37.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	183.2	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	93.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	295	6.0	%	15.1			
	39 Working age population employment deprived	135	4.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	1.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	295	30.5	%	46.6			
	42 People claiming pension credits (aged 60+)	45	4.2	%	11.0			
Crime	43 Crime rate	203	41.5	cr2	49.5			
	44 Prisoner population		106.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		62.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	659	13.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	397	73.7	%	75.3			
	51 Mothers smoking during pregnancy ²	13	9.5	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	43	30.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	123	91.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	130	97.0	%	97.5			
	57 Child dental health in primary 1	25	73.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		154.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Prestonfield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	77.7	yrs	79.5			
	3 Deaths all ages ²	184	785.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		71.2	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	20	149.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		4.8	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	123	887	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		22.2	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	136	513.8	sr	412.6			
	15 Patients hospitalised with COPD ²	21	73.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	39	238.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	28	120.2	sr	173.8			
	18 Patients hospitalised with asthma ²	35	278.0	sr	472.9			
	19 Patients hospitalised as an emergency ²	744	5,661.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	129	5,015.5	sr	4,607.6			
	21 Road traffic accident casualties ²		64.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	29	1,044.1	sr	710.4			
	23 Prevalence of diabetes	167	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	316	8.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	53	437.8	sr	303.0			
	26 Deaths from suicide ¹		13.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	175	5.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	721	43.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	222.2	mean	179.7			
	35 Primary school attendance	n/a	94.8	%	95.2			
	36 Secondary school attendance	n/a	91.0	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	465	13.6	%	15.1			
	39 Working age population employment deprived	230	10.7	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	65	2.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	195	36.9	%	46.6			
	42 People claiming pension credits (aged 60+)	110	11.7	%	11.0			
	43 Crime rate	78	22.8	cr2	49.5			
	44 Prisoner population		29.3	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		33.6	sr	95.2			
	47 Population within 500 metres of derelict site	819	23.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	279	68.6	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	31	40.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	65	90.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	72	100.0	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		476.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Shandon Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.6	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.7	yrs	79.5			
	3 Deaths all ages ²	112	533.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		53.6	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		28.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		40.5	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	81	588	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		7.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	68	330.5	sr	412.6			
	15 Patients hospitalised with COPD ²	11	64.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	30	214.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	25	160.7	sr	173.8			
	18 Patients hospitalised with asthma ²	31	278.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	588	3,976.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	54	2,553.4	sr	4,607.6			
	21 Road traffic accident casualties ²		57.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	11	313.8	sr	710.4			
	23 Prevalence of diabetes	108	2.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	412	7.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	36	198.6	sr	303.0			
	26 Deaths from suicide ¹		2.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	75	1.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,080	42.4	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	210.1	mean	179.7			
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	91.8	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	200	4.0	%	15.1			
	39 Working age population employment deprived	130	3.4	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	65	1.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	160	21.4	%	46.6			
	42 People claiming pension credits (aged 60+)	25	3.7	%	11.0			
	43 Crime rate	125	25.1	cr2	49.5			
	44 Prisoner population		55.8	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		18.7	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	283	76.9	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	114	63.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	141	95.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	143	97.3	%	97.5			
	57 Child dental health in primary 1	21	80.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		223.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Forrester Park and Broomhall Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.6	yrs	74.5			
	2 Life expectancy - females ¹	n/a	86.5	yrs	79.5			
	3 Deaths all ages ²	67	472.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	0	0.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	118.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.4	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	88	766	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		32.6	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	90	442.0	sr	412.6			
	15 Patients hospitalised with COPD ²		27.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	35	282.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	23	157.7	sr	173.8			
	18 Patients hospitalised with asthma ²	32	273.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	547	4,878.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	67	3,990.7	sr	4,607.6			
	21 Road traffic accident casualties ²		62.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	15	732.3	sr	710.4			
	23 Prevalence of diabetes	117	3.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	314	8.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	26	201.5	sr	303.0			
	26 Deaths from suicide ¹		21.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	80	2.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	671	37.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	216.9	mean	179.7			
	35 Primary school attendance	n/a	95.2	%	95.2			
	36 Secondary school attendance	n/a	92.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	385	10.9	%	15.1			
	39 Working age population employment deprived	140	6.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	3.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	385	51.5	%	46.6			
	42 People claiming pension credits (aged 60+)	40	5.7	%	11.0			
Crime	43 Crime rate	181	51.3	cr2	49.5			
	44 Prisoner population		80.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		35.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	291	73.9	%	75.3			
	51 Mothers smoking during pregnancy ²	23	16.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	31	22.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	114	89.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	125	98.4	%	97.5			
	57 Child dental health in primary 1	27	64.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		430.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Stenhouse Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	71.3	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	78.0	yrs	79.5		○	
	3 Deaths all ages ²	289	963.6	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) ²	15	85.4	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	43	224.1	sr	134.7		●	
	6 Early deaths from cerebrovascular disease (< 75s) ²		41.1	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	259	1,292	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	23	133.4	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	235	524.4	sr	412.6		●	
	15 Patients hospitalised with COPD ²	72	284.6	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	94	346.4	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	68	219.3	sr	173.8		○	
	18 Patients hospitalised with asthma ²	96	484.2	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	1,550	7,003.1	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	245	5,726.9	sr	4,607.6		●	
	21 Road traffic accident casualties ²	13	75.7	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	47	882.9	sr	710.4		○	
	23 Prevalence of diabetes	360	5.0	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	589	9.6	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	100	511.0	sr	303.0		●	
	26 Deaths from suicide ¹	10	34.9	sr	15.1		●	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	475	9.4	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,660	50.2	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	144.6	mean	179.7		△	
	35 Primary school attendance	n/a	94.0	%	95.2		○	
	36 Secondary school attendance	n/a	89.0	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,375	23.6	%	15.1		●	
	39 Working age population employment deprived	605	17.3	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	165	4.5	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	800	71.9	%	46.6		●	
	42 People claiming pension credits (aged 60+)	240	15.6	%	11.0		●	
Crime	43 Crime rate	597	102.4	cr2	49.5		●	
	44 Prisoner population	15	376.2	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	16	97.9	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	640	10.7	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	432	63.3	%	75.3		●	
	51 Mothers smoking during pregnancy ²	38	19.1	%	22.6		○	
	52 Teenage pregnancies ²	22	75.9	cr2	41.4		●	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	45	21.5	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	157	88.7	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	168	94.9	%	97.5		○	
	57 Child dental health in primary 1	16	42.1	%	61.8		●	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	10	396.5	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Jewel, Brunstane and Newcraighall Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.1	yrs	79.5			
	3 Deaths all ages ²	70	577.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		8.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	173.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		8.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	110	1,023	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		91.6	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	81	465.8	sr	412.6			
	15 Patients hospitalised with COPD ²	26	225.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	35	314.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	14	113.6	sr	173.8			
	18 Patients hospitalised with asthma ²	45	423.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	670	6,424.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	61	4,892.3	sr	4,607.6			
	21 Road traffic accident casualties ²		70.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		495.1	sr	710.4			
	23 Prevalence of diabetes	151	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	359	10.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	31	290.9	sr	303.0			
	26 Deaths from suicide ¹		5.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	5.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	543	36.9	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	163.0	mean	179.7			
	35 Primary school attendance	n/a	92.5	%	95.2			
	36 Secondary school attendance	n/a	88.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	535	15.5	%	15.1			
	39 Working age population employment deprived	220	9.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	90	4.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	430	52.3	%	46.6			
	42 People claiming pension credits (aged 60+)	55	8.7	%	11.0			
Crime	43 Crime rate	203	58.8	cr2	49.5			
	44 Prisoner population		92.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		57.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,266	36.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	254	63.8	%	75.3			
	51 Mothers smoking during pregnancy ²	22	17.5	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	37	25.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	121	95.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	127	100.0	%	97.5			
	57 Child dental health in primary 1	19	61.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		376.1	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Ratho, Gogarburn and Airport Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.8	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.3	yrs	79.5			
	3 Deaths all ages ²	88	581.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		69.1	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	144.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		33.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	85	720	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		51.6	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	97	439.2	sr	412.6			
	15 Patients hospitalised with COPD ²	13	78.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	29	206.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	22	150.2	sr	173.8			
	18 Patients hospitalised with asthma ²	31	287.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	568	5,145.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	64	3,629.8	sr	4,607.6			
	21 Road traffic accident casualties ²		62.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	10	473.5	sr	710.4			
	23 Prevalence of diabetes	138	3.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	228	6.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	18	176.1	sr	303.0			
	26 Deaths from suicide ¹		37.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	105	3.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	456	31.5	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	173.4	mean	179.7			
	35 Primary school attendance	n/a	97.4	%	95.2			
	36 Secondary school attendance	n/a	91.0	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	310	9.6	%	15.1			
	39 Working age population employment deprived	150	7.5	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	55	2.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	270	39.0	%	46.6			
	42 People claiming pension credits (aged 60+)	45	5.4	%	11.0			
	43 Crime rate	96	29.6	cr2	49.5			
	44 Prisoner population		64.9	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		41.3	sr	95.2			
	47 Population within 500 metres of derelict site	2,846	86.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	333	73.8	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	10	54.9	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	32	33.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	92	95.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	95	99.0	%	97.5			
	57 Child dental health in primary 1	18	75.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		262.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Dalkeith Rd Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	89.5	yrs	79.5			
	3 Deaths all ages ²	86	485.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		34.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		99.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		33.5	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	84	564	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	18	120.8	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	78	413.2	sr	412.6			
	15 Patients hospitalised with COPD ²		56.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	31	297.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	18	142.7	sr	173.8			
	18 Patients hospitalised with asthma ²	31	242.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	537	3,625.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	52	2,893.9	sr	4,607.6			
	21 Road traffic accident casualties ²		41.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		473.7	sr	710.4			
Mental Health	23 Prevalence of diabetes	105	2.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	415	5.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	47	366.6	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		9.2	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	95	1.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	572	27.6	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	190.6	mean	179.7			
	35 Primary school attendance	n/a	95.0	%	95.2			
Economy	36 Secondary school attendance	n/a	91.5	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	290	4.5	%	15.1			
	39 Working age population employment deprived	150	2.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	1.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	130	6.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	40	6.1	%	11.0			
	43 Crime rate	172	26.9	cr2	49.5			
	44 Prisoner population		207.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		24.8	sr	95.2			
	47 Population within 500 metres of derelict site	4,556	71.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	243	73.2	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	55	64.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	82	86.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	87	91.6	%	97.5			
	57 Child dental health in primary 1	16	84.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		251.2	sr	377.5			

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Marchmont West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Road traffic accident casualties ²		55.1	sr	79.4			
	2 Patients hospitalised after a fall in the home (65+) ²	10	740.5	sr	710.4			
	3 Prevalence of diabetes	69	2.2	sr2	3.5			
	4 Patients prescribed drugs for anxiety/depression/psychosis	249	4.2	%	9.7			
	5 Patients with a psychiatric hospitalisation ²	13	123.9	sr	303.0			
	6 Deaths from suicide ¹		8.8	sr	15.1			
Behaviours	7 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	8 Adults claiming incapacity benefit/severe disability allowance	30	0.6	%	5.6			
	9 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	10 Households assessed as homeless ³	n/a		%	1.8			
	11 Children looked after by local authority ³	n/a		cr2	14			
	12 Single adult dwellings	468	23.8	%	37.8			
Ill Health & Injury	13 Households in extreme fuel poverty ³	n/a		%	7.5			
	14 Average tariff score of all pupils on the S4 roll	n/a	225.2	mean	179.7			
	15 Primary school attendance	n/a	96.4	%	95.2			
	16 Secondary school attendance	n/a	93.9	%	91.1			
	17 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	18 Population income deprived	105	1.9	%	15.1			
	19 Working age population employment deprived	50	1.0	%	11.6			
	20 Working age population claiming Jobseeker's Allowance	50	1.0	%	4.4			
	21 Dependence on out of work benefits or child tax credit	125	15.3	%	46.6			
	22 People claiming pension credits (aged 60+)	10	2.0	%	11.0			
	23 Crime rate	140	24.7	cr2	49.5			
Mental Health	24 Prisoner population	0	0.0	sr	205.5			
	25 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Social Care & Housing	26 Patients hospitalised after an assault ²		22.0	sr	95.2			
	27 Population within 500 metres of derelict site	1,407	24.4	%	30.0			
	28 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	29 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	30 Breast screening uptake ²	225	69.9	%	75.3			
	31 Mothers smoking during pregnancy ²			%	22.6			
	32 Teenage pregnancies ²			cr2	41.4			
Education	33 Low weight live births ²			%	2.3			
	34 Babies exclusively breastfed at 6-8 weeks ²	68	76.4	%	26.4			
	35 Immunisation uptake at 24 months - MMR ²	68	86.1	%	92.1			
	36 Immunisation uptake at 24 months - all excluding MMR ²	73	92.4	%	97.5			
Economy	37 Child dental health in primary 1	15	75.0	%	61.8			
	38 Child obesity in primary 1	n/a		%	8.0			
	39 Patients hospitalised by unintentional injuries at home (<15) ²		72.0	sr	377.5			
	40 Life expectancy - males ¹	n/a		yrs	74.5			
Crime	41 Life expectancy - females ¹	n/a	84.9	yrs	79.5			
	42 Deaths all ages ²	39	379.0	sr	707.8			
	43 Early deaths from coronary heart disease (< 75s) ²		12.5	sr	57.2			
	44 Early deaths from cancer (< 75s) ²		72.5	sr	134.7			
Environment	45 Early deaths from cerebrovascular disease (< 75s) ²		15.9	sr	18.7			
	46 Smoking attributable deaths ²	n/a		%	24.1			
	47 Smoking prevalence ³	n/a		%	25.0			
	48 Patients hospitalised with alcohol conditions ²	57	447	sr	1,088			
Women's & Children's Health	49 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	50 Patients hospitalised with drug related conditions ²		13.5	sr	85.1			
	51 Active travel to work ³	n/a		%	14.0			
	52 Sporting participation ³	n/a		%	73.0			
	53 Patients registered with cancer ¹	44	259.9	sr	412.6			
	54 Patients hospitalised with COPD ²		75.7	sr	158.6			
	55 Patients hospitalised with coronary heart disease ²	12	145.2	sr	347.0			
	56 Patients hospitalised with cerebrovascular disease ²	13	122.7	sr	173.8			
	57 Patients hospitalised with asthma ²	30	281.7	sr	472.9			
	58 Patients hospitalised as an emergency ²	428	3,560.1	sr	6,378.9			
	59 Patients (65+) with multiple hospitalisations ²	37	3,337.8	sr	4,607.6			

Notes:
 1. Five-year combined number, and 5-year average annual measure.
 2. Three-year combined number, and 3-year average annual measure.
 3. Data available down to local authority level only.


Key:
 n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population;
 sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.
See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Carrick Knowe Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.6	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	83.8	yrs	79.5			○
	3 Deaths all ages ²	59	506.8	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		22.4	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		63.5	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		13.0	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	70	731	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		22.2	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	75	458.8	sr	412.6			○
	15 Patients hospitalised with COPD ²	10	100.9	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	34	340.4	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	23	214.8	sr	173.8			○
	18 Patients hospitalised with asthma ²	21	243.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	478	5,105.6	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	61	4,502.9	sr	4,607.6			○
	21 Road traffic accident casualties ²	11	128.2	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	15	1,042.2	sr	710.4			○
	23 Prevalence of diabetes	79	2.5	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	236	7.9	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	16	162.2	sr	303.0			○
	26 Deaths from suicide ¹		17.0	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	50	2.3	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	428	33.3	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	247.0	mean	179.7			△
	35 Primary school attendance	n/a	95.8	%	95.2			○
	36 Secondary school attendance	n/a	92.3	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	270	9.5	%	15.1			○
	39 Working age population employment deprived	90	5.1	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	45	2.6	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	340	44.5	%	46.6			○
	42 People claiming pension credits (aged 60+)	25	4.6	%	11.0			○
Crime	43 Crime rate	103	36.2	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		89.5	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	223	76.1	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	47	41.2	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	94	92.2	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	99	97.1	%	97.5			○
	57 Child dental health in primary 1	30	71.4	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		192.4	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Gorgie West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.8	yrs	74.5			
	2 Life expectancy - females ¹	n/a	84.8	yrs	79.5			
	3 Deaths all ages ²	64	616.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		65.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	10	130.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		20.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	119	1,082	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	10	57.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	61	372.4	sr	412.6			
	15 Patients hospitalised with COPD ²	15	174.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	28	312.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	14	122.6	sr	173.8			
	18 Patients hospitalised with asthma ²	37	371.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	611	5,789.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	54	4,106.7	sr	4,607.6			
	21 Road traffic accident casualties ²		33.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	10	799.6	sr	710.4			
	23 Prevalence of diabetes	121	3.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	360	8.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	48	395.6	sr	303.0			
	26 Deaths from suicide ¹		18.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	215	5.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,404	53.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	155.7	mean	179.7			
	35 Primary school attendance	n/a	91.7	%	95.2			
Economy	36 Secondary school attendance	n/a	88.7	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	560	13.4	%	15.1			
	39 Working age population employment deprived	350	10.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	135	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	270	56.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	45	8.7	%	11.0			
	43 Crime rate	320	76.7	cr2	49.5			
	44 Prisoner population		316.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	12	108.5	sr	95.2			
	47 Population within 500 metres of derelict site	1,995	44.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	143	63.8	%	75.3			
	51 Mothers smoking during pregnancy ²	13	11.9	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	36	43.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	75	89.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	80	95.2	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		185.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Marchmont East and Sciennes Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.2	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	81.5	yrs	79.5		○	
	3 Deaths all ages ²	87	562.0	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		32.7	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	14	178.7	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		17.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	84	639	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²		24.4	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	62	348.3	sr	412.6		○	
	15 Patients hospitalised with COPD ²		40.0	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	15	123.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	25	186.9	sr	173.8		○	
	18 Patients hospitalised with asthma ²	18	197.3	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	486	3,683.3	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	44	2,929.0	sr	4,607.6		○	
	21 Road traffic accident casualties ²		46.1	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	16	725.4	sr	710.4		○	
Mental Health	23 Prevalence of diabetes	81	2.0	sr2	3.5		○	
	24 Patients prescribed drugs for anxiety/depression/psychosis	298	5.2	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	41	298.3	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide ¹		12.9	sr	15.1		○	
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	65	1.2	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
Education	32 Single adult dwellings	716	29.9	%	37.8		○	
	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	206.6	mean	179.7		△	
Economy	35 Primary school attendance	n/a	96.8	%	95.2		○	
	36 Secondary school attendance	n/a	93.5	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	220	3.9	%	15.1		○	
	39 Working age population employment deprived	115	2.4	%	11.6		○	
Crime	40 Working age population claiming Jobseeker's Allowance	70	1.5	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	105	13.0	%	46.6		○	
	42 People claiming pension credits (aged 60+)	40	6.6	%	11.0		○	
	43 Crime rate	157	27.7	cr2	49.5		○	
Environment	44 Prisoner population		48.2	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²		14.9	sr	95.2		○	
Women's & Children's Health	47 Population within 500 metres of derelict site	0	0.0	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
	50 Breast screening uptake ²	219	72.3	%	75.3		○	
	51 Mothers smoking during pregnancy ²			%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²	0	0.0	%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	76	69.1	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	91	93.8	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	93	95.9	%	97.5		○	
	57 Child dental health in primary 1			%	61.8		○	
58 Child obesity in primary 1	n/a		%	8.0		○		
59 Patients hospitalised by unintentional injuries at home (<15) ²		305.5	sr	377.5		○		

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Polwarth Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.0	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a		yrs	79.5		○	
	3 Deaths all ages ²	54	632.2	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		100.2	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²		96.6	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7		△	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	75	747	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²		22.0	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	57	403.2	sr	412.6		○	
	15 Patients hospitalised with COPD ²		32.1	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	29	403.4	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	10	115.9	sr	173.8		○	
	18 Patients hospitalised with asthma ²	33	394.8	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	467	4,576.4	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	44	4,169.8	sr	4,607.6		○	
	21 Road traffic accident casualties ²		16.4	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²		582.7	sr	710.4		○	
	23 Prevalence of diabetes	95	3.2	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	344	7.2	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	53	520.6	sr	303.0		○	
	26 Deaths from suicide ¹		11.0	sr	15.1		●	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	120	2.7	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	1,150	43.9	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	154.3	mean	179.7		△	
	35 Primary school attendance	n/a	94.3	%	95.2		○	
	36 Secondary school attendance	n/a	92.5	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	300	6.5	%	15.1		○	
	39 Working age population employment deprived	185	4.7	%	11.6		○	
Economy	40 Working age population claiming Jobseeker's Allowance	110	2.7	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	160	35.5	%	46.6		○	
	42 People claiming pension credits (aged 60+)	50	11.8	%	11.0		○	
	43 Crime rate	118	25.4	cr2	49.5		○	
	44 Prisoner population		163.4	sr	205.5		○	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²	11	69.7	sr	95.2		○	
	47 Population within 500 metres of derelict site	2,380	49.3	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
	50 Breast screening uptake ²	157	73.0	%	75.3		○	
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	48	58.5	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	64	87.7	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	64	87.7	%	97.5		○	
	57 Child dental health in primary 1	14	73.7	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²	0	0.0	sr	377.5		△	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Bruntsfield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.9	yrs	79.5			
	3 Deaths all ages ²	112	660.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		38.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	13	159.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.9	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	111	736	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		26.4	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	82	358.6	sr	412.6			
	15 Patients hospitalised with COPD ²	20	137.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	37	298.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	16	86.1	sr	173.8			
	18 Patients hospitalised with asthma ²	29	209.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	701	4,436.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	81	5,136.2	sr	4,607.6			
	21 Road traffic accident casualties ²		33.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	21	811.5	sr	710.4			
	23 Prevalence of diabetes	126	2.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	350	5.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	51	356.6	sr	303.0			
	26 Deaths from suicide ¹		2.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	90	1.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	955	35.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	224.1	mean	179.7			
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	94.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	335	5.7	%	15.1			
	39 Working age population employment deprived	175	3.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	1.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	120	15.3	%	46.6			
	42 People claiming pension credits (aged 60+)	45	6.9	%	11.0			
Crime	43 Crime rate	163	27.6	cr2	49.5			
	44 Prisoner population		48.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	11	78.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	5,524	90.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	270	68.2	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	92	69.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	102	91.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	106	95.5	%	97.5			
	57 Child dental health in primary 1	29	87.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		137.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Gorgie East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	71.3	yrs	74.5			
	2 Life expectancy - females ¹	n/a		yrs	79.5			
	3 Deaths all ages ²	45	719.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		108.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	13	249.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.5	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	98	1,278	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		54.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	35	354.5	sr	412.6			
	15 Patients hospitalised with COPD ²		136.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	12	272.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	14	266.9	sr	173.8			
	18 Patients hospitalised with asthma ²	25	276.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	384	4,934.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	28	5,749.8	sr	4,607.6			
	21 Road traffic accident casualties ²		17.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		526.8	sr	710.4			
	23 Prevalence of diabetes	74	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	291	8.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	56	597.0	sr	303.0			
	26 Deaths from suicide ¹		9.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	210	5.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,119	49.7	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	128.6	mean	179.7			
	35 Primary school attendance	n/a	91.6	%	95.2			
	36 Secondary school attendance	n/a	85.8	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	420	11.2	%	15.1			
	39 Working age population employment deprived	315	9.6	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	100	3.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	155	43.9	%	46.6			
	42 People claiming pension credits (aged 60+)	20	7.7	%	11.0			
	43 Crime rate	207	55.4	cr2	49.5			
	44 Prisoner population	10	343.8	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	10	66.6	sr	95.2			
	47 Population within 500 metres of derelict site	167	4.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	99	56.9	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	17	17.0	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	32	50.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	46	93.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	47	95.9	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	0	0.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Bingham, Magdalene and the Christians Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	68.3	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	78.3	yrs	79.5	○		
	3 Deaths all ages ²	209	922.5	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	10	79.9	sr	57.2	○		
	5 Early deaths from cancer (< 75s) ²	19	144.9	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		32.6	sr	18.7	○		
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1	○		
	8 Smoking prevalence ³	n/a		%	25.0	○		
	9 Patients hospitalised with alcohol conditions ²	235	1,858	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4	○		
	11 Patients hospitalised with drug related conditions ²	37	403.7	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0	○		
	13 Sporting participation ³	n/a		%	73.0	○		
Ill Health & Injury	14 Patients registered with cancer ¹	135	411.3	sr	412.6	○		
	15 Patients hospitalised with COPD ²	66	394.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	65	396.8	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease ²	45	187.9	sr	173.8	○		
	18 Patients hospitalised with asthma ²	75	616.4	sr	472.9	○		
	19 Patients hospitalised as an emergency ²	1,203	8,871.8	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	184	6,323.4	sr	4,607.6	●		
	21 Road traffic accident casualties ²	11	96.2	sr	79.4	○		
	22 Patients hospitalised after a fall in the home (65+) ²	31	874.0	sr	710.4	○		
	23 Prevalence of diabetes	230	4.8	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	410	9.9	%	9.7	○		
	25 Patients with a psychiatric hospitalisation ²	76	661.5	sr	303.0	●		
	26 Deaths from suicide ¹		17.1	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3	○		
	28 Adults claiming incapacity benefit/severe disability allowance	345	11.2	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7	○		
	30 Households assessed as homeless ³	n/a		%	1.8	○		
	31 Children looked after by local authority ³	n/a		cr2	14	○		
	32 Single adult dwellings	914	48.7	%	37.8	●		
	33 Households in extreme fuel poverty ³	n/a		%	7.5	○		
Education	34 Average tariff score of all pupils on the S4 roll	n/a	146.3	mean	179.7	△		
	35 Primary school attendance	n/a	92.7	%	95.2	○		
	36 Secondary school attendance	n/a	86.0	%	91.1	●		
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8	○		
Economy	38 Population income deprived	1,185	32.4	%	15.1	●		
	39 Working age population employment deprived	530	25.7	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	190	8.9	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	605	74.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	185	17.9	%	11.0	●		
Crime	43 Crime rate	370	101.3	cr2	49.5	●		
	44 Prisoner population	11	503.1	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	○		
	46 Patients hospitalised after an assault ²	19	196.9	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0	○		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	○		
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0	○		
Women's & Children's Health	50 Breast screening uptake ²	244	56.2	%	75.3	●		
	51 Mothers smoking during pregnancy ²	35	25.2	%	22.6	○		
	52 Teenage pregnancies ²	11	52.4	cr2	41.4	○		
	53 Low weight live births ²			%	2.3	○		
	54 Babies exclusively breastfed at 6-8 weeks ²	19	16.2	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR ²	108	89.3	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR ²	117	96.7	%	97.5	○		
	57 Child dental health in primary 1	17	58.6	%	61.8	○		
	58 Child obesity in primary 1	n/a		%	8.0	○		
	59 Patients hospitalised by unintentional injuries at home (<15) ²		426.1	sr	377.5	○		

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Meadows Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.1	yrs	79.5			
	3 Deaths all ages ²	67	721.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		53.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	14	212.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	94	877	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		16.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	63	493.4	sr	412.6			
	15 Patients hospitalised with COPD ²	14	146.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	24	276.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	14	151.5	sr	173.8			
	18 Patients hospitalised with asthma ²	34	300.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	551	4,523.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	56	5,495.4	sr	4,607.6			
	21 Road traffic accident casualties ²		49.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	15	1,265.1	sr	710.4			
	23 Prevalence of diabetes	95	2.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	446	6.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	37	220.1	sr	303.0			
	26 Deaths from suicide ¹		14.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	130	2.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	844	30.8	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	215.4	mean	179.7			
	35 Primary school attendance	n/a	93.1	%	95.2			
	36 Secondary school attendance	n/a	89.9	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	400	6.8	%	15.1			
	39 Working age population employment deprived	255	5.1	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	95	1.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	190	23.1	%	46.6			
	42 People claiming pension credits (aged 60+)	55	12.8	%	11.0			
	43 Crime rate	517	88.3	cr2	49.5			
	44 Prisoner population		81.5	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		48.4	sr	95.2			
	47 Population within 500 metres of derelict site	875	14.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	172	63.5	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	40	50.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	61	78.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	68	87.2	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		72.7	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Balgreen and Roseburn Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.4	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	82.6	yrs	79.5			○
	3 Deaths all ages ²	174	601.4	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		58.1	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	18	124.6	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		8.9	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	136	812	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		26.9	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	130	400.7	sr	412.6			○
	15 Patients hospitalised with COPD ²	22	113.1	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	68	328.1	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	45	141.3	sr	173.8			○
	18 Patients hospitalised with asthma ²	41	221.8	sr	472.9			○
	19 Patients hospitalised as an emergency ²	838	4,674.4	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	158	4,723.1	sr	4,607.6			○
	21 Road traffic accident casualties ²		53.9	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	23	507.0	sr	710.4			○
	23 Prevalence of diabetes	161	2.7	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	337	7.5	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	47	269.8	sr	303.0			○
	26 Deaths from suicide ¹		23.9	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	75	2.0	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	992	44.5	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	188.8	mean	179.7			△
	35 Primary school attendance	n/a	96.5	%	95.2			○
	36 Secondary school attendance	n/a	92.9	%	91.1			○
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	320	7.6	%	15.1			○
	39 Working age population employment deprived	135	5.1	%	11.6			○
Economy	40 Working age population claiming Jobseeker's Allowance	50	1.8	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	205	30.3	%	46.6			○
	42 People claiming pension credits (aged 60+)	85	7.5	%	11.0			○
	43 Crime rate	164	38.9	cr2	49.5			○
	44 Prisoner population		33.1	sr	205.5			○
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		39.1	sr	95.2			○
	47 Population within 500 metres of derelict site	2,496	57.6	%	30.0			○
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	351	70.8	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	57	45.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	83	89.2	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	91	97.8	%	97.5			○
	57 Child dental health in primary 1	18	75.0	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		68.9	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Dalry and Fountainbridge Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	70.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	77.8	yrs	79.5			
	3 Deaths all ages ²	104	852.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	12	120.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	19	203.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	193	1,252	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	38	118.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	91	457.0	sr	412.6			
	15 Patients hospitalised with COPD ²	28	255.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	41	339.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	21	185.2	sr	173.8			
	18 Patients hospitalised with asthma ²	39	231.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	842	5,621.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	50	3,715.9	sr	4,607.6			
	21 Road traffic accident casualties ²	16	94.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	11	614.1	sr	710.4			
	23 Prevalence of diabetes	151	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	481	7.3	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	92	564.7	sr	303.0			
	26 Deaths from suicide ¹		32.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	425	6.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,797	48.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	172.7	mean	179.7			
	35 Primary school attendance	n/a	93.6	%	95.2			
Economy	36 Secondary school attendance	n/a	88.0	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	910	13.9	%	15.1			
	39 Working age population employment deprived	590	10.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	210	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	275	44.7	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	85	14.3	%	11.0			
	43 Crime rate	365	55.8	cr2	49.5			
	44 Prisoner population	18	262.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	13	48.8	sr	95.2			
	47 Population within 500 metres of derelict site	6,283	91.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	174	59.2	%	75.3			
	51 Mothers smoking during pregnancy ²	19	12.5	%	22.6			
	52 Teenage pregnancies ²	16	110.3	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	42	50.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	93	93.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	94	94.0	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		60.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Willowbrae and Duddingston Village Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.6	yrs	79.5			
	3 Deaths all ages ²	118	476.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		53.1	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	19	117.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		26.9	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	130	688	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		53.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	154	421.6	sr	412.6			
	15 Patients hospitalised with COPD ²	30	116.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	49	244.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	34	141.0	sr	173.8			
	18 Patients hospitalised with asthma ²	53	342.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	869	4,810.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	102	3,538.5	sr	4,607.6			
	21 Road traffic accident casualties ²		57.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	33	908.8	sr	710.4			
	23 Prevalence of diabetes	165	2.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	502	9.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	42	225.6	sr	303.0			
	26 Deaths from suicide ¹		3.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	150	3.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	980	36.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	203.2	mean	179.7			
	35 Primary school attendance	n/a	94.9	%	95.2			
	36 Secondary school attendance	n/a	91.6	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	445	8.4	%	15.1			
	39 Working age population employment deprived	210	6.2	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	80	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	315	30.7	%	46.6			
	42 People claiming pension credits (aged 60+)	75	6.1	%	11.0			
	43 Crime rate	237	44.9	cr2	49.5			
	44 Prisoner population		31.6	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		62.0	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	495	75.8	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	18	85.3	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	90	53.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	137	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	143	97.9	%	97.5			
	57 Child dental health in primary 1	23	69.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		358.4	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Corstorphine Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.5	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	81.5	yrs	79.5		○	
	3 Deaths all ages ²	244	693.6	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		27.4	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	22	116.0	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		3.0	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	150	742	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²		17.9	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	189	410.6	sr	412.6		○	
	15 Patients hospitalised with COPD ²	23	71.1	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	58	189.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	41	125.3	sr	173.8		○	
	18 Patients hospitalised with asthma ²	32	166.3	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	957	4,534.3	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	156	3,695.8	sr	4,607.6		○	
	21 Road traffic accident casualties ²	11	91.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	40	784.9	sr	710.4		○	
Mental Health	23 Prevalence of diabetes	183	2.3	sr2	3.5		○	
	24 Patients prescribed drugs for anxiety/depression/psychosis	392	7.2	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	37	169.8	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide ¹		21.1	sr	15.1		○	
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	95	2.3	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
Education	32 Single adult dwellings	889	35.3	%	37.8		○	
	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	237.2	mean	179.7		△	
	35 Primary school attendance	n/a	96.7	%	95.2		○	
Economy	36 Secondary school attendance	n/a	93.5	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	240	4.8	%	15.1		○	
	39 Working age population employment deprived	140	4.9	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	55	2.0	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	180	18.4	%	46.6		○	
Crime	42 People claiming pension credits (aged 60+)	80	5.3	%	11.0		○	
	43 Crime rate	151	30.0	cr2	49.5		○	
	44 Prisoner population		60.2	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
Environment	46 Patients hospitalised after an assault ²		10.6	sr	95.2		○	
	47 Population within 500 metres of derelict site	629	12.7	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
	50 Breast screening uptake ²	569	79.4	%	75.3		○	
	51 Mothers smoking during pregnancy ²			%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	83	51.9	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	150	93.8	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	158	98.8	%	97.5		○	
	57 Child dental health in primary 1	25	67.6	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²		362.0	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Duddingston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.6	yrs	79.5			
	3 Deaths all ages ²	125	494.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		53.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	75.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		11.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	86	561	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		23.1	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	125	413.6	sr	412.6			
	15 Patients hospitalised with COPD ²		32.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	42	232.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	30	134.9	sr	173.8			
	18 Patients hospitalised with asthma ²	23	184.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	653	4,413.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	106	3,747.8	sr	4,607.6			
	21 Road traffic accident casualties ²		34.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	18	558.1	sr	710.4			
	23 Prevalence of diabetes	163	3.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	402	9.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	28	201.4	sr	303.0			
	26 Deaths from suicide ¹		15.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	80	2.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	433	27.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	208.6	mean	179.7			
	35 Primary school attendance	n/a	95.4	%	95.2			
	36 Secondary school attendance	n/a	92.8	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	220	5.8	%	15.1			
	39 Working age population employment deprived	100	4.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	2.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	270	30.5	%	46.6			
	42 People claiming pension credits (aged 60+)	40	3.5	%	11.0			
Crime	43 Crime rate	162	42.8	cr2	49.5			
	44 Prisoner population		31.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		82.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	450	79.8	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	57	46.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	135	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	140	97.2	%	97.5			
	57 Child dental health in primary 1	26	76.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		261.4	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Tollcross Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	72.5	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.3	yrs	79.5			
	3 Deaths all ages ²	75	796.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		79.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	213.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		22.4	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	151	1,152	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	21	76.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	66	432.1	sr	412.6			
	15 Patients hospitalised with COPD ²	14	165.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	32	335.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²		67.1	sr	173.8			
	18 Patients hospitalised with asthma ²	39	320.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	697	5,342.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	50	5,806.2	sr	4,607.6			
	21 Road traffic accident casualties ²	11	68.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		328.1	sr	710.4			
	23 Prevalence of diabetes	135	3.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	529	6.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	90	553.5	sr	303.0			
	26 Deaths from suicide ¹		5.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	285	4.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,245	36.7	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	146.5	mean	179.7			
	35 Primary school attendance	n/a	93.7	%	95.2			
	36 Secondary school attendance	n/a	87.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	655	9.8	%	15.1			
	39 Working age population employment deprived	445	7.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	180	2.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	210	21.3	%	46.6			
	42 People claiming pension credits (aged 60+)	55	10.8	%	11.0			
Crime	43 Crime rate	950	141.4	cr2	49.5			
	44 Prisoner population	12	268.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	10	50.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,960	42.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	167	57.0	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	30	46.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	51	92.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	50	90.9	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		190.4	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Joppa Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.3	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.0	yrs	79.5			
	3 Deaths all ages ²	178	553.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		50.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	87.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		16.9	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	145	699	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		6.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	160	420.8	sr	412.6			
	15 Patients hospitalised with COPD ²	18	79.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	74	295.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	32	110.2	sr	173.8			
	18 Patients hospitalised with asthma ²	47	249.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	942	4,689.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	150	3,813.8	sr	4,607.6			
	21 Road traffic accident casualties ²		31.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	30	622.1	sr	710.4			
	23 Prevalence of diabetes	194	2.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	433	7.9	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	42	184.0	sr	303.0			
	26 Deaths from suicide ¹		17.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	3.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	725	33.2	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	202.0	mean	179.7			
	35 Primary school attendance	n/a	96.0	%	95.2			
	36 Secondary school attendance	n/a	92.3	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	380	7.4	%	15.1			
	39 Working age population employment deprived	175	5.8	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	65	2.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	285	24.9	%	46.6			
	42 People claiming pension credits (aged 60+)	75	5.4	%	11.0			
	43 Crime rate	179	35.1	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		23.8	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	473	70.9	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	11	8.0	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	102	63.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	157	92.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	170	100.0	%	97.5			
	57 Child dental health in primary 1	36	76.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		179.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Southside and Canongate Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	70.4	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	78.7	yrs	79.5		○	
	3 Deaths all ages ²	138	882.2	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) ²	13	109.2	sr	57.2		●	
	5 Early deaths from cancer (< 75s) ²	22	198.8	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		8.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	254	1,699	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	39	173.0	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	115	478.0	sr	412.6		○	
	15 Patients hospitalised with COPD ²	41	296.9	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	43	317.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	20	129.8	sr	173.8			○
	18 Patients hospitalised with asthma ²	67	547.4	sr	472.9			○
	19 Patients hospitalised as an emergency ²	1,032	6,916.1	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations ²	94	5,203.2	sr	4,607.6		○	
	21 Road traffic accident casualties ²		51.8	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	16	793.0	sr	710.4			○
	23 Prevalence of diabetes	185	3.9	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	617	8.9	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	106	670.5	sr	303.0		●	
	26 Deaths from suicide ¹		21.9	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	515	9.6	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,464	42.1	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	145.2	mean	179.7		△	
	35 Primary school attendance	n/a	93.1	%	95.2		○	
	36 Secondary school attendance	n/a	84.9	%	91.1		●	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,150	20.0	%	15.1		●	
	39 Working age population employment deprived	755	16.5	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	210	4.4	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	375	41.3	%	46.6			○
	42 People claiming pension credits (aged 60+)	110	15.2	%	11.0		●	
Crime	43 Crime rate	569	99.1	cr2	49.5		●	
	44 Prisoner population	10	188.8	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	12	52.5	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	4,323	74.0	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	214	54.6	%	75.3		●	
	51 Mothers smoking during pregnancy ²	19	15.6	%	22.6			○
	52 Teenage pregnancies ²	12	61.9	cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	47	48.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	85	89.5	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	88	92.6	%	97.5		●	
	57 Child dental health in primary 1	14	56.0	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		404.3	sr	377.5			○

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

East Craigs Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.8	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	84.0	yrs	79.5			○
	3 Deaths all ages ²	104	436.3	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		32.8	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	17	96.9	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	82	449	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		12.2	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	138	415.7	sr	412.6			○
	15 Patients hospitalised with COPD ²	16	71.6	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	34	163.2	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	29	119.0	sr	173.8			○
	18 Patients hospitalised with asthma ²	23	149.0	sr	472.9			○
	19 Patients hospitalised as an emergency ²	651	4,061.0	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	97	3,495.4	sr	4,607.6			○
	21 Road traffic accident casualties ²		63.9	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	19	625.8	sr	710.4			○
	23 Prevalence of diabetes	166	2.6	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	359	7.3	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	20	110.0	sr	303.0			○
	26 Deaths from suicide ¹		25.7	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	65	1.7	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	575	28.3	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	206.4	mean	179.7			△
	35 Primary school attendance	n/a	96.5	%	95.2			○
	36 Secondary school attendance	n/a	94.4	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	120	2.6	%	15.1			○
	39 Working age population employment deprived	105	3.9	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	45	1.6	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	205	19.7	%	46.6			○
	42 People claiming pension credits (aged 60+)	30	2.5	%	11.0			○
Crime	43 Crime rate	204	44.5	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		41.9	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	1,090	23.1	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	527	80.7	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	69	43.7	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	133	93.7	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	139	97.9	%	97.5			○
	57 Child dental health in primary 1	21	91.3	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		177.5	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Dean, West End and West Coates Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.4	yrs	79.5			
	3 Deaths all ages ²	113	492.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		27.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	99.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		5.8	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	137	657	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		21.5	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	130	389.3	sr	412.6			
	15 Patients hospitalised with COPD ²	12	46.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	38	176.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	29	133.1	sr	173.8			
	18 Patients hospitalised with asthma ²	21	113.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	732	3,716.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	82	3,152.3	sr	4,607.6			
	21 Road traffic accident casualties ²		35.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	20	646.1	sr	710.4			
	23 Prevalence of diabetes	106	1.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	474	7.6	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	44	209.5	sr	303.0			
	26 Deaths from suicide ¹		11.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	80	1.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,270	36.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	214.8	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	94.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	255	4.0	%	15.1			
	39 Working age population employment deprived	140	2.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	105	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	95	11.6	%	46.6			
	42 People claiming pension credits (aged 60+)	45	4.0	%	11.0			
Crime	43 Crime rate	427	67.7	cr2	49.5			
	44 Prisoner population		47.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		22.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,831	27.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	436	66.8	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	73	55.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	87	89.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	95	97.9	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		285.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Murrayfield and Ravelston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	81.4	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	82.1	yrs	79.5			○
	3 Deaths all ages ²	195	449.3	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		13.7	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		40.3	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		10.5	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	73	330	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			△
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	139	388.3	sr	412.6			○
	15 Patients hospitalised with COPD ²	16	57.7	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	37	165.4	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	34	86.3	sr	173.8			○
	18 Patients hospitalised with asthma ²	28	152.5	sr	472.9			○
	19 Patients hospitalised as an emergency ²	626	2,963.4	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	92	2,223.6	sr	4,607.6			○
	21 Road traffic accident casualties ²		22.3	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	33	463.0	sr	710.4			○
	23 Prevalence of diabetes	111	1.5	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	297	6.7	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	33	143.2	sr	303.0			○
	26 Deaths from suicide ¹	0	0.0	sr	15.1			△
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	25	0.7	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
	32 Single adult dwellings	456	26.3	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	262.0	mean	179.7			△
	35 Primary school attendance	n/a	97.2	%	95.2			○
	36 Secondary school attendance	n/a	95.8	%	91.1			○
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	80	1.8	%	15.1			○
	39 Working age population employment deprived	35	1.5	%	11.6			○
Economy	40 Working age population claiming Jobseeker's Allowance	25	1.1	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	60	5.9	%	46.6			○
	42 People claiming pension credits (aged 60+)	25	1.9	%	11.0			○
	43 Crime rate	100	23.0	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
	46 Patients hospitalised after an assault ²		38.5	sr	95.2			○
	47 Population within 500 metres of derelict site	906	21.0	%	30.0			○
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
Women's & Children's Health	50 Breast screening uptake ²	456	78.9	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			△
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	55	55.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	114	95.8	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	118	99.2	%	97.5			○
	57 Child dental health in primary 1			%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		201.4	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Kirkliston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.0	yrs	79.5			
	3 Deaths all ages ²	104	631.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	13	93.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	14	99.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		6.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	120	904	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		59.4	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	122	503.1	sr	412.6			
	15 Patients hospitalised with COPD ²	28	172.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	47	301.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	26	148.2	sr	173.8			
	18 Patients hospitalised with asthma ²	38	273.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	811	6,113.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	100	5,396.9	sr	4,607.6			
	21 Road traffic accident casualties ²	10	81.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	18	949.5	sr	710.4			
	23 Prevalence of diabetes	177	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	308	7.1	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	29	195.5	sr	303.0			
	26 Deaths from suicide ¹		4.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	115	3.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	598	33.8	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	202.3	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	93.0	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	445	10.7	%	15.1			
	39 Working age population employment deprived	195	7.7	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	80	3.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	465	41.9	%	46.6			
	42 People claiming pension credits (aged 60+)	65	7.1	%	11.0			
	43 Crime rate	129	31.1	cr2	49.5			
	44 Prisoner population		139.4	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		40.1	sr	95.2			
	47 Population within 500 metres of derelict site	472	11.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	894	21.6	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	417	74.7	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	28	18.7	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	66	38.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	159	93.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	166	97.1	%	97.5			
	57 Child dental health in primary 1	27	64.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		267.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Northfield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.1	yrs	74.5			
	2 Life expectancy - females ¹	n/a	79.7	yrs	79.5			
	3 Deaths all ages ²	122	765.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		69.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	16	158.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		31.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	143	1,225	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	18	157.1	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	114	454.4	sr	412.6			
	15 Patients hospitalised with COPD ²	38	244.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	50	374.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	29	190.6	sr	173.8			
	18 Patients hospitalised with asthma ²	39	324.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	793	6,382.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	106	4,672.9	sr	4,607.6			
	21 Road traffic accident casualties ²		30.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	26	1,075.0	sr	710.4			
Mental Health	23 Prevalence of diabetes	182	4.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	357	9.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	33	265.5	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		27.9	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	180	6.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	909	47.9	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	153.8	mean	179.7			
	35 Primary school attendance	n/a	93.3	%	95.2			
Economy	36 Secondary school attendance	n/a	88.4	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	725	19.6	%	15.1			
	39 Working age population employment deprived	275	12.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	4.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	455	56.8	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	95	11.9	%	11.0			
	43 Crime rate	279	75.6	cr2	49.5			
	44 Prisoner population		153.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	14	138.0	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	269	70.4	%	75.3			
	51 Mothers smoking during pregnancy ²	18	15.9	%	22.6			
	52 Teenage pregnancies ²	13	57.5	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	28	24.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	72	83.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	80	93.0	%	97.5			
	57 Child dental health in primary 1	23	67.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		362.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Old Town and Leith Street Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	69.7	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	81.4	yrs	79.5		○	
	3 Deaths all ages ²	92	909.9	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) ²		92.3	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	11	155.5	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7		△	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	203	1,687	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	56	262.1	sr	85.1		●	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	74	457.7	sr	412.6		○	
	15 Patients hospitalised with COPD ²	15	156.6	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	22	236.6	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	19	179.5	sr	173.8		○	
	18 Patients hospitalised with asthma ²	34	263.9	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	775	5,991.2	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	67	7,034.7	sr	4,607.6		●	
	21 Road traffic accident casualties ²	15	87.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	13	984.2	sr	710.4		○	
	23 Prevalence of diabetes	95	2.7	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	530	8.1	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	100	607.9	sr	303.0		●	
	26 Deaths from suicide ¹		25.0	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	295	5.2	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,073	34.2	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	142.0	mean	179.7		△	
	35 Primary school attendance	n/a	95.0	%	95.2		○	
	36 Secondary school attendance	n/a	82.9	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	615	10.5	%	15.1		○	
	39 Working age population employment deprived	520	10.0	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	210	4.0	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	90	11.2	%	46.6		○	
	42 People claiming pension credits (aged 60+)	55	11.5	%	11.0		○	
Crime	43 Crime rate	2,423	414.0	cr2	49.5		●	
	44 Prisoner population	18	387.2	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	23	76.0	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	4,292	73.0	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	141	57.6	%	75.3		●	
	51 Mothers smoking during pregnancy ²			%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	26	68.4	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	35	79.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	39	88.6	%	97.5		○	
	57 Child dental health in primary 1			%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		120.4	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Clerwood and Corstorphine (Hillview) Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.8	yrs	74.5			
	2 Life expectancy - females ¹	n/a	84.9	yrs	79.5			
	3 Deaths all ages ²	69	409.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		8.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		72.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		8.4	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	62	466	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		9.5	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	90	349.3	sr	412.6			
	15 Patients hospitalised with COPD ²		52.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	40	253.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	22	166.0	sr	173.8			
	18 Patients hospitalised with asthma ²	22	200.1	sr	472.9			
	19 Patients hospitalised as an emergency ²	485	4,208.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	64	3,017.6	sr	4,607.6			
	21 Road traffic accident casualties ²		31.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	17	805.3	sr	710.4			
	23 Prevalence of diabetes	92	2.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	229	7.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	18	127.3	sr	303.0			
	26 Deaths from suicide ¹		30.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	35	1.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	316	24.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	213.3	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	94.8	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	130	3.8	%	15.1			
	39 Working age population employment deprived	60	2.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	35	1.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	135	20.0	%	46.6			
	42 People claiming pension credits (aged 60+)	15	1.7	%	11.0			
Crime	43 Crime rate	72	21.3	cr2	49.5			
	44 Prisoner population		83.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		33.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,750	86.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	359	80.3	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	46	44.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	77	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	85	100.0	%	97.5			
	57 Child dental health in primary 1	26	81.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		209.1	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Mountcastle Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.1	yrs	74.5			
	2 Life expectancy - females ¹	n/a	88.0	yrs	79.5			
	3 Deaths all ages ²	63	421.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		23.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		78.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		21.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	67	690	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		29.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	74	429.2	sr	412.6			
	15 Patients hospitalised with COPD ²	16	141.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	34	228.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	25	196.3	sr	173.8			
	18 Patients hospitalised with asthma ²	20	225.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	451	4,685.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	62	3,493.8	sr	4,607.6			
	21 Road traffic accident casualties ²		21.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	15	793.5	sr	710.4			
	23 Prevalence of diabetes	135	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	241	9.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	10	88.2	sr	303.0			
	26 Deaths from suicide ¹	0	0.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	45	2.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	384	35.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	176.8	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
	36 Secondary school attendance	n/a	92.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	145	5.8	%	15.1			
	39 Working age population employment deprived	55	3.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	30	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	185	35.2	%	46.6			
	42 People claiming pension credits (aged 60+)	35	4.5	%	11.0			
Crime	43 Crime rate	148	58.7	cr2	49.5			
	44 Prisoner population		96.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		36.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site		0.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	301	78.8	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	17	28.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	60	96.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	62	100.0	%	97.5			
	57 Child dental health in primary 1	17	68.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		351.7	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Portobello Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.6	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.2	yrs	79.5			
	3 Deaths all ages ²	116	734.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		76.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	105.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		30.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	136	1,106	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	13	120.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	110	494.4	sr	412.6			
	15 Patients hospitalised with COPD ²	24	168.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	49	376.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	36	234.6	sr	173.8			
	18 Patients hospitalised with asthma ²	42	364.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	767	6,044.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	99	5,825.7	sr	4,607.6			
	21 Road traffic accident casualties ²		51.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	23	1,114.0	sr	710.4			
	23 Prevalence of diabetes	164	3.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	342	7.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	29	214.6	sr	303.0			
	26 Deaths from suicide ¹		7.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	195	6.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	985	45.9	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	194.4	mean	179.7			
	35 Primary school attendance	n/a	94.3	%	95.2			
	36 Secondary school attendance	n/a	89.9	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	610	15.3	%	15.1			
	39 Working age population employment deprived	280	10.4	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	110	4.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	360	43.5	%	46.6			
	42 People claiming pension credits (aged 60+)	95	13.2	%	11.0			
	43 Crime rate	277	69.4	cr2	49.5			
	44 Prisoner population		108.7	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		82.9	sr	95.2			
	47 Population within 500 metres of derelict site	2,325	58.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	280	63.5	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	14	11.2	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	82	53.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	123	91.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	127	94.8	%	97.5			
	57 Child dental health in primary 1	27	69.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		199.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Blackhall Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	84.6	yrs	79.5			
	3 Deaths all ages ²	132	431.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		4.9	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	15	76.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		9.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	114	585	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		50.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	173	429.2	sr	412.6			
	15 Patients hospitalised with COPD ²		25.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	68	271.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	49	169.4	sr	173.8			
	18 Patients hospitalised with asthma ²	36	164.1	sr	472.9			
	19 Patients hospitalised as an emergency ²	834	4,047.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	143	3,649.8	sr	4,607.6			
	21 Road traffic accident casualties ²		42.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	35	742.3	sr	710.4			
	23 Prevalence of diabetes	150	2.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	307	5.6	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	32	152.7	sr	303.0			
	26 Deaths from suicide ¹		12.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	45	1.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	756	31.9	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	232.1	mean	179.7			
	35 Primary school attendance	n/a	97.8	%	95.2			
	36 Secondary school attendance	n/a	93.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	130	2.5	%	15.1			
	39 Working age population employment deprived	75	2.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	30	1.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	135	11.0	%	46.6			
	42 People claiming pension credits (aged 60+)	25	1.8	%	11.0			
Crime	43 Crime rate	154	29.9	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		31.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	176	3.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	572	79.6	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	93	51.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	142	92.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	150	98.0	%	97.5			
	57 Child dental health in primary 1	45	80.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		119.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

New Town West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	81.4	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	85.4	yrs	79.5			○
	3 Deaths all ages ²	78	371.9	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		24.6	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		56.5	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.5	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	93	487	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		37.3	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	109	366.7	sr	412.6			○
	15 Patients hospitalised with COPD ²		37.0	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	27	133.9	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	10	45.1	sr	173.8			○
	18 Patients hospitalised with asthma ²	29	178.0	sr	472.9			○
	19 Patients hospitalised as an emergency ²	587	3,509.6	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	66	2,697.6	sr	4,607.6			○
	21 Road traffic accident casualties ²		30.4	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	22	717.1	sr	710.4			○
	23 Prevalence of diabetes	101	1.6	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	326	5.5	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	49	305.5	sr	303.0			○
	26 Deaths from suicide ¹		12.4	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	115	2.3	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,324	39.0	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	224.0	mean	179.7			△
	35 Primary school attendance	n/a	95.3	%	95.2			○
	36 Secondary school attendance	n/a	93.5	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	275	5.1	%	15.1			○
	39 Working age population employment deprived	175	4.2	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	60	1.4	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	95	16.1	%	46.6			○
	42 People claiming pension credits (aged 60+)	45	4.5	%	11.0			○
Crime	43 Crime rate	229	42.1	cr2	49.5			○
	44 Prisoner population		13.5	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		22.9	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	376	67.6	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			△
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	69	65.1	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	107	89.9	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	109	91.6	%	97.5			○
	57 Child dental health in primary 1	11	84.6	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		357.2	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Bughtlin and Parkgrove Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	85.3	yrs	79.5			
	3 Deaths all ages ²	108	498.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		38.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	16	97.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		25.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	142	791	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		38.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	119	365.4	sr	412.6			
	15 Patients hospitalised with COPD ²	18	78.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	44	226.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	25	121.4	sr	173.8			
	18 Patients hospitalised with asthma ²	40	245.2	sr	472.9			
	19 Patients hospitalised as an emergency ²	856	5,087.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	99	3,787.6	sr	4,607.6			
	21 Road traffic accident casualties ²	12	76.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	24	824.8	sr	710.4			
Mental Health	23 Prevalence of diabetes	191	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	367	7.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	42	243.8	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		11.7	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	180	4.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	909	39.5	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	206.9	mean	179.7			
	35 Primary school attendance	n/a	95.4	%	95.2			
Economy	36 Secondary school attendance	n/a	92.1	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	505	10.0	%	15.1			
	39 Working age population employment deprived	250	7.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	2.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	450	40.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	90	8.4	%	11.0			
	43 Crime rate	206	40.9	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		27.6	sr	95.2			
	47 Population within 500 metres of derelict site	1,251	24.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	506	76.3	%	75.3			
	51 Mothers smoking during pregnancy ²	10	7.2	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	55	37.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	139	95.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	146	100.0	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		261.6	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Clermiston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	78.4	yrs	79.5			
	3 Deaths all ages ²	234	779.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	11	60.2	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	29	164.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		43.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	220	1,121	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	18	136.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	196	481.6	sr	412.6			
	15 Patients hospitalised with COPD ²	58	200.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	78	274.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	67	244.0	sr	173.8			
	18 Patients hospitalised with asthma ²	78	361.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,310	6,646.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	208	5,110.4	sr	4,607.6			
	21 Road traffic accident casualties ²	10	62.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	39	815.3	sr	710.4			
	23 Prevalence of diabetes	252	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	393	7.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	80	438.5	sr	303.0			
	26 Deaths from suicide ¹		29.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	295	7.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,177	46.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	168.2	mean	179.7			
	35 Primary school attendance	n/a	94.5	%	95.2			
	36 Secondary school attendance	n/a	89.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,035	20.5	%	15.1			
	39 Working age population employment deprived	445	15.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	140	4.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	615	56.0	%	46.6			
	42 People claiming pension credits (aged 60+)	205	15.0	%	11.0			
Crime	43 Crime rate	263	52.0	cr2	49.5			
	44 Prisoner population		218.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	14	105.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,639	72.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	368	68.0	%	75.3			
	51 Mothers smoking during pregnancy ²	32	20.9	%	22.6			
	52 Teenage pregnancies ²	25	92.6	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	44	26.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	137	90.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	144	95.4	%	97.5			
	57 Child dental health in primary 1	16	47.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		204.1	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Abbeyhill, Meadowbank and Marionville Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	74.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.4	yrs	79.5			
	3 Deaths all ages ²	185	809.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	14	106.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	21	167.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		5.8	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	185	1,049	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	24	88.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	133	452.0	sr	412.6			
	15 Patients hospitalised with COPD ²	25	145.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	46	264.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	35	170.0	sr	173.8			
	18 Patients hospitalised with asthma ²	35	288.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	962	5,448.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	109	4,564.6	sr	4,607.6			
	21 Road traffic accident casualties ²		45.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	27	988.8	sr	710.4			
Mental Health	23 Prevalence of diabetes	195	3.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	516	8.3	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	94	479.2	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		17.7	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	325	5.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,953	49.8	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	167.2	mean	179.7			
	35 Primary school attendance	n/a	93.0	%	95.2			
Economy	36 Secondary school attendance	n/a	89.8	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	795	12.6	%	15.1			
	39 Working age population employment deprived	500	10.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	205	4.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	300	43.9	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	125	13.2	%	11.0			
	43 Crime rate	391	62.2	cr2	49.5			
	44 Prisoner population		102.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	19	130.3	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	277	66.1	%	75.3			
	51 Mothers smoking during pregnancy ²	13	7.8	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	58	49.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	82	85.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	91	94.8	%	97.5			
	57 Child dental health in primary 1	11	57.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		58.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Hillside and Calton Hill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	75.5	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5			
	3 Deaths all ages ²	101	668.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		35.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	16	178.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		16.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	130	941	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		93.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	67	308.4	sr	412.6			
	15 Patients hospitalised with COPD ²		78.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	36	257.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	30	176.1	sr	173.8			
	18 Patients hospitalised with asthma ²	29	224.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	731	5,327.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	91	5,432.9	sr	4,607.6			
	21 Road traffic accident casualties ²	10	70.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	18	995.9	sr	710.4			
	23 Prevalence of diabetes	130	2.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	382	7.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	30	232.9	sr	303.0			
	26 Deaths from suicide ¹		33.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	150	3.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,258	41.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.4	mean	179.7			
	35 Primary school attendance	n/a	94.8	%	95.2			
Economy	36 Secondary school attendance	n/a	89.0	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	460	8.7	%	15.1			
	39 Working age population employment deprived	255	6.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	150	3.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	200	33.1	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	55	8.8	%	11.0			
	43 Crime rate	269	50.8	cr2	49.5			
	44 Prisoner population		120.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		28.0	sr	95.2			
	47 Population within 500 metres of derelict site	3,414	63.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	204	56.5	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	61	57.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	87	83.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	96	92.3	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		143.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Restalrig (Loganlea) Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	74.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	78.4	yrs	79.5			
	3 Deaths all ages ²	138	843.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		90.9	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	180.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		30.5	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	154	1,312	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		39.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	128	516.1	sr	412.6			
	15 Patients hospitalised with COPD ²	34	244.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	47	337.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	25	119.4	sr	173.8			
	18 Patients hospitalised with asthma ²	52	559.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	840	6,860.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	126	6,062.9	sr	4,607.6			
	21 Road traffic accident casualties ²		70.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	27	1,180.8	sr	710.4			
	23 Prevalence of diabetes	181	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	335	9.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	45	382.7	sr	303.0			
	26 Deaths from suicide ¹		10.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	275	9.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,118	55.3	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	121.0	mean	179.7			
	35 Primary school attendance	n/a	93.7	%	95.2			
	36 Secondary school attendance	n/a	88.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	825	24.0	%	15.1			
	39 Working age population employment deprived	390	18.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	145	6.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	405	64.2	%	46.6			
	42 People claiming pension credits (aged 60+)	135	16.3	%	11.0			
Crime	43 Crime rate	192	55.9	cr2	49.5			
	44 Prisoner population		207.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		73.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	249	63.7	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	10	57.5	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	25	26.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	87	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	94	97.9	%	97.5			
	57 Child dental health in primary 1	11	50.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		131.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Stockbridge Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.2	yrs	79.5			
	3 Deaths all ages ²	121	525.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		38.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	20	129.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		20.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	137	747	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		21.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	122	405.4	sr	412.6			
	15 Patients hospitalised with COPD ²	19	76.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	39	202.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	39	160.6	sr	173.8			
	18 Patients hospitalised with asthma ²	40	220.4	sr	472.9			
	19 Patients hospitalised as an emergency ²	761	4,006.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	110	4,060.5	sr	4,607.6			
	21 Road traffic accident casualties ²		18.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	27	847.1	sr	710.4			
	23 Prevalence of diabetes	138	2.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	343	5.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	48	238.7	sr	303.0			
	26 Deaths from suicide ¹		7.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	95	1.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,571	45.0	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	204.4	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
Economy	36 Secondary school attendance	n/a	90.5	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	325	5.6	%	15.1			
	39 Working age population employment deprived	150	3.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	1.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	115	16.0	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	80	7.3	%	11.0			
	43 Crime rate	168	28.8	cr2	49.5			
	44 Prisoner population		38.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		17.7	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	376	68.2	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	88	65.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	104	88.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	112	95.7	%	97.5			
	57 Child dental health in primary 1	19	100.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		160.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

New Town East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a		yrs	74.5			
	2 Life expectancy - females ¹	n/a		yrs	79.5			
	3 Deaths all ages ²	48	471.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		27.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²		98.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	62	551	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		19.8	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	55	377.9	sr	412.6			
	15 Patients hospitalised with COPD ²		35.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	15	183.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	20	199.1	sr	173.8			
	18 Patients hospitalised with asthma ²	17	153.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	399	3,654.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	36	3,638.1	sr	4,607.6			
	21 Road traffic accident casualties ²		42.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		590.2	sr	710.4			
	23 Prevalence of diabetes	70	2.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	251	5.5	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	28	238.2	sr	303.0			
	26 Deaths from suicide ¹		14.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	80	2.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	755	34.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	250.4	mean	179.7			△
	35 Primary school attendance	n/a	95.1	%	95.2			
	36 Secondary school attendance	n/a	90.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	210	4.9	%	15.1			
	39 Working age population employment deprived	130	3.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	1.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	90	18.3	%	46.6			
	42 People claiming pension credits (aged 60+)	20	4.1	%	11.0			
Crime	43 Crime rate	172	40.5	cr2	49.5			
	44 Prisoner population		242.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		45.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	794	18.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	191	64.3	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			△
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	42	56.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	76	84.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	83	92.2	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		155.3	sr	377.5			

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Craigentinny Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	86.1	yrs	79.5			
	3 Deaths all ages ²	80	482.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		21.0	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	12	94.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	94	803	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		9.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	93	372.0	sr	412.6			
	15 Patients hospitalised with COPD ²	19	103.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	54	350.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	28	175.5	sr	173.8			
	18 Patients hospitalised with asthma ²	30	336.4	sr	472.9			
	19 Patients hospitalised as an emergency ²	539	4,930.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	84	3,859.3	sr	4,607.6			
	21 Road traffic accident casualties ²		39.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	21	916.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	160	3.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	294	9.3	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	12	153.8	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		6.5	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	55	2.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	344	27.5	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	200.3	mean	179.7			
Economy	35 Primary school attendance	n/a	95.6	%	95.2			
	36 Secondary school attendance	n/a	93.7	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	170	5.8	%	15.1			
	39 Working age population employment deprived	65	3.9	%	11.6			
Crime	40 Working age population claiming Jobseeker's Allowance	45	2.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	205	35.5	%	46.6			
	42 People claiming pension credits (aged 60+)	30	3.2	%	11.0			
	43 Crime rate	74	25.3	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		62.5	sr	95.2			
	47 Population within 500 metres of derelict site	844	29.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	381	79.9	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	30	45.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	72	90.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	79	98.8	%	97.5			
	57 Child dental health in primary 1	13	68.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		566.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Craigleith Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	80.5	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	83.8	yrs	79.5			○
	3 Deaths all ages ²	103	479.8	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		35.0	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	18	125.5	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²		6.3	sr	18.7			○
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	88	512	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			△
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	97	331.4	sr	412.6			○
	15 Patients hospitalised with COPD ²		43.4	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	41	226.2	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	20	87.2	sr	173.8			○
	18 Patients hospitalised with asthma ²	18	121.9	sr	472.9			○
	19 Patients hospitalised as an emergency ²	590	3,818.2	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	95	3,697.2	sr	4,607.6			○
	21 Road traffic accident casualties ²		22.6	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	19	553.7	sr	710.4			○
	23 Prevalence of diabetes	132	2.4	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	262	6.3	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	18	96.5	sr	303.0			○
	26 Deaths from suicide ¹		17.3	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	40	1.2	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	722	37.5	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	229.2	mean	179.7			△
	35 Primary school attendance	n/a	96.7	%	95.2			○
	36 Secondary school attendance	n/a	95.2	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	145	3.7	%	15.1			○
	39 Working age population employment deprived	50	2.1	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	45	1.8	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	170	23.6	%	46.6			○
	42 People claiming pension credits (aged 60+)	25	2.5	%	11.0			○
Crime	43 Crime rate	137	35.3	cr2	49.5			○
	44 Prisoner population		35.2	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		32.9	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	257	6.3	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	426	81.1	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	65	56.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	96	95.0	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	100	99.0	%	97.5			○
	57 Child dental health in primary 1	25	86.2	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		68.6	sr	377.5			○

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Comely Bank Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	82.5	yrs	74.5			●
	2 Life expectancy - females ¹	n/a	84.1	yrs	79.5			●
	3 Deaths all ages ²	75	410.3	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		12.5	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	10	120.8	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	59	473	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			△
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	80	428.0	sr	412.6			○
	15 Patients hospitalised with COPD ²		49.8	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	27	227.7	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	22	125.6	sr	173.8			○
	18 Patients hospitalised with asthma ²	19	186.0	sr	472.9			○
	19 Patients hospitalised as an emergency ²	436	3,415.1	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	71	3,551.8	sr	4,607.6			○
	21 Road traffic accident casualties ²		6.1	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	19	666.6	sr	710.4			○
	23 Prevalence of diabetes	66	1.8	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	216	5.8	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	13	79.3	sr	303.0			○
	26 Deaths from suicide ¹	0	0.0	sr	15.1			△
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	30	0.9	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	836	43.5	%	37.8		●	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	240.6	mean	179.7			△
	35 Primary school attendance	n/a	95.5	%	95.2			○
	36 Secondary school attendance	n/a	94.6	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	145	3.8	%	15.1			○
	39 Working age population employment deprived	60	2.2	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	30	1.1	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	110	14.9	%	46.6			○
	42 People claiming pension credits (aged 60+)	25	3.8	%	11.0			○
Crime	43 Crime rate	97	25.5	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		6.1	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	202	72.7	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²	0	0.0	cr2	41.4			△
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	65	61.3	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	76	91.6	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	82	98.8	%	97.5			○
	57 Child dental health in primary 1	17	89.5	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		237.8	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Lorne Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	73.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	76.4	yrs	79.5			
	3 Deaths all ages ²	194	853.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	12	100.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	11	99.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		31.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	230	1,485	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	20	94.6	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	105	439.8	sr	412.6			
	15 Patients hospitalised with COPD ²	28	155.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	46	305.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	40	250.2	sr	173.8			
	18 Patients hospitalised with asthma ²	53	410.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,013	6,017.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	134	6,642.2	sr	4,607.6			
	21 Road traffic accident casualties ²		43.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	18	843.9	sr	710.4			
Mental Health	23 Prevalence of diabetes	193	3.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	506	7.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	74	422.6	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		17.3	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	330	5.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,988	49.7	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	122.9	mean	179.7			
	35 Primary school attendance	n/a	91.9	%	95.2			
Economy	36 Secondary school attendance	n/a	87.2	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	865	13.8	%	15.1			
	39 Working age population employment deprived	500	9.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	220	4.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	380	59.2	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	100	12.1	%	11.0			
	43 Crime rate	453	72.0	cr2	49.5			
	44 Prisoner population	13	499.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	22	114.7	sr	95.2			
	47 Population within 500 metres of derelict site	3,991	58.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	182	59.7	%	75.3			
	51 Mothers smoking during pregnancy ²	15	8.2	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	69	43.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	91	90.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	93	92.1	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		159.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Restalrig and Lochend Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	65.7	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	77.8	yrs	79.5	○		
	3 Deaths all ages ²	190	1,114.4	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	14	122.5	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	26	224.4	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) ²		9.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	236	1,960	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	40	348.4	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	123	467.9	sr	412.6		○	
	15 Patients hospitalised with COPD ²	49	333.9	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	63	419.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	30	188.8	sr	173.8		○	
	18 Patients hospitalised with asthma ²	74	676.0	sr	472.9		●	
	19 Patients hospitalised as an emergency ²	1,106	8,749.8	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	144	6,033.8	sr	4,607.6	●		
	21 Road traffic accident casualties ²		76.5	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	30	1,118.3	sr	710.4	●		
	23 Prevalence of diabetes	218	4.9	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	388	9.8	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	101	837.4	sr	303.0	●		
	26 Deaths from suicide ¹		19.9	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	475	15.0	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,214	55.9	%	37.8	●		
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	102.5	mean	179.7	△		
	35 Primary school attendance	n/a	93.3	%	95.2		○	
	36 Secondary school attendance	n/a	88.3	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,210	32.9	%	15.1	●		
	39 Working age population employment deprived	685	30.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	190	8.2	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	525	71.2	%	46.6	●		
	42 People claiming pension credits (aged 60+)	150	16.4	%	11.0	●		
Crime	43 Crime rate	335	91.2	cr2	49.5		●	
	44 Prisoner population	10	363.5	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	14	135.8	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	235	52.7	%	75.3	●		
	51 Mothers smoking during pregnancy ²	23	17.7	%	22.6		○	
	52 Teenage pregnancies ²	16	93.0	cr2	41.4	●		
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	21	16.7	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR ²	94	93.1	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	94	93.1	%	97.5			
	57 Child dental health in primary 1	13	38.2	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		74.8	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Drylaw Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	69.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	80.1	yrs	79.5			
	3 Deaths all ages ²	181	788.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	10	78.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	35	230.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		4.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	198	1,305	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	18	159.6	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	172	516.8	sr	412.6			
	15 Patients hospitalised with COPD ²	57	284.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	65	376.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	58	311.8	sr	173.8			
	18 Patients hospitalised with asthma ²	69	460.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,141	7,122.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	171	5,794.2	sr	4,607.6			
	21 Road traffic accident casualties ²	11	83.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	35	893.4	sr	710.4			
	23 Prevalence of diabetes	223	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	419	8.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	58	361.1	sr	303.0			
	26 Deaths from suicide ¹		23.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	280	7.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	899	41.6	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	115.6	mean	179.7			
	35 Primary school attendance	n/a	93.4	%	95.2			
	36 Secondary school attendance	n/a	87.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	950	21.3	%	15.1			
	39 Working age population employment deprived	430	16.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	135	5.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	660	64.9	%	46.6			
	42 People claiming pension credits (aged 60+)	190	17.4	%	11.0			
Crime	43 Crime rate	288	64.5	cr2	49.5			
	44 Prisoner population		244.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	23	184.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	333	7.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	345	72.0	%	75.3			
	51 Mothers smoking during pregnancy ²	22	17.5	%	22.6			
	52 Teenage pregnancies ²	15	51.2	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	38	26.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	111	87.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	121	95.3	%	97.5			
	57 Child dental health in primary 1	20	45.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		402.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Broughton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.9	yrs	74.5			
	2 Life expectancy - females ¹	n/a	82.7	yrs	79.5			
	3 Deaths all ages ²	121	608.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		40.1	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	14	91.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		20.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	177	957	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	15	62.9	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	127	440.3	sr	412.6			
	15 Patients hospitalised with COPD ²	19	110.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	54	322.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	21	123.4	sr	173.8			
	18 Patients hospitalised with asthma ²	49	277.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	965	4,966.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	97	4,773.1	sr	4,607.6			
	21 Road traffic accident casualties ²	10	48.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	22	978.2	sr	710.4			
Mental Health	23 Prevalence of diabetes	166	2.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	518	6.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	61	304.1	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		5.1	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	205	2.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,768	39.8	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	174.7	mean	179.7			
	35 Primary school attendance	n/a	94.9	%	95.2			
Economy	36 Secondary school attendance	n/a	90.5	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	525	7.2	%	15.1			
	39 Working age population employment deprived	365	6.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	165	2.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	335	38.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	60	6.7	%	11.0			
	43 Crime rate	308	42.3	cr2	49.5			
	44 Prisoner population		27.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		45.2	sr	95.2			
	47 Population within 500 metres of derelict site	3,629	45.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	334	65.2	%	75.3			
	51 Mothers smoking during pregnancy ²	13	5.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	124	57.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	148	93.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	154	96.9	%	97.5			
	57 Child dental health in primary 1	23	67.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		162.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Barnton and Cammo Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	85.5	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	90.4	yrs	79.5			○
	3 Deaths all ages ²	89	303.0	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		10.9	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		26.0	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	77	513	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	0	0.0	sr	85.1			△
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	97	322.4	sr	412.6			○
	15 Patients hospitalised with COPD ²		29.4	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	51	278.7	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	47	197.3	sr	173.8			○
	18 Patients hospitalised with asthma ²	26	193.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	575	4,012.3	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	102	2,903.2	sr	4,607.6			○
	21 Road traffic accident casualties ²		16.3	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	26	608.4	sr	710.4			○
	23 Prevalence of diabetes	99	2.0	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	173	5.2	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	16	194.8	sr	303.0			○
	26 Deaths from suicide ¹		7.2	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	40	1.6	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	366	25.4	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	214.6	mean	179.7			△
	35 Primary school attendance	n/a	96.8	%	95.2			○
	36 Secondary school attendance	n/a	94.2	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	90	2.9	%	15.1			○
	39 Working age population employment deprived	45	2.8	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	15	1.0	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	95	14.2	%	46.6			○
	42 People claiming pension credits (aged 60+)		0.5	%	11.0			○
Crime	43 Crime rate	44	14.1	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		26.5	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	1,536	49.8	%	30.0			●
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	364	81.1	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²	0	0.0	%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	41	50.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	82	94.3	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	87	100.0	%	97.5			○
	57 Child dental health in primary 1	27	96.4	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		356.9	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.


Hermitage Park and Prospect Bank Intermediate Zone

Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.5	yrs	79.5			
	3 Deaths all ages ²	123	573.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		47.4	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	15	99.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		10.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	141	822	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		36.2	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	129	447.3	sr	412.6			
	15 Patients hospitalised with COPD ²	22	127.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	48	268.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	35	168.2	sr	173.8			
	18 Patients hospitalised with asthma ²	43	268.7	sr	472.9			
	19 Patients hospitalised as an emergency ²	830	4,903.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	86	3,758.6	sr	4,607.6			
	21 Road traffic accident casualties ²		18.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	23	892.8	sr	710.4			
	23 Prevalence of diabetes	179	3.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	539	9.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	23	126.9	sr	303.0			
	26 Deaths from suicide ¹		3.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	160	3.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	872	36.2	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	167.0	mean	179.7			
	35 Primary school attendance	n/a	95.7	%	95.2			
	36 Secondary school attendance	n/a	93.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	470	9.1	%	15.1			
	39 Working age population employment deprived	250	7.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	120	3.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	415	36.5	%	46.6			
	42 People claiming pension credits (aged 60+)	70	6.9	%	11.0			
Crime	43 Crime rate	194	37.4	cr2	49.5			
	44 Prisoner population		166.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		53.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,451	63.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	425	75.9	%	75.3			
	51 Mothers smoking during pregnancy ²	19	10.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	100	51.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	164	89.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	182	98.9	%	97.5			
	57 Child dental health in primary 1	37	71.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		274.5	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Inverleith Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	79.2	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	81.8	yrs	79.5			○
	3 Deaths all ages ²	135	521.5	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		7.1	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²	14	104.8	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			○
	8 Smoking prevalence ³	n/a		%	25.0			○
	9 Patients hospitalised with alcohol conditions ²	92	597	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			○
	11 Patients hospitalised with drug related conditions ²		9.0	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			○
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			○
	14 Patients registered with cancer ¹	118	413.5	sr	412.6			○
	15 Patients hospitalised with COPD ²	15	79.1	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	42	247.4	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	36	132.1	sr	173.8			○
	18 Patients hospitalised with asthma ²	28	225.3	sr	472.9			○
	19 Patients hospitalised as an emergency ²	593	3,853.1	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	114	3,908.4	sr	4,607.6			○
	21 Road traffic accident casualties ²		18.8	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	25	530.8	sr	710.4			○
Mental Health	23 Prevalence of diabetes	122	2.3	sr2	3.5			○
	24 Patients prescribed drugs for anxiety/depression/psychosis	286	7.6	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	31	212.6	sr	303.0			○
Social Care & Housing	26 Deaths from suicide ¹		5.2	sr	15.1			○
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			○
	28 Adults claiming incapacity benefit/severe disability allowance	75	2.5	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			○
	30 Households assessed as homeless ³	n/a		%	1.8			○
	31 Children looked after by local authority ³	n/a		cr2	14			○
Education	32 Single adult dwellings	700	38.5	%	37.8			○
	33 Households in extreme fuel poverty ³	n/a		%	7.5			○
	34 Average tariff score of all pupils on the S4 roll	n/a	227.0	mean	179.7			△
	35 Primary school attendance	n/a	96.2	%	95.2			○
Economy	36 Secondary school attendance	n/a	92.8	%	91.1			○
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			○
	38 Population income deprived	215	6.4	%	15.1			○
	39 Working age population employment deprived	105	5.3	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	45	2.2	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	125	19.7	%	46.6			○
Crime	42 People claiming pension credits (aged 60+)	65	6.6	%	11.0			○
	43 Crime rate	140	41.4	cr2	49.5			○
	44 Prisoner population		80.9	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			○
Environment	46 Patients hospitalised after an assault ²		38.0	sr	95.2			○
	47 Population within 500 metres of derelict site	52	1.5	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			○
	50 Breast screening uptake ²	335	77.2	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	46	50.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	89	87.3	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	100	98.0	%	97.5			○
	57 Child dental health in primary 1	16	80.0	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			○
	59 Patients hospitalised by unintentional injuries at home (<15) ²		71.3	sr	377.5			○

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

South Leith Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	71.1	yrs	74.5		●	
	2 Life expectancy - females ¹	n/a	77.8	yrs	79.5		○	
	3 Deaths all ages ²	158	849.2	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²	10	91.8	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	31	258.6	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) ²		19.2	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		●	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	230	1,554	sr	1,088		●	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²	24	115.9	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	121	461.4	sr	412.6		○	
	15 Patients hospitalised with COPD ²	49	268.1	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease ²	55	345.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	44	224.7	sr	173.8		○	
	18 Patients hospitalised with asthma ²	57	364.0	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	1,062	6,642.7	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	172	7,027.9	sr	4,607.6	●		
	21 Road traffic accident casualties ²		41.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	41	1,332.0	sr	710.4	●		
Mental Health	23 Prevalence of diabetes	180	3.8	sr2	3.5		○	
	24 Patients prescribed drugs for anxiety/depression/psychosis	449	8.4	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	59	346.9	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide ¹		25.0	sr	15.1		○	
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	260	5.5	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
Education	32 Single adult dwellings	1,527	49.3	%	37.8	●		
	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	115.9	mean	179.7	△		
	35 Primary school attendance	n/a	93.4	%	95.2		○	
Economy	36 Secondary school attendance	n/a	87.9	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	870	17.2	%	15.1		●	
	39 Working age population employment deprived	460	12.2	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	200	5.0	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	385	58.7	%	46.6		●	
Crime	42 People claiming pension credits (aged 60+)	145	17.1	%	11.0		●	
	43 Crime rate	315	62.3	cr2	49.5		●	
	44 Prisoner population	15	429.5	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
Environment	46 Patients hospitalised after an assault ²	17	88.2	sr	95.2		○	
	47 Population within 500 metres of derelict site	1,437	27.2	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
	50 Breast screening uptake ²	224	66.7	%	75.3		●	
	51 Mothers smoking during pregnancy ²	15	13.0	%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	48	42.9	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	93	88.6	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	96	91.4	%	97.5		○	
	57 Child dental health in primary 1	15	53.6	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²		249.0	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Silverknowes and Davidson's Mains Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.4	yrs	79.5			
	3 Deaths all ages ²	175	532.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		22.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	19	124.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	112	661	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		26.7	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	131	383.2	sr	412.6			
	15 Patients hospitalised with COPD ²	24	86.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	61	259.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	45	181.3	sr	173.8			
	18 Patients hospitalised with asthma ²	26	203.0	sr	472.9			
	19 Patients hospitalised as an emergency ²	762	4,268.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	119	3,613.2	sr	4,607.6			
	21 Road traffic accident casualties ²		62.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	36	790.1	sr	710.4			
Mental Health	23 Prevalence of diabetes	159	2.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	248	5.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	16	95.7	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		4.4	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	75	2.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	561	30.9	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	217.0	mean	179.7			
	35 Primary school attendance	n/a	97.1	%	95.2			
Economy	36 Secondary school attendance	n/a	93.4	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	210	5.1	%	15.1			
	39 Working age population employment deprived	100	4.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	50	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	255	25.0	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	45	3.6	%	11.0			
	43 Crime rate	200	48.2	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		6.3	sr	95.2			
	47 Population within 500 metres of derelict site	106	2.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	425	77.3	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	49	40.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	128	92.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	136	98.6	%	97.5			
	57 Child dental health in primary 1	36	73.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		199.7	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Bonnington and Pilrig Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	73.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	77.5	yrs	79.5			
	3 Deaths all ages ²	106	793.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	13	128.7	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	18	175.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		29.8	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	210	1,519	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	35	209.4	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	89	432.6	sr	412.6			
	15 Patients hospitalised with COPD ²	28	234.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	49	402.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	25	178.1	sr	173.8			
	18 Patients hospitalised with asthma ²	60	471.8	sr	472.9			
	19 Patients hospitalised as an emergency ²	889	6,612.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	92	5,701.2	sr	4,607.6			
	21 Road traffic accident casualties ²		60.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	22	1,278.6	sr	710.4	●		
	23 Prevalence of diabetes	136	3.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	430	8.2	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	90	591.6	sr	303.0	●		
	26 Deaths from suicide ¹		27.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	315	7.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,409	49.2	%	37.8	●		
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	149.9	mean	179.7			
	35 Primary school attendance	n/a	93.0	%	95.2			
	36 Secondary school attendance	n/a	88.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	835	17.0	%	15.1			
	39 Working age population employment deprived	490	13.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	175	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	425	56.4	%	46.6			
	42 People claiming pension credits (aged 60+)	75	12.1	%	11.0			
Crime	43 Crime rate	343	70.0	cr2	49.5			
	44 Prisoner population	12	253.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	11	61.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,741	54.6	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	218	65.3	%	75.3			
	51 Mothers smoking during pregnancy ²	19	11.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	70	49.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	124	95.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	128	98.5	%	97.5			
	57 Child dental health in primary 1	19	59.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		376.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Muirhouse Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	66.9	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	77.6	yrs	79.5	○		
	3 Deaths all ages ²	138	963.1	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	18	141.0	sr	57.2	●		
	5 Early deaths from cancer (< 75s) ²	27	200.7	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		35.0	sr	18.7	○		
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	262	1,834	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	41	244.1	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	122	522.9	sr	412.6	●		
	15 Patients hospitalised with COPD ²	47	330.8	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	47	336.3	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease ²	31	225.3	sr	173.8	○		
	18 Patients hospitalised with asthma ²	75	488.1	sr	472.9	○		
	19 Patients hospitalised as an emergency ²	1,199	7,832.2	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	91	5,458.2	sr	4,607.6	○		
	21 Road traffic accident casualties ²		29.6	sr	79.4	○		
	22 Patients hospitalised after a fall in the home (65+) ²	11	639.9	sr	710.4	○		
Mental Health	23 Prevalence of diabetes	184	4.0	sr2	3.5	○		
	24 Patients prescribed drugs for anxiety/depression/psychosis	551	10.5	%	9.7	●		
	25 Patients with a psychiatric hospitalisation ²	88	552.8	sr	303.0	●		
Social Care & Housing	26 Deaths from suicide ¹	10	39.1	sr	15.1	●		
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	455	11.4	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	1,285	44.6	%	37.8	●		
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	102.9	mean	179.7	△		
	35 Primary school attendance	n/a	92.3	%	95.2	●		
Economy	36 Secondary school attendance	n/a	87.3	%	91.1	●		
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,890	34.4	%	15.1	●		
	39 Working age population employment deprived	855	23.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	325	9.7	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,040	66.9	%	46.6	●		
Crime	42 People claiming pension credits (aged 60+)	120	16.3	%	11.0	●		
	43 Crime rate	616	112.1	cr2	49.5	●		
	44 Prisoner population	25	610.3	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²	19	109.3	sr	95.2	○		
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	200	59.0	%	75.3	●		
	51 Mothers smoking during pregnancy ²	84	30.5	%	22.6	●		
	52 Teenage pregnancies ²	35	97.5	cr2	41.4	●		
	53 Low weight live births ²	10	3.8	%	2.3	○		
	54 Babies exclusively breastfed at 6-8 weeks ²	53	21.5	%	26.4	○		
	55 Immunisation uptake at 24 months - MMR ²	192	88.1	%	92.1	●		
	56 Immunisation uptake at 24 months - all excluding MMR ²	206	94.5	%	97.5	●		
	57 Child dental health in primary 1	25	41.0	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	18	526.2	sr	377.5	○		

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Great Junction Street Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	69.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	75.6	yrs	79.5			
	3 Deaths all ages ²	133	1,068.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	13	135.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	23	218.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		30.2	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	183	1,537	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	47	277.1	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
	13 Sporting participation ³	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer ¹	129	680.0	sr	412.6	●		
	15 Patients hospitalised with COPD ²	32	276.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	33	309.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	20	186.4	sr	173.8			
	18 Patients hospitalised with asthma ²	58	551.4	sr	472.9			
	19 Patients hospitalised as an emergency ²	967	8,019.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	117	8,392.4	sr	4,607.6			
	21 Road traffic accident casualties ²		55.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	20	1,308.6	sr	710.4			
	23 Prevalence of diabetes	150	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	479	8.8	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	75	585.0	sr	303.0			
	26 Deaths from suicide ¹		31.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	340	8.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,288	47.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	131.2	mean	179.7			
	35 Primary school attendance	n/a	91.4	%	95.2	●		
	36 Secondary school attendance	n/a	87.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,060	23.8	%	15.1			
	39 Working age population employment deprived	550	16.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	215	6.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	505	80.5	%	46.6			
	42 People claiming pension credits (aged 60+)	110	16.7	%	11.0			
Crime	43 Crime rate	529	118.9	cr2	49.5			
	44 Prisoner population	23	675.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	19	121.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	231	4.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	195	59.6	%	75.3			
	51 Mothers smoking during pregnancy ²	35	20.0	%	22.6			
	52 Teenage pregnancies ²	10	86.2	cr2	41.4			
	53 Low weight live births ²	11	6.7	%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks ²	66	41.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	120	91.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	125	95.4	%	97.5			
	57 Child dental health in primary 1	17	51.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		417.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Cramond Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	81.4	yrs	74.5			○
	2 Life expectancy - females ¹	n/a	89.4	yrs	79.5			○
	3 Deaths all ages ²	63	339.9	sr	707.8			○
	4 Early deaths from coronary heart disease (< 75s) ²		21.8	sr	57.2			○
	5 Early deaths from cancer (< 75s) ²		55.3	sr	134.7			○
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	62	436	sr	1,088			○
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		7.0	sr	85.1			○
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	86	381.4	sr	412.6			○
	15 Patients hospitalised with COPD ²		26.3	sr	158.6			○
	16 Patients hospitalised with coronary heart disease ²	31	204.7	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease ²	17	80.6	sr	173.8			○
	18 Patients hospitalised with asthma ²	18	147.6	sr	472.9			○
	19 Patients hospitalised as an emergency ²	455	3,394.5	sr	6,378.9			○
	20 Patients (65+) with multiple hospitalisations ²	59	2,612.7	sr	4,607.6			○
	21 Road traffic accident casualties ²		16.7	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) ²	20	864.9	sr	710.4			○
	23 Prevalence of diabetes	78	1.6	sr2	3.5			○
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	166	4.8	%	9.7			○
	25 Patients with a psychiatric hospitalisation ²	19	171.0	sr	303.0			○
	26 Deaths from suicide ¹		6.2	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	30	1.1	%	5.6			○
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	406	28.0	%	37.8			○
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	211.6	mean	179.7			△
	35 Primary school attendance	n/a	97.0	%	95.2			○
	36 Secondary school attendance	n/a	93.6	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	120	3.5	%	15.1			○
	39 Working age population employment deprived	55	2.8	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	30	1.5	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	125	14.7	%	46.6			○
	42 People claiming pension credits (aged 60+)	10	1.0	%	11.0			○
Crime	43 Crime rate	22	6.5	cr2	49.5			○
	44 Prisoner population	0	0.0	sr	205.5			△
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		27.6	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	1,367	38.6	%	30.0			●
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	321	77.3	%	75.3			○
	51 Mothers smoking during pregnancy ²			%	22.6			○
	52 Teenage pregnancies ²			cr2	41.4			○
	53 Low weight live births ²	0	0.0	%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks ²	77	61.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	105	95.5	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR ²	108	98.2	%	97.5			○
	57 Child dental health in primary 1	29	82.9	%	61.8			○
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		265.5	sr	377.5			○

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

West Pilton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	73.7	yrs	74.5			
	2 Life expectancy - females ¹	n/a	75.6	yrs	79.5			
	3 Deaths all ages ²	121	764.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	12	83.5	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	27	187.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		21.7	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	249	1,423	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	45	195.8	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	113	473.0	sr	412.6			
	15 Patients hospitalised with COPD ²	48	312.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	50	321.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	38	248.4	sr	173.8			
	18 Patients hospitalised with asthma ²	111	592.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,399	7,741.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	118	7,133.2	sr	4,607.6			
	21 Road traffic accident casualties ²	15	73.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		433.3	sr	710.4			
	23 Prevalence of diabetes	293	5.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	843	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	76	386.3	sr	303.0			
	26 Deaths from suicide ¹		12.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	450	8.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,362	41.7	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	130.0	mean	179.7			
	35 Primary school attendance	n/a	92.1	%	95.2			
	36 Secondary school attendance	n/a	86.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,920	30.7	%	15.1			
	39 Working age population employment deprived	780	18.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	365	7.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,495	85.1	%	46.6			
	42 People claiming pension credits (aged 60+)	110	13.8	%	11.0			
Crime	43 Crime rate	454	72.5	cr2	49.5			
	44 Prisoner population	30	667.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	28	128.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,494	36.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	311	61.7	%	75.3			
	51 Mothers smoking during pregnancy ²	63	20.9	%	22.6			
	52 Teenage pregnancies ²	32	77.5	cr2	41.4			
	53 Low weight live births ²	11	3.8	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	91	27.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	248	86.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	268	93.7	%	97.5			
	57 Child dental health in primary 1	37	41.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	15	377.0	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Boswall and Pilton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	72.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	77.7	yrs	79.5			
	3 Deaths all ages ²	150	867.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	11	87.2	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	18	131.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		30.6	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	128	863	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		36.5	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	108	445.7	sr	412.6			
	15 Patients hospitalised with COPD ²	17	122.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	61	383.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	35	221.4	sr	173.8			
	18 Patients hospitalised with asthma ²	53	384.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	866	5,888.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	112	5,560.6	sr	4,607.6			
	21 Road traffic accident casualties ²		37.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	20	714.3	sr	710.4			
	23 Prevalence of diabetes	185	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	458	9.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	30	211.1	sr	303.0			
	26 Deaths from suicide ¹		5.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	135	3.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	778	33.9	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	167.9	mean	179.7			
	35 Primary school attendance	n/a	95.4	%	95.2			
	36 Secondary school attendance	n/a	90.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	555	12.7	%	15.1			
	39 Working age population employment deprived	225	8.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	3.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	550	47.8	%	46.6			
	42 People claiming pension credits (aged 60+)	65	7.4	%	11.0			
Crime	43 Crime rate	192	43.9	cr2	49.5			
	44 Prisoner population		229.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		61.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,348	49.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	350	74.5	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	15	51.4	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	80	41.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	155	92.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	165	98.2	%	97.5			
	57 Child dental health in primary 1	34	75.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		198.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

East Trinity and Bonnyhaugh Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	77.4	yrs	74.5			
	2 Life expectancy - females ¹	n/a	79.4	yrs	79.5			
	3 Deaths all ages ²	174	612.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		28.8	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	22	160.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		20.3	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	104	588	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		63.3	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	135	421.7	sr	412.6			
	15 Patients hospitalised with COPD ²	11	60.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	41	246.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	34	146.0	sr	173.8			
	18 Patients hospitalised with asthma ²	39	261.9	sr	472.9			
	19 Patients hospitalised as an emergency ²	784	4,287.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	119	3,972.1	sr	4,607.6			
	21 Road traffic accident casualties ²		26.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	20	549.9	sr	710.4			
	23 Prevalence of diabetes	156	2.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	453	8.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	30	151.0	sr	303.0			
	26 Deaths from suicide ¹		6.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	75	1.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	857	36.4	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	206.3	mean	179.7			
	35 Primary school attendance	n/a	96.6	%	95.2			
	36 Secondary school attendance	n/a	92.8	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	310	6.3	%	15.1			
	39 Working age population employment deprived	125	3.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	75	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	275	26.9	%	46.6			
	42 People claiming pension credits (aged 60+)	75	7.4	%	11.0			
Crime	43 Crime rate	203	41.2	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		35.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	388	78.9	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²	11	50.5	cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	122	57.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	179	95.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	180	95.7	%	97.5			
	57 Child dental health in primary 1	25	80.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		113.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Trinity Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	78.2	yrs	74.5			
	2 Life expectancy - females ¹	n/a	83.6	yrs	79.5			
	3 Deaths all ages ²	123	452.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		23.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	15	91.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		7.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	99	590	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	10	72.2	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	141	445.0	sr	412.6			
	15 Patients hospitalised with COPD ²	19	79.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	31	144.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	31	119.0	sr	173.8			
	18 Patients hospitalised with asthma ²	31	208.6	sr	472.9			
	19 Patients hospitalised as an emergency ²	693	4,121.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	87	2,953.6	sr	4,607.6			
	21 Road traffic accident casualties ²		19.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	33	977.9	sr	710.4			
Mental Health	23 Prevalence of diabetes	137	2.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	369	8.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	27	161.4	sr	303.0			
Social Care & Housing	26 Deaths from suicide ¹		8.2	sr	15.1			
	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	90	2.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
Education	32 Single adult dwellings	841	39.2	%	37.8			
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	237.1	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
Economy	36 Secondary school attendance	n/a	91.5	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	260	5.8	%	15.1			
	39 Working age population employment deprived	135	4.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	65	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	125	13.2	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	65	5.5	%	11.0			
	43 Crime rate	185	41.2	cr2	49.5			
	44 Prisoner population		58.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault ²		49.6	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	372	78.3	%	75.3			
	51 Mothers smoking during pregnancy ²			%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	83	61.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	114	92.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	123	100.0	%	97.5			
	57 Child dental health in primary 1	21	95.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		294.7	sr	377.5			

Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Leith Docks Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	68.5	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	75.6	yrs	79.5	●		
	3 Deaths all ages ²	112	1,219.8	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	10	112.7	sr	57.2	○		
	5 Early deaths from cancer (< 75s) ²	13	144.0	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		50.9	sr	18.7	○		
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	156	1,223	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	19	90.7	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	69	470.3	sr	412.6		○	
	15 Patients hospitalised with COPD ²	13	138.8	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	28	301.5	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	25	260.0	sr	173.8		○	
	18 Patients hospitalised with asthma ²	52	333.5	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	843	6,465.1	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	56	6,126.7	sr	4,607.6		○	
	21 Road traffic accident casualties ²		53.4	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²		562.0	sr	710.4		○	
	23 Prevalence of diabetes	125	3.2	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	606	9.2	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	64	427.2	sr	303.0		○	
	26 Deaths from suicide ¹		6.2	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	235	4.2	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,782	41.9	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	160.4	mean	179.7		△	
	35 Primary school attendance	n/a	93.3	%	95.2		○	
Economy	36 Secondary school attendance	n/a	87.5	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	645	12.8	%	15.1		○	
	39 Working age population employment deprived	380	8.9	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	205	4.0	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	370	57.8	%	46.6		○	
	42 People claiming pension credits (aged 60+)	55	11.6	%	11.0		○	
Crime	43 Crime rate	340	67.7	cr2	49.5		○	
	44 Prisoner population	12	178.2	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	12	66.1	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	2,150	35.1	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	170	64.2	%	75.3		○	
	51 Mothers smoking during pregnancy ²	15	6.8	%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	79	38.9	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	110	89.4	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	119	96.7	%	97.5		○	
	57 Child dental health in primary 1	10	55.6	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		174.9	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

North Leith and Newhaven Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	65.9	yrs	74.5	●		
	2 Life expectancy - females ¹	n/a	77.1	yrs	79.5	○		
	3 Deaths all ages ²	161	922.9	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) ²	12	91.8	sr	57.2	○		
	5 Early deaths from cancer (< 75s) ²	23	163.9	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) ²		41.6	sr	18.7	○		
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	261	1,639	sr	1,088	●		
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	43	245.0	sr	85.1	●		
	12 Active travel to work ³	n/a		%	14.0			
	13 Sporting participation ³	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer ¹	120	440.6	sr	412.6			
	15 Patients hospitalised with COPD ²	51	334.0	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease ²	70	434.9	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease ²	42	240.4	sr	173.8	○		
	18 Patients hospitalised with asthma ²	82	574.5	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,217	7,699.9	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations ²	143	6,996.3	sr	4,607.6	●		
	21 Road traffic accident casualties ²	10	59.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	20	786.8	sr	710.4			
	23 Prevalence of diabetes	193	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	561	9.4	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	94	556.7	sr	303.0	●		
	26 Deaths from suicide ¹		20.2	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	465	10.5	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,586	51.5	%	37.8	●		
	33 Households in extreme fuel poverty ³	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	147.8	mean	179.7	△		
	35 Primary school attendance	n/a	94.0	%	95.2	○		
	36 Secondary school attendance	n/a	87.3	%	91.1	○		
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
Economy	38 Population income deprived	1,205	23.8	%	15.1	●		
	39 Working age population employment deprived	730	20.5	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	330	9.1	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	525	54.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	150	16.3	%	11.0	●		
Crime	43 Crime rate	525	103.6	cr2	49.5	●		
	44 Prisoner population	11	279.2	sr	205.5	○		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	36	201.9	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	284	60.9	%	75.3	●		
	51 Mothers smoking during pregnancy ²	33	17.6	%	22.6	○		
	52 Teenage pregnancies ²	22	101.4	cr2	41.4	●		
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	59	37.6	%	26.4			○
	55 Immunisation uptake at 24 months - MMR ²	118	89.4	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR ²	126	95.5	%	97.5	○		
	57 Child dental health in primary 1	11	42.3	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		303.9	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

Waterfront and Granton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	70.0	yrs	74.5			
	2 Life expectancy - females ¹	n/a	76.8	yrs	79.5			
	3 Deaths all ages ²	195	863.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²	24	132.7	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	27	151.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²		48.1	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	337	1,720	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²	37	192.1	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	177	502.3	sr	412.6			
	15 Patients hospitalised with COPD ²	59	252.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	108	485.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	72	300.7	sr	173.8			
	18 Patients hospitalised with asthma ²	92	498.0	sr	472.9			
	19 Patients hospitalised as an emergency ²	1,605	8,101.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	198	6,620.2	sr	4,607.6			
	21 Road traffic accident casualties ²	12	70.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²	35	1,176.9	sr	710.4			
	23 Prevalence of diabetes	359	5.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	690	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	81	430.8	sr	303.0			
	26 Deaths from suicide ¹		11.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	550	10.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	1,784	49.1	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	123.7	mean	179.7			
	35 Primary school attendance	n/a	92.8	%	95.2			
	36 Secondary school attendance	n/a	86.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	1,890	33.4	%	15.1			
	39 Working age population employment deprived	910	24.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	310	7.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	935	80.1	%	46.6			
	42 People claiming pension credits (aged 60+)	220	17.1	%	11.0			
Crime	43 Crime rate	508	89.8	cr2	49.5			
	44 Prisoner population	29	677.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²	25	150.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,552	74.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake ²	336	57.3	%	75.3			
	51 Mothers smoking during pregnancy ²	57	23.0	%	22.6			
	52 Teenage pregnancies ²	23	81.0	cr2	41.4			
	53 Low weight live births ²	15	6.3	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	76	29.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	200	91.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	214	98.2	%	97.5			
	57 Child dental health in primary 1	26	55.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²	16	528.8	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

South Queensferry (East) and Dalmeny Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a	76.3	yrs	74.5		○	
	2 Life expectancy - females ¹	n/a	82.8	yrs	79.5		○	
	3 Deaths all ages ²	143	610.1	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) ²		21.7	sr	57.2		○	
	5 Early deaths from cancer (< 75s) ²	23	120.8	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) ²		15.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1		○	
	8 Smoking prevalence ³	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions ²	143	747	sr	1,088		○	
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions ²		48.0	sr	85.1		○	
	12 Active travel to work ³	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0		○	
	14 Patients registered with cancer ¹	127	372.3	sr	412.6		○	
	15 Patients hospitalised with COPD ²	38	152.7	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease ²	52	241.2	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease ²	40	178.1	sr	173.8		○	
	18 Patients hospitalised with asthma ²	38	216.0	sr	472.9		○	
	19 Patients hospitalised as an emergency ²	967	5,124.9	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations ²	110	3,871.3	sr	4,607.6		○	
	21 Road traffic accident casualties ²		43.2	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) ²	22	675.0	sr	710.4		○	
	23 Prevalence of diabetes	253	3.7	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	345	6.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation ²	27	121.5	sr	303.0		○	
	26 Deaths from suicide ¹		17.7	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	130	2.9	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7		○	
	30 Households assessed as homeless ³	n/a		%	1.8		○	
	31 Children looked after by local authority ³	n/a		cr2	14		○	
	32 Single adult dwellings	779	31.1	%	37.8		○	
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	187.6	mean	179.7		△	
	35 Primary school attendance	n/a	96.6	%	95.2		○	
	36 Secondary school attendance	n/a	92.6	%	91.1		○	
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8		○	
	38 Population income deprived	440	7.8	%	15.1		○	
	39 Working age population employment deprived	190	5.5	%	11.6		○	
Economy	40 Working age population claiming Jobseeker's Allowance	85	2.5	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	490	35.9	%	46.6		○	
	42 People claiming pension credits (aged 60+)	75	6.1	%	11.0		○	
	43 Crime rate	225	40.0	cr2	49.5		○	
	44 Prisoner population	0	0.0	sr	205.5		△	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault ²		12.1	sr	95.2		○	
	47 Population within 500 metres of derelict site	1,632	29.5	%	30.0		○	
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake ²	567	76.7	%	75.3		○	
	51 Mothers smoking during pregnancy ²	35	14.8	%	22.6		○	
	52 Teenage pregnancies ²			cr2	41.4		○	
	53 Low weight live births ²			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks ²	96	38.2	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR ²	223	94.9	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR ²	234	99.6	%	97.5		○	
	57 Child dental health in primary 1	46	70.8	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) ²	10	313.4	sr	377.5		○	

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

South Queensferry West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males ¹	n/a		yrs	74.5			
	2 Life expectancy - females ¹	n/a	81.5	yrs	79.5			
	3 Deaths all ages ²	65	607.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) ²		20.3	sr	57.2			
	5 Early deaths from cancer (< 75s) ²	17	159.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) ²	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths ²	n/a		%	24.1			
	8 Smoking prevalence ³	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions ²	89	747	sr	1,088			
	10 Deaths from alcohol conditions ¹	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions ²		29.0	sr	85.1			
	12 Active travel to work ³	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation ³	n/a		%	73.0			
	14 Patients registered with cancer ¹	59	305.9	sr	412.6			
	15 Patients hospitalised with COPD ²	12	127.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease ²	30	293.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease ²	13	106.8	sr	173.8			
	18 Patients hospitalised with asthma ²	14	106.3	sr	472.9			
	19 Patients hospitalised as an emergency ²	521	4,595.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations ²	48	4,455.2	sr	4,607.6			
	21 Road traffic accident casualties ²		52.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) ²		730.1	sr	710.4			
	23 Prevalence of diabetes	144	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	253	6.0	%	9.7			
	25 Patients with a psychiatric hospitalisation ²	18	149.1	sr	303.0			
	26 Deaths from suicide ¹		8.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home ³	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	60	1.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home ³	n/a		%	31.7			
	30 Households assessed as homeless ³	n/a		%	1.8			
	31 Children looked after by local authority ³	n/a		cr2	14			
	32 Single adult dwellings	452	27.5	%	37.8			
Education	33 Households in extreme fuel poverty ³	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	199.4	mean	179.7			
	35 Primary school attendance	n/a	96.5	%	95.2			
	36 Secondary school attendance	n/a	93.7	%	91.1			
	37 Working age adults with low or no educational qualifications ³	n/a		%	14.8			
	38 Population income deprived	240	5.9	%	15.1			
	39 Working age population employment deprived	125	4.5	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	75	2.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	305	29.3	%	46.6			
	42 People claiming pension credits (aged 60+)	40	6.5	%	11.0			
	43 Crime rate	88	21.6	cr2	49.5			
	44 Prisoner population		34.2	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault ²		25.9	sr	95.2			
	47 Population within 500 metres of derelict site	1,388	34.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live ³	n/a		%	52.0			
	50 Breast screening uptake ²	382	76.4	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy ²	13	9.1	%	22.6			
	52 Teenage pregnancies ²			cr2	41.4			
	53 Low weight live births ²			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks ²	57	33.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR ²	143	97.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR ²	147	100.0	%	97.5			
	57 Child dental health in primary 1	27	71.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) ²		179.3	sr	377.5			

Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at www.scotpho.org.uk/profiles.

Indicator No.	Description	Definition	Time Period	Source ¹
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

*see technical report (at www.scotpho.org.uk/profiles) for more detail

¹ In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source ¹
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 th March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 st March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week. 'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital. In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.	2008/09 (year ending 31 st March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 st March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

*see technical report (at www.scotpho.org.uk/profiles) for more detail

¹ In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source ¹
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 st August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 st March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 th June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 th June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 st March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

*see technical report (at www.scotpho.org.uk/profiles) for more detail

¹ In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source ¹
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage. Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage. Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

*see technical report (at www.scotpho.org.uk/profiles) for more detail

¹ In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



Further information

Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBS:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

ISD ScotPHO Team :

email: scotpho@nhs.net

fax: 0131 275 7511

Andrew Gasiorowski :

email: andrew.gasiorowski@nhs.net

tel: 0141 282 2143

Dr Diane Stockton:

email: diane.stockton@nhs.net

tel: 0131 275 6817

Dataworx:

Adrian Watson

email: adrian@dataworx-solutions.co.uk

Published by:

ScotPHO (Scottish Public Health Observatory) Team

Information Services Division (ISD) Scotland

Gyle Square

1 South Gyle Crescent

EDINBURGH

EH12 9EB