



# Health and Wellbeing Profiles 2010

## Spine Pack: North East Glasgow



# Glasgow North East Area




	page		page
1. Shettleston South	4	21. North Barlanark and Easterhouse South	24
2. Carmyle and Mount Vernon South	5	22. Easterhouse East	25
3. Baillieston East	6	23. Cranhill, Lightburn and Queenslie South	26
4. Dalmarnock	7	24. Carntyne	27
5. Braidfauld	8	25. City Centre East	28
6. Mount Vernon North and Sandyhills	9	26. Dennistoun North and Alexandra Parade	29
7. Baillieston West	10	27. Central Easterhouse	30
8. Parkhead East and Braidfauld North	11	28. Craigend and Ruchazie	31
9. Tollcross	12	29. Roystonhill, Blochairn, and Provanmill	32
10. Shettleston North	13	30. Riddrie and Hogganfield	33
11. Parkhead West and Barrowfield	14	31. Sighthill	34
12. Calton, Gallowgate and Bridgeton	15	32. Garthamlock, Auchinlea and Gartloch	35
13. Garrowhill West	16	33. Blackhill and Barmulloch East	36
14. Greenfield	17	34. Petershill	37
15. Old Shettleston and Parkhead North	18	35. Barmulloch	38
16. Garrowhill East and Swinton	19	36. Springburn	39
17. Barlanark	20	37. Springburn East and Cowlairs	40
18. Gallowgate North and Bellgrove	21	38. Robroyston and Millerston	41
19. Carntyne West and Haghill	22	39. Balornock	42
20. Dennistoun	23		

# North East Glasgow Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	6,566	990.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	498	99.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	1,008	196.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	180	34.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	1,721	36.6	%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a	32.0	%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	9,354	1,700	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	776	87.9	sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	896	162.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a	16.0	%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a	68.0	%	73.0			
	14 Patients registered with cancer <sup>1</sup>	5,180	510.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	2,290	362.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	2,618	456.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	1,737	274.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	2,159	410.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	48,016	8,366.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	5,690	7,003.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	367	68.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	436	459.3	sr	710.4			
	23 Prevalence of diabetes	8,400	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	24,085	12.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	2,108	371.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	210	23.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	7.1	%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	15,340	10.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a	36.6	%	31.7			
	30 Households assessed as homeless <sup>3</sup>	7,201	2.6	%	1.8			
	31 Children looked after by local authority <sup>3</sup>	3,280	28	cr2	14			
	32 Single adult dwellings	43,550	48.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	6.5	%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	151.5	mean	179.7			
	35 Primary school attendance	n/a	93.1	%	95.2			
	36 Secondary school attendance	n/a	88.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	20.9	%	14.8			
Economy	38 Population income deprived	50,440	28.8	%	15.1			
	39 Working age population employment deprived	23,725	20.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	7,950	6.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	25,560	64.2	%	46.6			
	42 People claiming pension credits (aged 60+)	7,680	22.4	%	11.0			
Crime	43 Crime rate	13,398	76.4	cr2	49.5			
	44 Prisoner population	610	455.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	191	13.2	cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	1,246	218.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	137,068	77.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	36.0	%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	12,428	65.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	371	34.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	583	59.7	cr2	41.4			
	53 Low weight live births <sup>2</sup>	184	3.3	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	817	15.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	5,238	92.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	5,498	96.8	%	97.5			
	57 Child dental health in primary 1	629	43.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	438	542.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Shettleston South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	157	865.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	70.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	155.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		34.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	150	1,085	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		39.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	128	506.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	45	267.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	368.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	41	255.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	38	288.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	978	7,103.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	121	5,811.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		55.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		372.9	sr	710.4			
	23 Prevalence of diabetes	216	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	555	13.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	234.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		24.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	215	6.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	662	38.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	192.2	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
	36 Secondary school attendance	n/a	93.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	595	14.9	%	15.1			
	39 Working age population employment deprived	310	11.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	4.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	375	43.5	%	46.6			
	42 People claiming pension credits (aged 60+)	165	19.4	%	11.0			
Crime	43 Crime rate	125	31.2	cr2	49.5			
	44 Prisoner population		32.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	112.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,861	71.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	362	73.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	44.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	10	9.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	100	94.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	104	98.1	%	97.5			
	57 Child dental health in primary 1	16	55.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		523.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Carmyle and Mount Vernon South Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	125	798.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		48.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	152.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		35.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	110	1,124	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		35.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	97	459.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	38	271.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	61	538.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	283.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	31	340.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	780	7,716.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	105	5,903.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		55.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	13	656.2	sr	710.4			
	23 Prevalence of diabetes	188	5.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	422	13.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	23	226.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		19.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	210	9.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	484	40.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	184.2	mean	179.7			
	35 Primary school attendance	n/a	94.2	%	95.2			
	36 Secondary school attendance	n/a	91.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	615	22.5	%	15.1			
	39 Working age population employment deprived	305	18.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	5.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	335	61.1	%	46.6			
	42 People claiming pension credits (aged 60+)	150	20.4	%	11.0			
	43 Crime rate	66	24.1	cr2	49.5			
Crime	44 Prisoner population		58.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	217.3	sr	95.2			
	47 Population within 500 metres of derelict site	2,707	100.7	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	296	70.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	66.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	69	93.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	74	100.0	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		505.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Baillieston East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	178	916.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	90.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	117.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	10	66.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	199	1,313	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		57.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	139	509.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	37	197.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	471.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	53	268.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	50	334.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,137	7,174.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	161	7,507.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		23.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	377.7	sr	710.4			
	23 Prevalence of diabetes	242	4.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	618	12.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	30	194.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	300	7.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	873	40.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	185.3	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	91.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	875	19.0	%	15.1			
Economy	39 Working age population employment deprived	425	14.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	105	3.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	540	48.7	%	46.6			
	42 People claiming pension credits (aged 60+)	230	23.7	%	11.0			
	43 Crime rate	191	41.4	cr2	49.5			
	44 Prisoner population		218.4	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	75.4	sr	95.2			
	47 Population within 500 metres of derelict site	2,068	42.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	389	71.4	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	15	51.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	27	16.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	134	91.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	146	99.3	%	97.5			
	57 Child dental health in primary 1	18	52.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		428.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Dalmarnock Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	73.2	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	177	1,150.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	18	150.2	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	242.9	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		32.4	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	269	2,598	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	28	321.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	136	526.9	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	78	550.4	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	575.2	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	213.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	59	584.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,192	10,377.5	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	128	6,082.0	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		55.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		403.9	sr	710.4			
Mental Health	23 Prevalence of diabetes	207	5.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	517	13.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	48	463.8	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		46.0	sr	15.1	●		
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	475	16.9	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,234	58.8	%	37.8	●		
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	118.3	mean	179.7			
	35 Primary school attendance	n/a	91.6	%	95.2	●		
Economy	36 Secondary school attendance	n/a	86.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,520	43.2	%	15.1	●		
	39 Working age population employment deprived	710	34.1	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	210	10.3	%	4.4	●		
Crime	41 Dependence on out of work benefits or child tax credit	635	81.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	230	26.5	%	11.0	●		
	43 Crime rate	262	74.4	cr2	49.5			
	44 Prisoner population	21	1,019.2	sr	205.5	●		
Environment	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	47	500.2	sr	95.2	●		
	47 Population within 500 metres of derelict site	3,421	100.9	%	30.0	△		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	261	56.1	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	13	54.2	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	14	59.8	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	106	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	111	98.2	%	97.5			
	57 Child dental health in primary 1	10	31.3	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	924.8	sr	377.5	●		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Braidfauld Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.8	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5			○
	3 Deaths all ages <sup>2</sup>	168	906.4	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	108.1	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	27	193.8	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		29.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	295	1,996	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	27	201.5	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	163	535.1	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	82	467.7	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	471.0	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	68	364.7	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	54	376.3	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	1,491	9,418.8	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	171	6,989.2	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	12	74.3	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	13	504.5	sr	710.4			○
	23 Prevalence of diabetes	272	5.2	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	786	13.8	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	63	455.7	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>	13	57.8	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	605	15.1	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,482	54.2	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	140.5	mean	179.7			△
	35 Primary school attendance	n/a	92.5	%	95.2	●		
	36 Secondary school attendance	n/a	86.7	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,820	39.0	%	15.1	●		
	39 Working age population employment deprived	825	29.2	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	265	8.7	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	985	83.7	%	46.6	●		
	42 People claiming pension credits (aged 60+)	230	21.6	%	11.0	●		
Crime	43 Crime rate	388	83.1	cr2	49.5		●	
	44 Prisoner population	17	603.4	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	56	397.8	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	4,788	97.6	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	332	62.4	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	14	45.2	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	33	119.6	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	12.0	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	201	91.4	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	216	98.2	%	97.5			○
	57 Child dental health in primary 1	22	38.6	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	551.2	sr	377.5			○

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Mount Vernon North and Sandyhills Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	104	614.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		42.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	116.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	88	606	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		12.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	104	406.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	20	116.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	43	270.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	165.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	40	298.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	694	5,175.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	89	4,809.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		38.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	10	607.9	sr	710.4			
	23 Prevalence of diabetes	156	3.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	484	12.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	13	98.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		12.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	110	3.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	477	30.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	207.5	mean	179.7			
	35 Primary school attendance	n/a	95.0	%	95.2			
	36 Secondary school attendance	n/a	94.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	285	7.2	%	15.1			
Economy	39 Working age population employment deprived	175	7.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	55	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	230	28.1	%	46.6			
	42 People claiming pension credits (aged 60+)	75	7.9	%	11.0			
	43 Crime rate	72	18.3	cr2	49.5			
	44 Prisoner population		67.5	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		61.4	sr	95.2			
	47 Population within 500 metres of derelict site	3,513	91.8	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	477	78.5	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	21.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	69	87.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	76	96.2	%	97.5			
	57 Child dental health in primary 1	18	64.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		354.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Baillieston West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	153	958.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	106.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	159.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		37.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	177	1,336	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		51.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	148	508.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	64	346.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	74	470.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	56	326.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	62	489.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,067	7,798.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	153	7,200.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		37.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	13	527.4	sr	710.4			
	23 Prevalence of diabetes	228	4.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	510	11.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	267.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		13.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	295	9.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	732	41.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	175.4	mean	179.7			
	35 Primary school attendance	n/a	94.4	%	95.2			
	36 Secondary school attendance	n/a	91.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	800	20.3	%	15.1			
	39 Working age population employment deprived	420	17.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	125	5.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	440	56.9	%	46.6			
	42 People claiming pension credits (aged 60+)	205	19.9	%	11.0			
Crime	43 Crime rate	89	22.6	cr2	49.5			
	44 Prisoner population		346.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	128.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,874	48.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	475	75.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	17	16.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	78	87.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	88	98.9	%	97.5			
	57 Child dental health in primary 1	11	33.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		358.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Parkhead East and Braidfauld North Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.1	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	74.4	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	77	869.5	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		102.6	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	222.8	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		40.9	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	175	1,915	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	131.5	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	89	563.0	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	35	335.1	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	35	362.4	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	20	201.0	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	49	579.6	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	818	8,839.4	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	56	4,996.0	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>	10	115.9	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		343.6	sr	710.4			○
Mental Health	23 Prevalence of diabetes	156	5.1	sr2	3.5	●		
	24 Patients prescribed drugs for anxiety/depression/psychosis	426	13.0	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	28	273.3	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		30.2	sr	15.1		○	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	345	13.8	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	992	54.1	%	37.8	●		
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	125.8	mean	179.7	●	△	
	35 Primary school attendance	n/a	91.2	%	95.2	●		
	36 Secondary school attendance	n/a	88.5	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	945	31.3	%	15.1	●		
	39 Working age population employment deprived	500	24.5	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	165	8.1	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	520	78.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	120	23.3	%	11.0	●		
Crime	43 Crime rate	241	79.7	cr2	49.5		●	
	44 Prisoner population	15	679.5	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	30	320.1	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	2,755	92.4	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	224	61.7	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	11	12.8	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	89	97.8	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	90	98.9	%	97.5		○	
	57 Child dental health in primary 1			%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	1,138.9	sr	377.5	●		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Tollcross Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	75.3	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	141	1,179.8	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	95.6	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	22	224.5	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		46.0	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	200	1,799	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	16	138.1	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	104	535.2	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	54	461.9	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	65	563.3	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	298.9	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	61	566.8	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,053	9,317.0	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	122	9,025.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		61.0	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	11	540.0	sr	710.4		○	
	23 Prevalence of diabetes	168	4.6	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	506	13.1	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	49	420.4	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		45.4	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	370	12.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,103	52.4	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	144.2	mean	179.7		△	
	35 Primary school attendance	n/a	93.1	%	95.2		○	
	36 Secondary school attendance	n/a	89.0	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,130	31.5	%	15.1	●		
	39 Working age population employment deprived	555	22.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	170	7.2	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	610	77.2	%	46.6	●		
	42 People claiming pension credits (aged 60+)	145	23.3	%	11.0	●		
Crime	43 Crime rate	278	77.5	cr2	49.5		●	
	44 Prisoner population	19	685.4	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	32	280.2	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,522	100.3	%	30.0	△		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	253	59.4	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	13	44.8	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	10	43.1	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	12.5	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	104	91.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	112	98.2	%	97.5		○	
	57 Child dental health in primary 1	15	45.5	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	714.0	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Shettleston North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	208	1,006.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	100.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	185.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		22.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	320	2,061	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	25	177.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	183	532.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	74	346.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	88	468.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	58	303.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	59	428.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,492	9,198.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	213	8,027.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	70.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	24	798.3	sr	710.4			
	23 Prevalence of diabetes	258	4.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	605	13.2	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	76	497.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		23.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	520	13.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,700	62.5	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	143.1	mean	179.7			
	35 Primary school attendance	n/a	92.5	%	95.2			
	36 Secondary school attendance	n/a	87.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,515	33.6	%	15.1			
	39 Working age population employment deprived	735	26.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	220	7.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	555	65.8	%	46.6			
	42 People claiming pension credits (aged 60+)	310	28.2	%	11.0			
Crime	43 Crime rate	324	71.8	cr2	49.5			
	44 Prisoner population	16	518.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	32	234.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,117	69.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	331	65.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	12	63.8	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	14.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	114	89.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	123	96.1	%	97.5			
	57 Child dental health in primary 1	16	34.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		434.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Parkhead West and Barrowfield Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	59.9	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	71.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	269	1,542.6	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	25	164.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	211.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	11	74.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	508	3,459	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	51	350.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	163	551.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	104	613.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	82	523.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	65	376.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	76	520.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,831	12,141.2	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	166	7,498.6	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	15	115.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		287.3	sr	710.4			○
	23 Prevalence of diabetes	253	4.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	810	13.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	87	585.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	10	41.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	855	21.9	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,712	57.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	95.9	mean	179.7			
	35 Primary school attendance	n/a	91.5	%	95.2	●		
	36 Secondary school attendance	n/a	85.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,305	49.1	%	15.1	●		
	39 Working age population employment deprived	1,245	41.6	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	365	12.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,015	102.1	%	46.6	△		
	42 People claiming pension credits (aged 60+)	260	25.8	%	11.0			
Crime	43 Crime rate	936	199.4	cr2	49.5			
	44 Prisoner population	32	918.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	57	399.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,707	98.8	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	338	59.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	40.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	19	91.8	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	10.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	156	88.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	163	92.6	%	97.5			
	57 Child dental health in primary 1	17	35.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	575.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Calton, Gallowgate and Bridgeton Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	64.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	76.9	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	201	937.3	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	18	100.9	sr	57.2		●	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	37	209.1	sr	134.7		●	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		22.2	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	389	2,016	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	62	272.1	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	187	582.9	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	97	488.3	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	93	476.1	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	259.0	sr	173.8		●	
	18 Patients hospitalised with asthma <sup>2</sup>	86	470.2	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,680	8,885.6	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	213	8,026.2	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	10	41.4	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	508.9	sr	710.4			○
	23 Prevalence of diabetes	275	4.2	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	788	11.9	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	112	560.0	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		10.2	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	620	11.2	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	2,104	50.0	%	37.8		●	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	135.1	mean	179.7		△	
	35 Primary school attendance	n/a	92.9	%	95.2		○	
	36 Secondary school attendance	n/a	89.5	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,750	30.5	%	15.1		●	
	39 Working age population employment deprived	965	23.3	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	300	6.6	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	530	66.5	%	46.6		●	
	42 People claiming pension credits (aged 60+)	280	24.5	%	11.0	●		
Crime	43 Crime rate	736	128.1	cr2	49.5		●	
	44 Prisoner population	39	799.7	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	52	287.7	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	5,717	92.0	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	328	60.7	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>	26	109.7	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	38	27.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	136	91.3	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	141	94.6	%	97.5		●	
	57 Child dental health in primary 1	10	29.4	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	611.1	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Garrowhill West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	105	595.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		31.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	31	203.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		31.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	113	705	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		30.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	126	482.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	21	114.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	346.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	32	167.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	22	190.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	804	5,372.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	89	4,205.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		16.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		303.5	sr	710.4			
Mental Health	23 Prevalence of diabetes	182	3.3	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	523	11.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	21	134.6	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		20.1	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	145	3.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	521	30.9	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	214.3	mean	179.7			
	35 Primary school attendance	n/a	97.0	%	95.2			
Economy	36 Secondary school attendance	n/a	94.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	355	7.9	%	15.1			
	39 Working age population employment deprived	220	7.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	90	3.2	%	4.4			
Crime	41 Dependence on out of work benefits or child tax credit	365	35.0	%	46.6			
	42 People claiming pension credits (aged 60+)	70	7.3	%	11.0			
	43 Crime rate	142	31.6	cr2	49.5			
	44 Prisoner population		41.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	14	108.7	sr	95.2			
	47 Population within 500 metres of derelict site	1,590	36.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	459	80.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	20.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	86	94.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	89	97.8	%	97.5			
	57 Child dental health in primary 1	15	60.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		229.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Greenfield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	251	1,008.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	71.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	41	202.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		37.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	303	1,775	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	16	123.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	172	449.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	69	256.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	73	337.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	74	290.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	90	489.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,507	8,115.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	199	5,779.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		44.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	13	321.9	sr	710.4			
	23 Prevalence of diabetes	314	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	791	14.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	80	452.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	470	10.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,293	50.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	156.3	mean	179.7			
	35 Primary school attendance	n/a	94.5	%	95.2			
	36 Secondary school attendance	n/a	89.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,390	27.1	%	15.1			
	39 Working age population employment deprived	675	22.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	190	6.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	695	64.1	%	46.6			
	42 People claiming pension credits (aged 60+)	355	24.0	%	11.0			
Crime	43 Crime rate	343	67.0	cr2	49.5			
	44 Prisoner population	16	562.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	31	233.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,341	84.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	519	68.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	45.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	11.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	110	88.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	123	98.4	%	97.5			
	57 Child dental health in primary 1	29	55.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	543.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Old Shettleston and Parkhead North Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	74.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	255	1,644.3	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	109.0	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	267.4	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		34.5	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	208	2,210	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	12	169.5	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	138	507.1	sr	412.6		●	
	15 Patients hospitalised with COPD <sup>2</sup>	65	445.2	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	96	768.4	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	69	507.6	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	47	523.7	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,154	10,761.9	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	195	9,749.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	99.3	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	15	583.6	sr	710.4		○	
	23 Prevalence of diabetes	228	6.0	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	537	14.2	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	45	511.6	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		63.7	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	375	15.1	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	939	50.5	%	37.8		●	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	144.7	mean	179.7		△	
	35 Primary school attendance	n/a	91.9	%	95.2	●		
	36 Secondary school attendance	n/a	87.1	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,340	44.2	%	15.1	●		
	39 Working age population employment deprived	595	36.1	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	205	11.6	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	635	86.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	235	29.6	%	11.0	●		
Crime	43 Crime rate	252	83.0	cr2	49.5		●	
	44 Prisoner population	12	804.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	18	243.2	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	2,743	88.7	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	287	62.3	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>	15	87.2	cr2	41.4		●	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	98	92.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	104	98.1	%	97.5		○	
	57 Child dental health in primary 1			%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		562.7	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Garrowhill East and Swinton Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	64	492.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		64.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	11	88.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	82	636	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		8.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	65	332.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	13	132.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	27	215.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	15	111.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	43	327.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	701	5,265.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	49	3,816.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		65.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		160.3	sr	710.4			
	23 Prevalence of diabetes	149	3.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	556	12.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	18	121.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		32.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	3.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	467	29.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	205.7	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
	36 Secondary school attendance	n/a	94.2	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	335	7.2	%	15.1			
Economy	39 Working age population employment deprived	195	6.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	75	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	420	35.3	%	46.6			
	42 People claiming pension credits (aged 60+)	85	13.8	%	11.0			
	43 Crime rate	109	23.4	cr2	49.5			
	44 Prisoner population		76.0	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		60.7	sr	95.2			
	47 Population within 500 metres of derelict site	4,010	86.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	361	76.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	23	17.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	127	94.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	134	100.0	%	97.5			
	57 Child dental health in primary 1	21	63.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		293.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Barlanark Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	69.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	112	779.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	99.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	131.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		27.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	238	1,742	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	89.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	101	463.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	47	330.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	373.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	33	265.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	73	509.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,283	8,838.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	93	5,890.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	75.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		405.4	sr	710.4			
Mental Health	23 Prevalence of diabetes	210	5.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	742	14.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	76	513.7	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		15.2	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	470	12.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,142	52.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	130.5	mean	179.7			
	35 Primary school attendance	n/a	92.3	%	95.2			
Economy	36 Secondary school attendance	n/a	86.6	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,690	34.3	%	15.1			
	39 Working age population employment deprived	745	23.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	265	8.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,085	79.4	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	180	25.1	%	11.0			
	43 Crime rate	506	102.6	cr2	49.5			
	44 Prisoner population	19	569.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	33	217.0	sr	95.2			
	47 Population within 500 metres of derelict site	3,771	78.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	328	64.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	15	46.9	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	23	64.8	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	7.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	219	96.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	227	100.0	%	97.5			
	57 Child dental health in primary 1	21	43.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	21	698.2	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Gallowgate North and Bellgrove Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	63.7	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	74.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	118	1,175.9	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	138.0	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	184.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		32.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	221	2,236	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	22	168.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	112	645.0	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	49	468.2	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	41	501.0	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	39	315.9	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	52	459.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	995	9,534.4	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	99	7,527.1	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		62.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		572.7	sr	710.4			
	23 Prevalence of diabetes	136	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	526	9.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	42	357.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		29.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	325	8.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,225	45.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	134.6	mean	179.7			
	35 Primary school attendance	n/a	90.7	%	95.2	●		
	36 Secondary school attendance	n/a	89.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,085	26.7	%	15.1			
	39 Working age population employment deprived	545	17.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	215	6.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	420	73.3	%	46.6			
	42 People claiming pension credits (aged 60+)	145	25.5	%	11.0	●		
Crime	43 Crime rate	276	67.9	cr2	49.5			
	44 Prisoner population	19	520.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	25	176.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,254	100.9	%	30.0	△		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	208	62.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	15	107.1	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	15.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	72	90.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	74	92.5	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	763.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carntyne West and Haghill Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	173	1,120.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	16	116.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	31	207.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	340	2,141	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	48	288.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	128	481.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	68	431.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	69	440.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	50	297.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	75	496.0	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,446	8,994.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	126	6,755.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	15	94.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		333.4	sr	710.4			
	23 Prevalence of diabetes	194	3.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	669	12.3	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	56	327.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		29.3	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	595	13.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,713	58.0	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.7	mean	179.7			
	35 Primary school attendance	n/a	92.1	%	95.2			
	36 Secondary school attendance	n/a	87.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,995	37.7	%	15.1			
	39 Working age population employment deprived	970	26.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	355	9.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	880	72.0	%	46.6			
	42 People claiming pension credits (aged 60+)	170	20.5	%	11.0			
Crime	43 Crime rate	482	91.1	cr2	49.5			
	44 Prisoner population	37	929.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	66	387.1	sr	95.2			
	47 Population within 500 metres of derelict site	5,334	99.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	322	60.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	37.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	31	100.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>	12	6.4	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	9.5	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	153	95.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	157	97.5	%	97.5			
	57 Child dental health in primary 1	17	34.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	16	628.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Dennistoun Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	83	755.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	118.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	164.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	148	1,330	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	10	63.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	80	489.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	258.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	44	410.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	199.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	42	413.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	755	6,416.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	84	6,421.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	88.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		684.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	137	4.0	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	409	9.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	40	341.0	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		12.2	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	220	6.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,020	43.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	164.6	mean	179.7			
	35 Primary school attendance	n/a	93.0	%	95.2			
Economy	36 Secondary school attendance	n/a	89.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	710	17.5	%	15.1			
	39 Working age population employment deprived	360	11.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	155	4.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	315	55.8	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	115	20.4	%	11.0			
	43 Crime rate	231	57.0	cr2	49.5			
	44 Prisoner population		198.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	17	129.2	sr	95.2			
	47 Population within 500 metres of derelict site	3,617	87.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	227	65.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	20	163.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	35	35.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	88	87.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	97	96.0	%	97.5			
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		421.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# North Barlanark and Easterhouse South Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	64.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	74.1	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	94	1,030.9	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		94.5	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	228.4	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		46.8	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	221	2,823	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	32	459.5	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	81	556.3	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	49	608.2	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	61	808.6	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	43	485.8	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	53	581.1	sr	472.9	○		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,097	12,242.1	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	103	9,946.7	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		59.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		367.8	sr	710.4			
	23 Prevalence of diabetes	170	6.2	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	599	14.9	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	650.6	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		12.3	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	430	17.5	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>			cr2	14			
	32 Single adult dwellings	854	51.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	97.8	mean	179.7	△		
	35 Primary school attendance	n/a	90.9	%	95.2	●		
	36 Secondary school attendance	n/a	84.3	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,675	48.4	%	15.1	●		
	39 Working age population employment deprived	710	35.4	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	235	11.6	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,005	77.8	%	46.6	●		
	42 People claiming pension credits (aged 60+)	115	23.7	%	11.0	●		
Crime	43 Crime rate	483	139.6	cr2	49.5			
	44 Prisoner population	19	1,029.2	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	41	433.1	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,177	93.2	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	178	51.6	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	13	43.3	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	28	103.7	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>	10	6.5	%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	11	7.3	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	167	89.8	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	180	96.8	%	97.5	○		
	57 Child dental health in primary 1			%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	597.9	sr	377.5	○		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Easterhouse East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.2	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	73.2	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	132	1,244.1	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	223.9	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	230.8	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		59.4	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	149	1,722	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		97.0	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	85	521.1	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	38	362.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	48	512.4	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	366.0	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	25	292.1	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	825	8,987.3	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	89	6,798.1	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		73.0	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		506.2	sr	710.4			○
	23 Prevalence of diabetes	146	4.6	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	452	14.7	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	42	453.6	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		24.5	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	255	10.9	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	700	52.8	%	37.8	●		
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	133.3	mean	179.7		△	
	35 Primary school attendance	n/a	92.6	%	95.2	○		
	36 Secondary school attendance	n/a	87.9	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	820	28.3	%	15.1	●		
	39 Working age population employment deprived	400	21.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	150	8.0	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	505	72.3	%	46.6	●		
	42 People claiming pension credits (aged 60+)	140	26.6	%	11.0	●		
Crime	43 Crime rate	168	58.1	cr2	49.5		●	
	44 Prisoner population		411.3	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	20	253.1	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	2,243	78.6	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	227	69.0	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>	15	92.6	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	14	14.9	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	85	90.4	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	91	96.8	%	97.5		○	
	57 Child dental health in primary 1	14	46.7	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		367.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cranhill, Lightburn and Queenslie South Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.8	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	75.8	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	224	930.0	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	67.1	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	34	177.6	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		37.8	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	418	2,280	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	51	314.1	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	205	545.8	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	82	346.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	114	561.1	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	73	316.3	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	96	516.1	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,947	9,825.6	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	222	7,249.9	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	14	73.0	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	16	507.1	sr	710.4		○	
	23 Prevalence of diabetes	332	4.5	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	1,027	14.5	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	80	440.8	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		28.2	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	685	13.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,505	51.7	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.4	mean	179.7		△	
	35 Primary school attendance	n/a	93.1	%	95.2	●		
	36 Secondary school attendance	n/a	86.1	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	2,480	41.7	%	15.1	●		
	39 Working age population employment deprived	1,055	29.3	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	295	7.8	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,275	81.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	365	26.8	%	11.0	●		
Crime	43 Crime rate	413	69.5	cr2	49.5		●	
	44 Prisoner population	36	844.4	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	64	367.2	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	5,217	83.4	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	465	65.4	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	18	48.6	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	29	76.7	cr2	41.4		●	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	20.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	225	90.4	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	237	95.2	%	97.5		●	
	57 Child dental health in primary 1	24	36.9	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	300.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carntyne Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.5	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	76.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	264	1,115.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	18	141.1	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	38	234.9	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		53.4	sr	18.7		●	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	219	1,712	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		128.2	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	171	490.3	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	63	273.7	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	97	527.9	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	59	301.7	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	53	476.0	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,279	8,599.0	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	254	7,949.2	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		69.3	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	25	603.3	sr	710.4		○	
	23 Prevalence of diabetes	249	4.7	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	517	14.4	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	44	314.1	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		16.1	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	330	11.4	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	923	50.4	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	209.0	mean	179.7			△
	35 Primary school attendance	n/a	94.3	%	95.2		○	
	36 Secondary school attendance	n/a	91.2	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	910	27.6	%	15.1	●		
	39 Working age population employment deprived	420	23.7	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	95	5.3	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	350	73.2	%	46.6	●		
	42 People claiming pension credits (aged 60+)	330	27.3	%	11.0	●		
Crime	43 Crime rate	151	45.8	cr2	49.5		○	
	44 Prisoner population		230.3	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	171.7	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	2,013	61.4	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	347	66.6	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	0	0.0	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>	11	80.9	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	55	98.2	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	56	100.0	%	97.5			○
	57 Child dental health in primary 1			%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		686.4	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# City Centre East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.5	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	75.9	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	324	1,082.0	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	30	122.8	sr	57.2		●	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	56	250.3	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		37.7	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	548	2,182	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	85	286.8	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	214	447.8	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	84	309.8	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	100	365.5	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	63	211.1	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	70	288.8	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	2,078	7,662.4	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	258	6,333.9	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	22	84.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	23	526.4	sr	710.4			○
	23 Prevalence of diabetes	325	3.8	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	1,138	8.6	%	9.7			○
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	135	534.2	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>	12	24.7	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	650	6.8	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	2,546	44.0	%	37.8		●	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	127.6	mean	179.7	△		
	35 Primary school attendance	n/a	92.4	%	95.2	○		
	36 Secondary school attendance	n/a	86.1	%	91.1	○		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,795	18.3	%	15.1		●	
	39 Working age population employment deprived	990	12.9	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	320	3.9	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	350	16.2	%	46.6			○
	42 People claiming pension credits (aged 60+)	350	22.0	%	11.0	●		
Crime	43 Crime rate	1,798	183.0	cr2	49.5		●	
	44 Prisoner population	32	349.5	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	72	185.3	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	4,249	41.9	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	332	62.4	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	32.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	87	88.8	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	90	91.8	%	97.5			
	57 Child dental health in primary 1			%	61.8	●	○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		358.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Dennistoun North and Alexandra Parade Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	69.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	264	998.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	94.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	168.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		4.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	277	1,498	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	89.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	201	587.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	73	307.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	80	422.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	48	193.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	53	313.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,450	7,022.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	223	6,655.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	74.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		213.4	sr	710.4			
	23 Prevalence of diabetes	251	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	649	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	71	352.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		28.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	380	6.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,726	46.5	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	142.7	mean	179.7			
	35 Primary school attendance	n/a	92.8	%	95.2			
	36 Secondary school attendance	n/a	91.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,285	21.1	%	15.1			
	39 Working age population employment deprived	585	13.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	225	4.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	530	61.6	%	46.6			
	42 People claiming pension credits (aged 60+)	260	21.8	%	11.0			
Crime	43 Crime rate	340	55.9	cr2	49.5			
	44 Prisoner population	11	256.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	29	189.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,866	45.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	425	68.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	13	33.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	61.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	48	33.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	134	93.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	136	94.4	%	97.5			
	57 Child dental health in primary 1	15	51.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	590.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Central Easterhouse Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.9	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	74.3	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	101	1,197.0	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		127.7	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	22	278.2	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		50.5	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	214	2,762	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	27	331.2	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	81	514.8	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	65	713.1	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	45	524.0	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	31	399.0	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	44	450.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,017	11,704.2	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	90	8,314.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		55.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		158.3	sr	710.4			○
	23 Prevalence of diabetes	146	5.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	494	14.7	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	438.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		40.5	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	395	17.6	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	808	49.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	104.1	mean	179.7	△		
	35 Primary school attendance	n/a	89.9	%	95.2	●		
	36 Secondary school attendance	n/a	86.7	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,550	48.0	%	15.1	●		
	39 Working age population employment deprived	665	33.5	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	210	11.7	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	760	79.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	125	25.0	%	11.0	●		
Crime	43 Crime rate	372	115.2	cr2	49.5			
	44 Prisoner population	17	879.2	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	35	453.2	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	1,262	43.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	231	59.1	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	12	52.2	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	14	50.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	12	8.9	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	137	93.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	144	98.0	%	97.5			
	57 Child dental health in primary 1			%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	613.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Craigend and Ruchazie Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	74.3	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	235	1,142.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	21	120.2	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	32	188.4	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		48.6	sr	18.7	●		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	335	2,234	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	26	209.2	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	172	578.5	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	96	504.7	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	95	531.3	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	78	426.6	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	78	558.7	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,688	10,527.6	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	224	8,857.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	94.1	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	394.6	sr	710.4			○
	23 Prevalence of diabetes	297	5.1	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	797	13.9	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	84	584.8	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		18.7	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	540	13.5	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,410	56.1	%	37.8	●		
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	135.8	mean	179.7		△	
	35 Primary school attendance	n/a	93.4	%	95.2		○	
	36 Secondary school attendance	n/a	85.6	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	2,025	42.3	%	15.1	●		
	39 Working age population employment deprived	875	30.1	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	325	11.0	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,030	86.9	%	46.6	●		
	42 People claiming pension credits (aged 60+)	275	23.5	%	11.0	●		
	43 Crime rate	391	81.7	cr2	49.5		●	
Crime	44 Prisoner population	19	603.5	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	51	370.7	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,849	78.2	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	438	62.4	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	21	56.8	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	25	117.4	cr2	41.4	●		
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	7.9	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	188	93.1	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	199	98.5	%	97.5		○	
	57 Child dental health in primary 1	19	40.4	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	26	1,005.1	sr	377.5	●		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Roystonhill, Blochairn, and Provanmill Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	64.3	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	72.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	278	1,400.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	20	132.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	43	271.0	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		42.2	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	394	2,070	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	68	305.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	168	548.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	98	493.7	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	77	432.0	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	55	326.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	79	449.7	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,945	9,882.9	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	187	7,868.2	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	15	76.4	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	13	463.3	sr	710.4			○
	23 Prevalence of diabetes	263	4.4	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	713	10.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	94	439.2	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>	11	33.1	sr	15.1		●	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	600	10.8	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,864	58.3	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	134.1	mean	179.7		△	
	35 Primary school attendance	n/a	92.0	%	95.2	●		
	36 Secondary school attendance	n/a	88.7	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,405	36.2	%	15.1	●		
	39 Working age population employment deprived	1,045	23.7	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	385	8.3	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	1,145	67.1	%	46.6		●	
	42 People claiming pension credits (aged 60+)	265	25.7	%	11.0	●		
Crime	43 Crime rate	456	68.7	cr2	49.5		●	
	44 Prisoner population	34	537.6	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	73	289.5	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	4,566	66.8	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	310	53.6	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	17	38.6	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	19	45.6	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	48	19.1	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	292	92.7	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	296	94.0	%	97.5		●	
	57 Child dental health in primary 1	28	37.8	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	21	557.8	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Riddrie and Hogganfield Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	224	916.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	67.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	27	147.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		49.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	316	1,610	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	38	199.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	193	470.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	79	321.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	118	574.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	61	264.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	59	366.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,736	8,791.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	266	8,447.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	84.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	24	746.9	sr	710.4			
	23 Prevalence of diabetes	283	4.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	692	12.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	56	281.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		17.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	470	9.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,228	51.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	143.7	mean	179.7			
	35 Primary school attendance	n/a	92.2	%	95.2			
	36 Secondary school attendance	n/a	85.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,660	29.2	%	15.1			
	39 Working age population employment deprived	705	19.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	245	6.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	875	70.6	%	46.6			
	42 People claiming pension credits (aged 60+)	285	23.0	%	11.0			
Crime	43 Crime rate	516	90.7	cr2	49.5			
	44 Prisoner population	17	370.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	45	206.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,128	70.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	366	59.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	21	69.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	20	13.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	159	92.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	167	97.1	%	97.5			
	57 Child dental health in primary 1	19	45.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	25	948.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Sighthill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.5	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	77.6	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	81	859.0	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		119.9	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	151.3	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.7	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	168	1,594	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	36	222.3	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	70	467.9	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	31	318.4	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	20	219.7	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	20	230.5	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	31	304.3	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	831	7,301.1	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	61	5,850.8	sr	4,607.6	○		
	21 Road traffic accident casualties <sup>2</sup>		26.0	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		536.7	sr	710.4			○
	23 Prevalence of diabetes	105	3.6	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	462	10.7	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	39	266.9	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		12.8	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	7.5	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	832	38.1	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	159.0	mean	179.7		△	
	35 Primary school attendance	n/a	93.3	%	95.2		○	
	36 Secondary school attendance	n/a	91.1	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,180	27.2	%	15.1	●		
	39 Working age population employment deprived	505	16.1	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	200	6.8	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	580	64.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	55	12.4	%	11.0		○	
Crime	43 Crime rate	240	55.4	cr2	49.5		○	
	44 Prisoner population	19	602.2	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	33	234.8	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	2,441	60.2	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	137	51.9	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	12	42.9	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	15	64.9	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	46	32.9	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	170	92.4	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	172	93.5	%	97.5	●		
	57 Child dental health in primary 1	27	61.4	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	606.1	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Garthamlock, Auchinlea and Gartloch Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	69	985.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		93.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	227.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		14.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	146	1,487	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	82.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	63	528.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	49	618.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	651.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	240.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	55	450.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	951	9,134.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	58	7,693.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	110.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		769.0	sr	710.4			
	23 Prevalence of diabetes	175	5.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	655	13.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	43	404.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		12.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	345	10.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	819	42.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	160.6	mean	179.7			
	35 Primary school attendance	n/a	93.7	%	95.2			
	36 Secondary school attendance	n/a	88.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,165	31.2	%	15.1			
	39 Working age population employment deprived	535	21.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	195	7.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	825	64.3	%	46.6			
	42 People claiming pension credits (aged 60+)	85	20.3	%	11.0			
Crime	43 Crime rate	334	89.3	cr2	49.5			
	44 Prisoner population	11	398.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	112.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,196	75.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	230	67.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	11.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	190	93.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	203	100.0	%	97.5			
	57 Child dental health in primary 1	19	40.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	362.2	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Blackhill and Barmulloch East Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	64.2	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	75.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	121	1,027.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	134.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	229.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	191	1,847	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	23	247.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	124	650.2	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	72	563.1	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	43	374.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	43	361.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	41	408.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,105	9,917.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	118	7,674.0	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		83.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		483.1	sr	710.4			
	23 Prevalence of diabetes	204	5.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	495	11.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	332.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		28.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	365	12.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	796	46.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.4	mean	179.7			
	35 Primary school attendance	n/a	92.1	%	95.2			
	36 Secondary school attendance	n/a	86.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,260	36.5	%	15.1			
	39 Working age population employment deprived	555	25.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	200	8.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	675	73.2	%	46.6			
	42 People claiming pension credits (aged 60+)	170	24.6	%	11.0			
Crime	43 Crime rate	211	61.2	cr2	49.5			
	44 Prisoner population	22	988.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	38	372.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,200	88.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	280	58.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	60.1	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	8.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	101	91.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	105	95.5	%	97.5			
	57 Child dental health in primary 1	17	54.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	822.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Petershill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.1	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	76.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	95	809.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	92.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	133.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	219	1,593	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	28	158.6	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	91	493.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	37	307.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	62	498.8	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	27	204.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	42	282.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,152	8,170.7	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	94	6,713.2	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	12	76.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		563.1	sr	710.4			
	23 Prevalence of diabetes	193	4.4	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	679	12.0	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	56	354.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		20.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	310	7.6	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,110	44.1	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	135.3	mean	179.7	△		
	35 Primary school attendance	n/a	91.2	%	95.2	●		
	36 Secondary school attendance	n/a	89.2	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,310	26.2	%	15.1	●		
	39 Working age population employment deprived	595	17.0	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	220	6.3	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	710	59.7	%	46.6	●		
	42 People claiming pension credits (aged 60+)	130	19.8	%	11.0	●		
Crime	43 Crime rate	220	43.9	cr2	49.5			
	44 Prisoner population	13	327.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	20	116.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,845	95.9	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	207	53.9	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	17	32.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	16	53.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>	12	4.6	%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	35	18.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	189	89.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	192	90.6	%	97.5			
	57 Child dental health in primary 1	15	28.8	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	359.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Barmulloch Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.9	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	77.3	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	106	866.7	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	114.1	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	170.1	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		38.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	182	1,881	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	21	229.2	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	105	499.7	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	42	378.6	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	547.0	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	262.8	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	41	400.8	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,006	9,537.0	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	123	7,095.0	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		75.5	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	10	422.8	sr	710.4		○	
	23 Prevalence of diabetes	157	4.5	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	465	12.5	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	63	676.4	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		29.9	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	280	10.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	710	37.4	%	37.8		○	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	130.3	mean	179.7	△		
	35 Primary school attendance	n/a	92.8	%	95.2	○		
	36 Secondary school attendance	n/a	88.9	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,150	33.9	%	15.1	●		
	39 Working age population employment deprived	495	24.6	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	195	9.8	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	695	77.9	%	46.6	●		
	42 People claiming pension credits (aged 60+)	155	22.5	%	11.0	●		
	43 Crime rate	273	80.6	cr2	49.5		●	
Crime	44 Prisoner population	15	648.6	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	19	189.8	sr	95.2		●	
	47 Population within 500 metres of derelict site	3,366	99.1	%	30.0	●		
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	247	63.2	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	14	41.2	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	15	75.4	cr2	41.4		●	
	53 Low weight live births <sup>2</sup>			%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	15.2	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	131	94.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	133	95.7	%	97.5		○	
	57 Child dental health in primary 1	17	48.6	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	483.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Springburn Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	72.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	331	1,398.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	21	169.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	50	335.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		37.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	309	2,162	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	26	208.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	236	694.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	66	337.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	92	502.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	55	279.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	65	461.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,663	10,047.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	297	9,303.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	15	101.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	23	610.4	sr	710.4			
	23 Prevalence of diabetes	313	4.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	691	13.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	71	491.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	530	13.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,320	55.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	136.2	mean	179.7			
	35 Primary school attendance	n/a	91.9	%	95.2			
	36 Secondary school attendance	n/a	88.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,650	36.3	%	15.1			
	39 Working age population employment deprived	740	27.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	185	6.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	690	73.3	%	46.6			
	42 People claiming pension credits (aged 60+)	325	27.6	%	11.0			
Crime	43 Crime rate	354	77.9	cr2	49.5			
	44 Prisoner population	12	418.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	32	244.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,476	76.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	380	63.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	12	37.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	12	9.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	149	92.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	159	98.1	%	97.5			
	57 Child dental health in primary 1	20	71.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		264.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Springburn East and Cowlairs Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	155	1,017.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	84.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	207.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		36.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	227	1,641	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	16	109.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	126	515.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	65	411.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	58	396.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	214.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	59	432.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,178	8,310.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	141	7,136.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	72.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		339.0	sr	710.4			
	23 Prevalence of diabetes	213	4.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	568	12.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	66	469.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		30.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	355	9.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,313	59.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.5	mean	179.7			
	35 Primary school attendance	n/a	92.9	%	95.2			
	36 Secondary school attendance	n/a	86.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,410	32.3	%	15.1			
	39 Working age population employment deprived	590	21.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	260	8.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	695	68.7	%	46.6			
	42 People claiming pension credits (aged 60+)	200	23.3	%	11.0			
Crime	43 Crime rate	256	58.6	cr2	49.5			
	44 Prisoner population	13	422.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	30	218.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,359	97.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	225	60.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	18	54.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	11.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	134	91.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	143	97.3	%	97.5			
	57 Child dental health in primary 1	20	44.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	579.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Robroyston and Millerston Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	137	807.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		49.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	169.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		11.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	94	560	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		11.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	78	380.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	200.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	396.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	23	141.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	39	223.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	929	5,295.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	72	4,646.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	46.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		94.2	sr	710.4			
	23 Prevalence of diabetes	190	3.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	654	10.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	21	130.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		15.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	155	3.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	624	27.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	206.9	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
	36 Secondary school attendance	n/a	92.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	520	8.4	%	15.1			
	39 Working age population employment deprived	270	6.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	2.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	635	38.8	%	46.6			
	42 People claiming pension credits (aged 60+)	65	9.3	%	11.0			
Crime	43 Crime rate	119	19.3	cr2	49.5			
	44 Prisoner population		157.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	48.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,825	74.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	295	75.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	13	22.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	43	19.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	252	96.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	260	99.2	%	97.5			
	57 Child dental health in primary 1	35	47.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	340.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Balornock Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	73.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	212	1,082.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		69.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	40	296.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	193	1,536	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		54.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	153	567.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	91	497.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	71	504.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	283.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	67	581.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,281	9,454.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	178	7,044.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		41.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	15	410.6	sr	710.4			
	23 Prevalence of diabetes	219	4.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	556	13.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	51	468.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		13.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	355	11.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	587	40.0	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	139.3	mean	179.7			
	35 Primary school attendance	n/a	93.6	%	95.2			
	36 Secondary school attendance	n/a	88.3	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,135	29.7	%	15.1			
	39 Working age population employment deprived	515	22.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	175	7.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	645	69.4	%	46.6			
	42 People claiming pension credits (aged 60+)	230	23.9	%	11.0			
	43 Crime rate	254	66.6	cr2	49.5			
Crime	44 Prisoner population	13	652.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	29	297.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,080	81.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	331	69.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	31.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	84	94.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	86	96.6	%	97.5			
	57 Child dental health in primary 1	12	34.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		275.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	<p>Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.</p> <p>'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.</p> <p>In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.</p>	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Further information

## Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBSP:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

## Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

## Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

### Dataworx:

#### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB