



# Health and Wellbeing Profiles 2010

## Spine Pack: South Ayrshire



# South Ayrshire CHP



1. Carrick South	page 4	13. Ayr North Harbour, Wallacetown and Newton South	page 16
2. Girvan Glendoune	5	14. Lochside, Braehead and Whitletts	17
3. Girvan Ailsa	6	15. Newton North	18
4. Carrick North	7	16. Heathfield	19
5. Maybole	8	17. Prestwick East	20
6. Alloway and Doonfoot	9	18. Prestwick West	21
7. Colyton	10	19. Prestwick Airport and Monkton	22
8. Castlehill and Kincaidston	11	20. Annbank, Mossblown and Tarbolton - the Coalfields	23
9. Belmont	12	21. Troon	24
10. Holmston and Forehill	13	22. Muirhead	25
11. Ayr South Harbour and Town Centre	14	23. Barassie	26
12. Dalmilling and Craigie	15	24. Dundonald, Loans and Symington	27

# South Ayrshire CHP Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	4,119	655.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	259	59.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	540	120.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	88	19.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	887	21.5	%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a	21.0	%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	5,569	1,370	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	267	37.3	sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	321	120.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a	11.0	%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a	74.0	%	73.0			
	14 Patients registered with cancer <sup>1</sup>	3,352	394.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	907	162.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	1,734	331.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	1,011	176.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	3,084	830.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	27,234	6,968.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	3,478	4,586.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	304	91.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	1,008	1,129.2	sr	710.4			
	23 Prevalence of diabetes	5,371	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	12,484	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	1,216	328.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	64	11.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	1,650	7.0	%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	5,075	5.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	654	43.2	%	31.7			
	30 Households assessed as homeless <sup>3</sup>	626	1.2	%	1.8			
	31 Children looked after by local authority <sup>3</sup>	290	13	cr2	14			
	32 Single adult dwellings	19,770	37.0	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	7.8	%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	177.1	mean	179.7			
	35 Primary school attendance	n/a	95.3	%	95.2			
	36 Secondary school attendance	n/a	90.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	14.3	%	14.8			
Economy	38 Population income deprived	16,725	15.0	%	15.1			
	39 Working age population employment deprived	7,810	11.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	3,100	4.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	11,100	46.3	%	46.6			
	42 People claiming pension credits (aged 60+)	3,115	9.9	%	11.0			
	43 Crime rate	5,058	45.3	cr2	49.5			
Crime	44 Prisoner population	168	262.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	62	6.4	cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	336	120.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	25,406	22.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	15,327	13.7	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	60.0	%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	12,350	76.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	776	25.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	265	42.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>	56	2.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	699	23.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	2,955	94.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	3,095	98.5	%	97.5			
	57 Child dental health in primary 1	576	66.4	%	61.8			
	58 Child obesity in primary 1	n/a	6.0	%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	145	309.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carrick South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	192	591.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	76.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	65.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		24.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	247	1,087	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		71.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	172	380.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	55	183.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	99	337.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	63	216.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	137	666.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,331	6,546.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	154	3,862.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	88.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	33	682.2	sr	710.4			
	23 Prevalence of diabetes	331	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	582	10.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	59	281.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	235	4.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	740	27.5	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	173.6	mean	179.7			
	35 Primary school attendance	n/a	95.4	%	95.2			
	36 Secondary school attendance	n/a	91.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	815	14.3	%	15.1			
	39 Working age population employment deprived	340	10.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	120	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	650	58.7	%	46.6			
	42 People claiming pension credits (aged 60+)	175	10.0	%	11.0			
Crime	43 Crime rate	109	19.1	cr2	49.5			
	44 Prisoner population		182.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		36.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,040	18.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	5,705	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	683	78.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	24	21.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	37.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	29	28.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	110	94.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	114	97.4	%	97.5			
	57 Child dental health in primary 1	17	40.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		171.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Girvan Glendoune Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	103	741.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		73.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	106.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	201	1,842	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	162.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	94	405.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	22	181.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	405.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	40	258.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	102	953.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	884	7,883.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	93	5,100.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		51.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	1,116.2	sr	710.4			
	23 Prevalence of diabetes	188	4.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	453	12.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	325.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		7.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	245	9.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	645	40.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	149.2	mean	179.7			
	35 Primary school attendance	n/a	94.5	%	95.2			
	36 Secondary school attendance	n/a	89.3	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	900	26.2	%	15.1			
	39 Working age population employment deprived	375	19.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	140	7.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	595	61.9	%	46.6			
	42 People claiming pension credits (aged 60+)	160	18.6	%	11.0			
Crime	43 Crime rate	172	50.1	cr2	49.5			
	44 Prisoner population		250.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	190.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	374	79.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	54	42.9	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	25	101.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	20	16.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	130	98.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	132	100.0	%	97.5			
	57 Child dental health in primary 1	20	48.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		454.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Girvan Ailsa Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	164	746.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		53.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	154.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	194	1,472	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		118.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	137	457.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	40	196.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	295.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	203.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	105	979.8	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	977	7,257.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	188	6,336.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		51.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	51	1,383.6	sr	710.4			
	23 Prevalence of diabetes	201	3.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	427	12.4	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	285.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		7.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	195	6.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	698	38.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.3	mean	179.7			
	35 Primary school attendance	n/a	95.0	%	95.2			
	36 Secondary school attendance	n/a	90.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	640	19.0	%	15.1			
	39 Working age population employment deprived	275	14.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	5.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	370	53.4	%	46.6			
	42 People claiming pension credits (aged 60+)	175	15.2	%	11.0			
Crime	43 Crime rate	213	63.3	cr2	49.5			
	44 Prisoner population		66.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	11	157.8	sr	95.2			
	47 Population within 500 metres of derelict site	1,529	45.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	409	80.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	30	35.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	20.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	74	93.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	78	98.7	%	97.5			
	57 Child dental health in primary 1	20	74.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		195.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carrick North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	111	716.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		27.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	10	72.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	136	1,008	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	92	408.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	20	132.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	59	387.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	25	157.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	86	746.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	802	6,858.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	91	5,294.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	109.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	1,220.2	sr	710.4			
	23 Prevalence of diabetes	161	3.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	409	10.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	26	224.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		13.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	170	5.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	408	24.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	217.1	mean	179.7			
	35 Primary school attendance	n/a	95.7	%	95.2			
	36 Secondary school attendance	n/a	92.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	440	12.3	%	15.1			
	39 Working age population employment deprived	215	9.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	2.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	320	39.6	%	46.6			
	42 People claiming pension credits (aged 60+)	60	6.5	%	11.0			
Crime	43 Crime rate	114	31.9	cr2	49.5			
	44 Prisoner population		134.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		52.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,574	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	390	76.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	23.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	91	94.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	94	97.9	%	97.5			
	57 Child dental health in primary 1	31	86.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		409.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Maybole Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	167	763.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	80.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	161.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	221	1,328	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	12	99.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	140	440.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	36	180.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	88	464.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	209.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	138	863.0	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,208	7,591.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	144	5,391.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	15	110.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	48	1,493.8	sr	710.4			
	23 Prevalence of diabetes	244	4.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	539	11.1	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	346.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		22.8	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	240	6.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	857	38.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	157.7	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	91.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	795	16.5	%	15.1			
	39 Working age population employment deprived	395	13.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	165	5.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	560	50.7	%	46.6			
	42 People claiming pension credits (aged 60+)	125	10.8	%	11.0			
Crime	43 Crime rate	237	49.2	cr2	49.5			
	44 Prisoner population	12	414.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	16	127.2	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	465	74.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	49	34.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	20	13.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	149	93.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	156	97.5	%	97.5			
	57 Child dental health in primary 1	25	54.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		319.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Alloway and Doonfoot Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	80.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	259	510.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	45.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	79.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		13.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	196	662	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		31.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	221	359.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	20	47.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	76	204.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	60	143.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	112	518.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,148	4,765.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	193	3,390.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	57.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	66	1,026.7	sr	710.4			
	23 Prevalence of diabetes	277	2.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	676	10.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	58	288.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		4.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	1.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	697	26.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	227.9	mean	179.7			
	35 Primary school attendance	n/a	96.8	%	95.2			
	36 Secondary school attendance	n/a	92.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	230	3.7	%	15.1			
	39 Working age population employment deprived	130	4.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	25	0.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	220	18.4	%	46.6			
	42 People claiming pension credits (aged 60+)	60	2.5	%	11.0			
	43 Crime rate	99	16.1	cr2	49.5			
Crime	44 Prisoner population		35.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		55.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,043	16.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	1,528	24.9	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	953	83.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	50	49.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	106	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	116	99.1	%	97.5			
	57 Child dental health in primary 1	43	86.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		203.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Colyton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	87.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	71	460.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		53.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	111.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	148	1,214	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		51.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	92	424.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	19	108.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	50	345.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	204.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	102	904.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	838	7,528.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	102	5,449.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	21	211.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	30	1,456.6	sr	710.4			
	23 Prevalence of diabetes	167	3.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	457	12.5	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	19	186.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	120	4.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	497	31.0	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	191.8	mean	179.7			
	35 Primary school attendance	n/a	95.7	%	95.2			
	36 Secondary school attendance	n/a	92.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	320	9.1	%	15.1			
	39 Working age population employment deprived	175	8.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	2.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	275	33.5	%	46.6			
	42 People claiming pension credits (aged 60+)	50	5.7	%	11.0			
Crime	43 Crime rate	98	27.8	cr2	49.5			
	44 Prisoner population		207.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		46.5	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,199	62.5	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	341	75.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	13	16.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	99	95.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	103	99.0	%	97.5			
	57 Child dental health in primary 1	21	77.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		299.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Castlehill and Kincaidston Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	83.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	120	646.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		55.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	152.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		13.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	206	1,339	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	140.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	115	400.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	41	226.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	58	332.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	132.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	134	911.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,091	7,393.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	100	4,258.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	80.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	35	1,461.7	sr	710.4			
	23 Prevalence of diabetes	191	3.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	531	11.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	46	319.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	235	6.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	715	35.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	166.7	mean	179.7			
	35 Primary school attendance	n/a	95.0	%	95.2			
	36 Secondary school attendance	n/a	88.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	770	16.4	%	15.1			
	39 Working age population employment deprived	375	12.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	165	5.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	600	55.6	%	46.6			
	42 People claiming pension credits (aged 60+)	95	9.3	%	11.0			
Crime	43 Crime rate	144	30.6	cr2	49.5			
	44 Prisoner population		199.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	110.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	514	75.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	49	32.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	22	77.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	27	18.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	126	94.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	133	99.3	%	97.5			
	57 Child dental health in primary 1	28	63.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		318.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Belmont Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	213	577.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	46.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	138.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		22.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	253	1,142	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	85.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	181	376.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	44	147.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	96	318.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	53	174.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	145	725.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,308	6,170.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	194	4,551.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	14	75.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	58	1,064.2	sr	710.4			
	23 Prevalence of diabetes	265	3.3	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	638	10.9	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	38	166.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		2.8	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	170	3.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	845	33.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	202.6	mean	179.7			
	35 Primary school attendance	n/a	95.3	%	95.2			
	36 Secondary school attendance	n/a	91.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	650	11.7	%	15.1			
	39 Working age population employment deprived	270	8.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	435	36.9	%	46.6			
	42 People claiming pension credits (aged 60+)	150	8.5	%	11.0			
Crime	43 Crime rate	182	32.7	cr2	49.5			
	44 Prisoner population		151.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	76.5	sr	95.2			
	47 Population within 500 metres of derelict site	29	0.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	725	79.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	24	19.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	38	31.1	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	155	91.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	169	100.0	%	97.5			
	57 Child dental health in primary 1	33	82.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		176.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Holmston and Forehill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	86.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	142	463.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		37.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	99.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		7.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	223	1,147	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		33.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	137	328.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	47	185.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	101	422.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	32	115.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	133	776.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,135	6,225.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	154	4,122.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		58.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	50	1,168.6	sr	710.4			
	23 Prevalence of diabetes	244	3.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	593	11.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	48	277.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	160	3.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	746	33.3	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	193.7	mean	179.7			
	35 Primary school attendance	n/a	95.5	%	95.2			
	36 Secondary school attendance	n/a	91.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	520	10.2	%	15.1			
	39 Working age population employment deprived	230	7.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	90	3.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	455	41.3	%	46.6			
	42 People claiming pension credits (aged 60+)	125	8.6	%	11.0			
Crime	43 Crime rate	146	28.7	cr2	49.5			
	44 Prisoner population		126.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		69.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	649	80.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	31	22.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	38.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	21.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	154	95.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	158	97.5	%	97.5			
	57 Child dental health in primary 1	25	64.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		232.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Ayr South Harbour and Town Centre Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	366	752.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	74.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	76.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		33.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	360	1,819	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	37	302.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	222	454.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	48	186.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	104	394.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	59	183.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	152	813.4	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,637	7,858.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	262	5,392.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	50.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	105	1,493.6	sr	710.4			
	23 Prevalence of diabetes	288	3.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	642	10.9	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	123	698.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		27.3	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	290	6.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,406	45.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	183.1	mean	179.7			
	35 Primary school attendance	n/a	95.2	%	95.2			
	36 Secondary school attendance	n/a	89.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	830	16.3	%	15.1			
	39 Working age population employment deprived	480	16.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	195	6.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	270	35.0	%	46.6			
	42 People claiming pension credits (aged 60+)	185	10.4	%	11.0			
Crime	43 Crime rate	685	134.2	cr2	49.5			
	44 Prisoner population	17	578.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	24	180.3	sr	95.2			
	47 Population within 500 metres of derelict site	2,598	50.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	539	72.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	17	13.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	37.1	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	106	92.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	108	93.9	%	97.5			
	57 Child dental health in primary 1	24	77.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	684.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Dalmilling and Craigie Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.2	yr	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.3	yr	79.5			
	3 Deaths all ages <sup>2</sup>	265	961.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	22	115.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	165.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	389	2,070	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	25	189.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	147	365.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	72	254.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	115	487.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	50	203.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	215	1,165.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,705	8,978.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	232	6,495.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	23	133.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	51	1,176.9	sr	710.4			
	23 Prevalence of diabetes	342	4.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	676	11.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	68	370.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		19.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	385	8.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,075	42.5	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	118.9	mean	179.7			
	35 Primary school attendance	n/a	93.2	%	95.2			
	36 Secondary school attendance	n/a	85.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,450	25.9	%	15.1			
	39 Working age population employment deprived	640	19.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	275	8.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	870	66.7	%	46.6			
	42 People claiming pension credits (aged 60+)	260	17.5	%	11.0			
Crime	43 Crime rate	330	58.9	cr2	49.5			
	44 Prisoner population	21	649.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	23	154.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,845	51.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	496	69.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	62	35.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	17	50.4	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	13.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	146	93.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	155	99.4	%	97.5			
	57 Child dental health in primary 1	20	44.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	519.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Ayr North Harbour, Wallacetown and Newton South Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.1	yr	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.1	yr	79.5			
	3 Deaths all ages <sup>2</sup>	171	849.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	103.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	34	209.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		18.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	454	3,058	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	57	423.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	127	408.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	61	316.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	70	361.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	203.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	201	1,428.2	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,515	10,212.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	151	6,000.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	17	137.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	36	1,212.5	sr	710.4			
	23 Prevalence of diabetes	250	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	571	11.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	146	1,031.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	465	12.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,477	51.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	121.1	mean	179.7			
	35 Primary school attendance	n/a	92.3	%	95.2			
	36 Secondary school attendance	n/a	83.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,405	30.8	%	15.1			
	39 Working age population employment deprived	750	25.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	325	11.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	635	69.6	%	46.6			
	42 People claiming pension credits (aged 60+)	190	17.4	%	11.0			
Crime	43 Crime rate	620	135.9	cr2	49.5			
	44 Prisoner population	23	754.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	53	403.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,786	84.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	365	66.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	84	42.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	24	102.1	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	17.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	126	94.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	131	98.5	%	97.5			
	57 Child dental health in primary 1	15	50.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		334.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Lochside, Braehead and Whitletts Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	136	889.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		70.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	179.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		53.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	315	2,598	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	33	313.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	114	445.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	71	480.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	77	554.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	244.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	186	1,503.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,334	10,863.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	111	5,546.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	137.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	1,126.4	sr	710.4			
	23 Prevalence of diabetes	210	4.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	500	11.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	60	520.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		27.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	355	11.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	867	43.9	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	126.4	mean	179.7			
	35 Primary school attendance	n/a	92.4	%	95.2			
	36 Secondary school attendance	n/a	83.6	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,380	34.9	%	15.1			
	39 Working age population employment deprived	585	24.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	275	11.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	840	80.5	%	46.6			
	42 People claiming pension credits (aged 60+)	140	16.6	%	11.0			
Crime	43 Crime rate	440	111.4	cr2	49.5			
	44 Prisoner population	22	901.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	37	340.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,880	100.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	316	65.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	73	41.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	17	59.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	19	11.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	159	91.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	167	96.0	%	97.5			
	57 Child dental health in primary 1	15	36.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		374.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Newton North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	181	819.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		46.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	156.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	206	1,321	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		65.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	129	398.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	35	170.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	66	342.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	178.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	128	928.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	988	6,612.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	139	5,195.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	84.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	46	1,647.9	sr	710.4			
	23 Prevalence of diabetes	238	4.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	496	11.2	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	43	274.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		2.3	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	200	5.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	890	42.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	175.2	mean	179.7			
	35 Primary school attendance	n/a	95.6	%	95.2			
	36 Secondary school attendance	n/a	90.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	550	12.9	%	15.1			
	39 Working age population employment deprived	290	11.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	80	3.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	330	39.2	%	46.6			
	42 People claiming pension credits (aged 60+)	125	11.1	%	11.0			
Crime	43 Crime rate	121	28.3	cr2	49.5			
	44 Prisoner population		38.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	11	95.1	sr	95.2			
	47 Population within 500 metres of derelict site	2,191	51.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	475	77.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	28	23.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	47.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	20.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	112	97.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	114	99.1	%	97.5			
	57 Child dental health in primary 1	31	91.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		231.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Heathfield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	103	525.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		72.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	10	79.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		18.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	142	989	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	113.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	98	384.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	22	137.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	52	329.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	171.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	99	730.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	842	6,141.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	85	4,004.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		31.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	29	1,065.8	sr	710.4			
	23 Prevalence of diabetes	148	3.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	452	10.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	46	336.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	155	4.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	754	40.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	185.4	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	91.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	565	13.6	%	15.1			
	39 Working age population employment deprived	240	9.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	475	46.9	%	46.6			
	42 People claiming pension credits (aged 60+)	115	13.2	%	11.0			
Crime	43 Crime rate	131	31.5	cr2	49.5			
	44 Prisoner population		90.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	11	95.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,124	76.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	331	76.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	27	19.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	36	28.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	151	96.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	156	99.4	%	97.5			
	57 Child dental health in primary 1	31	72.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		176.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Prestwick East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	186	619.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	53.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	27	128.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	190	1,051	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		86.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	172	431.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	34	99.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	58	239.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	51	184.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	118	792.2	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	999	5,852.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	153	4,209.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	87.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	36	966.8	sr	710.4			
	23 Prevalence of diabetes	212	3.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	499	10.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	156.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		3.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	135	3.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	758	35.7	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	206.8	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	92.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	465	10.0	%	15.1			
	39 Working age population employment deprived	215	7.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	2.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	345	37.6	%	46.6			
	42 People claiming pension credits (aged 60+)	95	6.9	%	11.0			
Crime	43 Crime rate	121	26.0	cr2	49.5			
	44 Prisoner population		203.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		81.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,325	28.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	564	82.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	17	16.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	22.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	98	88.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	109	98.2	%	97.5			
	57 Child dental health in primary 1	19	73.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		185.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Prestwick West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	140	555.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		55.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	118.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	132	892	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		13.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	123	371.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	12	48.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	58	284.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	32	127.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	54	367.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	761	5,462.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	108	3,472.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		61.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	44	1,224.7	sr	710.4			
	23 Prevalence of diabetes	143	2.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	385	10.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	26	172.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	70	2.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	600	35.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	221.5	mean	179.7			
	35 Primary school attendance	n/a	96.8	%	95.2			
	36 Secondary school attendance	n/a	93.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	240	6.7	%	15.1			
	39 Working age population employment deprived	115	5.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	50	2.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	160	23.7	%	46.6			
	42 People claiming pension credits (aged 60+)	70	6.2	%	11.0			
Crime	43 Crime rate	127	35.4	cr2	49.5			
	44 Prisoner population		57.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		109.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	457	80.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	44.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	90	97.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	91	98.9	%	97.5			
	57 Child dental health in primary 1	20	83.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		329.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Prestwick Airport and Monkton Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	123	510.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		47.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	90.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		3.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	174	1,067	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		71.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	111	353.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	37	134.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	67	302.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	45	213.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	91	580.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	878	5,578.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	125	3,997.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		31.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	39	1,086.1	sr	710.4			
	23 Prevalence of diabetes	163	2.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	431	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	13	90.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		10.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	4.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	771	38.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	193.4	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
	36 Secondary school attendance	n/a	91.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	445	10.9	%	15.1			
	39 Working age population employment deprived	200	8.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	65	2.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	305	37.1	%	46.6			
	42 People claiming pension credits (aged 60+)	105	8.7	%	11.0			
Crime	43 Crime rate	154	37.7	cr2	49.5			
	44 Prisoner population		110.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	130.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	529	12.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	430	74.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	23	21.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	36	35.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	112	98.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	113	99.1	%	97.5			
	57 Child dental health in primary 1	23	69.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		119.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.


# Annbank, Mossblown and Tarbolton - the Coalfields

## Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	205	798.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	56.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	29	129.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		35.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	301	1,534	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	18	114.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	146	390.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	57	229.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	69	294.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	56	227.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	152	844.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,388	7,317.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	148	4,832.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	22	122.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	21	607.7	sr	710.4			
	23 Prevalence of diabetes	256	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	680	11.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	55	291.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	300	6.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	932	36.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	160.4	mean	179.7			
	35 Primary school attendance	n/a	95.1	%	95.2			
	36 Secondary school attendance	n/a	88.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,000	17.5	%	15.1			
	39 Working age population employment deprived	470	13.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	195	5.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	770	56.7	%	46.6			
	42 People claiming pension credits (aged 60+)	185	12.5	%	11.0			
Crime	43 Crime rate	169	29.5	cr2	49.5			
	44 Prisoner population	10	278.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	17	90.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,487	25.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	1,612	28.1	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	543	74.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	54	32.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	20	62.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	33	18.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	165	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	173	98.3	%	97.5			
	57 Child dental health in primary 1	24	57.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		227.5	sr	377.5			

### Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

### Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Troon Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	289	678.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	41.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	121.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	246	1,075	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	115.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	194	384.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	30	83.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	75	241.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	69	171.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	128	703.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,244	5,783.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	209	3,947.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	57.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	66	995.7	sr	710.4			
	23 Prevalence of diabetes	230	2.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	470	8.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	73	430.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		15.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	145	3.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,076	38.7	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	216.7	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
	36 Secondary school attendance	n/a	92.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	500	9.3	%	15.1			
	39 Working age population employment deprived	245	8.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	120	4.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	245	25.8	%	46.6			
	42 People claiming pension credits (aged 60+)	120	6.3	%	11.0			
Crime	43 Crime rate	210	39.2	cr2	49.5			
	44 Prisoner population		253.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		72.5	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	669	77.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	20	18.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	35	32.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	103	92.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	111	100.0	%	97.5			
	57 Child dental health in primary 1	16	76.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		382.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Muirhead Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	85.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	101	470.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		29.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	123.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	166	897	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		38.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	130	412.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	22	99.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	264.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	130.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	92	547.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	938	5,696.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	83	3,496.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	88.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	856.1	sr	710.4			
	23 Prevalence of diabetes	209	3.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	466	8.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	23	147.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		4.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	125	2.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	640	29.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	200.4	mean	179.7			
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	92.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	450	8.3	%	15.1			
Economy	39 Working age population employment deprived	185	5.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	2.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	470	35.0	%	46.6			
	42 People claiming pension credits (aged 60+)	65	5.1	%	11.0			
	43 Crime rate	146	26.8	cr2	49.5			
	44 Prisoner population		105.9	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	83.6	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	645	77.2	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	26	16.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	30.0	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	33	20.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	137	95.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	143	99.3	%	97.5			
	57 Child dental health in primary 1	24	66.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		262.4	sr	377.5			

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Barassie Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	135	586.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		51.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	159.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		6.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	237	1,649	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	12	125.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	122	402.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	30	141.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	54	247.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	41	186.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	116	878.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,088	7,506.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	138	4,626.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	115.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	50	1,286.7	sr	710.4			
	23 Prevalence of diabetes	176	3.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	349	8.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	385.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		29.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	205	6.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	968	44.7	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	153.8	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
	36 Secondary school attendance	n/a	90.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	700	17.5	%	15.1			
Economy	39 Working age population employment deprived	300	12.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	5.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	410	50.3	%	46.6			
	42 People claiming pension credits (aged 60+)	165	13.8	%	11.0			
	43 Crime rate	118	29.6	cr2	49.5			
	44 Prisoner population		179.1	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		47.5	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	456	77.3	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	40	32.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	15	87.7	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	20.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	107	94.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	113	100.0	%	97.5			
	57 Child dental health in primary 1	12	54.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		476.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Dundonald, Loans and Symington Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	176	658.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	20	98.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	22	96.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		13.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	234	1,174	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		52.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	136	377.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	32	120.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	73	302.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	101.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	158	892.4	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,195	6,700.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	121	3,852.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	21	145.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	26	784.3	sr	710.4			
	23 Prevalence of diabetes	237	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	562	9.9	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	40	215.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		18.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	5.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	708	30.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	192.9	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	91.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	665	12.6	%	15.1			
	39 Working age population employment deprived	315	10.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	495	43.2	%	46.6			
	42 People claiming pension credits (aged 60+)	120	8.0	%	11.0			
Crime	43 Crime rate	172	32.6	cr2	49.5			
	44 Prisoner population		72.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		55.0	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	709	13.4	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	561	73.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	17	11.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	43	29.3	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	149	92.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	158	98.1	%	97.5			
	57 Child dental health in primary 1	39	83.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		364.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	<p>Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.</p> <p>'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.</p> <p>In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.</p>	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Further information

## Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBSP:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

## Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

## Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

### Dataworx:

#### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB