



# Health and Wellbeing Profiles 2010

## Spine Pack: South Glasgow



# Glasgow South Area




1. Carmunnock South	page 4	23. Crookston North	page 26	
2. Glenwood South	5	24. Battlefield	27	
3. Darnley West	6	25. Pollok South and West	28	
4. Darnley East	7	26. Shawlands West	29	
5. Glenwood North	8	27. Toryglen and Oatlands	30	
6. Castlemilk	9	28. Maxwell Park	31	
7. Darnley North	10	29. Strathbungo	32	
8. Carmunnock North	11	30. Govanhill East and Aikenhead	33	
9. Carnwadric West	12	31. Govanhill West	34	45. Kinning Park and Festival Park
10. Muirend and Old Cathcart	13	32. Pollok North and East	35	46. Ibrox East and Cessnock
11. Carnwadric East	14	33. Mosspark	36	47. Ibrox
12. Kingspark South	15	34. Pollokshields East	37	48. Govan and Linthouse
13. Newlands	16	35. Pollokshields West	38	49. Drumoyne and Shieldhall
14. Nitshill	17	36. Cardonald South and East	39	
15. Merrylee and Millbrae	18	37. Cardonald West and Central	40	
16. Cathcart	19	38. Gorbals and Hutchesontown	41	
17. Kingspark North	20	39. Kingston West and Dumbreck	42	
18. Crookston South	21	40. Laurieston and Tradeston	43	
19. Pollokshaws	22	41. Cardonald North	44	
20. Mount Florida	23	42. Craigton	45	
21. Langside	24	43. Hillington	46	
22. Shawlands East	25	44. Penilee	47	

# South Glasgow Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.8	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	77.3	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	7,338	901.3	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	468	78.0	sr	57.2		●	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	1,081	176.5	sr	134.7		●	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	157	25.3	sr	18.7		●	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	2,472	33.7	%	24.1		●	
	8 Smoking prevalence <sup>3</sup>	n/a	32.0	%	25.0	●		
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	11,154	1,629	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	801	73.1	sr	46.4	●		
	11 Patients hospitalised with drug related conditions <sup>2</sup>	1,044	143.2	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a	16.0	%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a	68.0	%	73.0	●		
	14 Patients registered with cancer <sup>1</sup>	5,712	464.2	sr	412.6		●	
	15 Patients hospitalised with COPD <sup>2</sup>	1,975	259.5	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	2,569	368.7	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	1,610	203.1	sr	173.8		●	
	18 Patients hospitalised with asthma <sup>2</sup>	4,105	603.9	sr	472.9		●	
	19 Patients hospitalised as an emergency <sup>2</sup>	53,241	7,473.7	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	6,393	6,593.8	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	475	70.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	484	408.5	sr	710.4		○	
	23 Prevalence of diabetes	10,011	4.3	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	24,469	10.2	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	2,290	319.6	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>	223	19.5	sr	15.1		●	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a	7.1	%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	14,900	8.2	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a	36.6	%	31.7		△	
	30 Households assessed as homeless <sup>3</sup>	7,201	2.6	%	1.8		●	
	31 Children looked after by local authority <sup>3</sup>	3,280	28	cr2	14	●		
	32 Single adult dwellings	50,658	47.2	%	37.8		●	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a	6.5	%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	160.9	mean	179.7		△	
	35 Primary school attendance	n/a	93.4	%	95.2		●	
	36 Secondary school attendance	n/a	89.7	%	91.1		●	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	20.9	%	14.8	△		
	38 Population income deprived	54,665	25.0	%	15.1		●	
	39 Working age population employment deprived	23,570	16.3	%	11.6		●	
Economy	40 Working age population claiming Jobseeker's Allowance	8,745	6.0	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	30,975	62.8	%	46.6		●	
	42 People claiming pension credits (aged 60+)	7,470	18.6	%	11.0		●	
	43 Crime rate	13,975	63.9	cr2	49.5		●	
	44 Prisoner population	517	307.1	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	236	13.0	cr2	8.4	●		
Crime	46 Patients hospitalised after an assault <sup>2</sup>	994	142.4	sr	95.2		●	
	47 Population within 500 metres of derelict site	103,467	46.9	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	36.0	%	52.0		●	
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	15,206	68.7	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	1,490	20.9	%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>	511	43.9	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	265	3.3	%	2.3		●	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	1,953	25.3	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	7,184	91.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	7,547	96.1	%	97.5		●	
	57 Child dental health in primary 1	989	52.0	%	61.8		●	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	484	442.4	sr	377.5		●	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carmunnock South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	142	949.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		63.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	176.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	206	1,909	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	10	103.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	103	467.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	47	344.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	40	351.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	172.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	47	418.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	999	8,320.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	144	7,350.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	109.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	17	659.7	sr	710.4			
	23 Prevalence of diabetes	154	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	429	10.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	40	405.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		31.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	285	10.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	864	48.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	180.1	mean	179.7			
	35 Primary school attendance	n/a	92.5	%	95.2			
	36 Secondary school attendance	n/a	88.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,140	33.9	%	15.1			
	39 Working age population employment deprived	465	23.3	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	145	6.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	585	64.6	%	46.6			
	42 People claiming pension credits (aged 60+)	180	24.1	%	11.0			
	43 Crime rate	234	69.7	cr2	49.5			
	44 Prisoner population		376.3	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	20	207.8	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	249	65.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	16	29.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	17.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	122	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	126	96.9	%	97.5			
	57 Child dental health in primary 1	20	54.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		370.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Glenwood South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	74.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	224	1,147.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	97.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	36	233.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		50.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	383	2,378	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	26	156.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	157	545.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	74	408.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	76	485.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	48	271.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	93	563.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,572	9,147.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	157	6,349.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	63.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	17	624.6	sr	710.4			
	23 Prevalence of diabetes	253	4.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	706	12.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	57	346.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	740	16.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,445	57.4	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	142.9	mean	179.7			
	35 Primary school attendance	n/a	91.7	%	95.2			
	36 Secondary school attendance	n/a	87.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,165	40.3	%	15.1			
	39 Working age population employment deprived	1,030	29.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	355	10.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,010	78.6	%	46.6			
	42 People claiming pension credits (aged 60+)	280	26.8	%	11.0			
Crime	43 Crime rate	337	62.7	cr2	49.5			
	44 Prisoner population	17	451.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	44	265.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	47	0.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	376	62.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	24	40.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	24	65.4	cr2	41.4			
	53 Low weight live births <sup>2</sup>	11	6.3	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	19	10.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	183	87.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	199	95.2	%	97.5			
	57 Child dental health in primary 1	25	43.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	18	669.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Darnley West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.8	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	77.0	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	79	865.8	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		38.9	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>		120.5	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.4	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	106	1,033	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		27.7	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	62	516.9	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	26	268.3	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	31	327.8	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	284.2	sr	173.8		●	
	18 Patients hospitalised with asthma <sup>2</sup>	55	425.7	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	768	6,519.8	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	60	6,579.9	sr	4,607.6		●	
	21 Road traffic accident casualties <sup>2</sup>		30.1	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		197.6	sr	710.4			○
	23 Prevalence of diabetes	162	4.5	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	507	10.4	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	22	213.0	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		20.1	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	145	4.0	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	553	31.9	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	198.4	mean	179.7			△
	35 Primary school attendance	n/a	94.1	%	95.2		○	
	36 Secondary school attendance	n/a	92.7	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	745	18.1	%	15.1		●	
	39 Working age population employment deprived	230	8.4	%	11.6		○	
Economy	40 Working age population claiming Jobseeker's Allowance	120	3.7	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	790	54.7	%	46.6		●	
	42 People claiming pension credits (aged 60+)	45	10.1	%	11.0		○	
	43 Crime rate	121	29.4	cr2	49.5		○	
	44 Prisoner population		258.2	sr	205.5		○	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		41.4	sr	95.2		○	
	47 Population within 500 metres of derelict site	2,591	53.5	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	183	70.9	%	75.3		○	
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	23	12.2	%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	55	19.2	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	223	94.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	235	99.6	%	97.5		○	
	57 Child dental health in primary 1	35	64.8	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	321.0	sr	377.5		○	

**Notes:**

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

**Key:**

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Darnley East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.3	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	75.0	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	128	867.5	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	121.4	sr	57.2		●	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	184.2	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.0	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	213	1,705	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	10	79.6	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	82	388.3	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	37	269.6	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	34	277.1	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	33	253.5	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	84	611.7	sr	472.9		●	
	19 Patients hospitalised as an emergency <sup>2</sup>	956	7,107.2	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	77	4,993.0	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>	13	104.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	15	771.3	sr	710.4		○	
	23 Prevalence of diabetes	178	4.2	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	532	10.4	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	49	365.3	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		25.5	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	305	8.8	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	949	46.0	%	37.8		●	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	173.0	mean	179.7		△	
	35 Primary school attendance	n/a	93.4	%	95.2		○	
	36 Secondary school attendance	n/a	89.1	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,240	27.7	%	15.1		●	
	39 Working age population employment deprived	525	18.2	%	11.6		●	
Economy	40 Working age population claiming Jobseeker's Allowance	205	7.2	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	910	71.8	%	46.6		●	
	42 People claiming pension credits (aged 60+)	125	17.8	%	11.0		●	
	43 Crime rate	214	47.7	cr2	49.5		○	
	44 Prisoner population		268.9	sr	205.5		○	
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	32	248.3	sr	95.2		●	
	47 Population within 500 metres of derelict site	2,730	61.3	%	30.0		●	
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	310	68.4	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	68	35.2	%	22.6		●	
	52 Teenage pregnancies <sup>2</sup>	21	60.2	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	10	5.3	%	2.3		●	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	16.8	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	201	93.9	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	197	92.1	%	97.5		○	
	57 Child dental health in primary 1	15	51.7	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		306.0	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Glenwood North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.0	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	72.9	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	148	1,479.2	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	16	173.8	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	21	229.2	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		81.1	sr	18.7	●		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	316	2,841	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	41	299.7	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	72	447.3	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	45	443.1	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	491.4	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	255.9	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	83	690.5	sr	472.9		●	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,186	10,056.5	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	93	8,757.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	18	134.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		399.4	sr	710.4			○
	23 Prevalence of diabetes	164	4.8	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	587	12.9	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	430.2	sr	303.0		●	
	26 Deaths from suicide <sup>1</sup>		9.0	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	460	13.8	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	975	53.9	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	129.2	mean	179.7		△	
	35 Primary school attendance	n/a	91.6	%	95.2	●		
Economy	36 Secondary school attendance	n/a	88.9	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,715	39.8	%	15.1	●		
	39 Working age population employment deprived	755	26.4	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	290	10.0	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,020	77.7	%	46.6	●		
Crime	42 People claiming pension credits (aged 60+)	115	20.9	%	11.0	●		
	43 Crime rate	400	92.7	cr2	49.5		●	
	44 Prisoner population	21	630.3	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	46	291.5	sr	95.2	●		
	47 Population within 500 metres of derelict site	1,278	29.7	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	243	58.0	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	31	45.6	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	11	39.7	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	27	14.9	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	183	92.0	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	194	97.5	%	97.5		○	
	57 Child dental health in primary 1	32	52.5	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	405.6	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Castlemilk Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.9	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	77.0	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	188	935.4	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	81.2	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	29	178.0	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.9	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	305	1,937	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	30	224.1	sr	85.1		●	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	146	443.2	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	65	288.1	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	88	507.3	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	53	280.3	sr	173.8		●	
	18 Patients hospitalised with asthma <sup>2</sup>	74	429.7	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	1,397	8,332.1	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	185	7,035.0	sr	4,607.6	●	●	
	21 Road traffic accident casualties <sup>2</sup>	12	74.2	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	662.6	sr	710.4			○
	23 Prevalence of diabetes	258	4.4	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	588	11.0	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	34	202.2	sr	303.0			○
	26 Deaths from suicide <sup>1</sup>		24.2	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	435	10.9	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,188	50.1	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	167.8	mean	179.7		△	
	35 Primary school attendance	n/a	93.5	%	95.2		○	
	36 Secondary school attendance	n/a	89.8	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,440	29.5	%	15.1		●	
	39 Working age population employment deprived	660	21.5	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	260	8.5	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	810	73.4	%	46.6		●	
	42 People claiming pension credits (aged 60+)	255	24.6	%	11.0	●		
Crime	43 Crime rate	299	61.2	cr2	49.5		●	
	44 Prisoner population		279.3	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	38	267.2	sr	95.2		●	
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	492	71.2	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	19	34.5	%	22.6		●	
	52 Teenage pregnancies <sup>2</sup>	10	37.0	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	12	9.2	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	116	89.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	128	98.5	%	97.5		○	
	57 Child dental health in primary 1	28	59.6	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		208.6	sr	377.5			○

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Darnley North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	73.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	138	1,339.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		23.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	11	162.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		62.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	134	1,546	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		63.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	47	343.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	27	321.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	32	413.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	17	154.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	55	630.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	672	7,213.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	79	7,311.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		91.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		291.7	sr	710.4			
	23 Prevalence of diabetes	142	5.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	335	10.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	38	393.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		5.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	165	6.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	533	44.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	179.7	mean	179.7			
	35 Primary school attendance	n/a	94.4	%	95.2			
	36 Secondary school attendance	n/a	90.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	750	24.1	%	15.1			
	39 Working age population employment deprived	255	12.4	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	95	4.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	565	66.5	%	46.6			
	42 People claiming pension credits (aged 60+)	100	21.0	%	11.0			
	43 Crime rate	177	56.8	cr2	49.5			
	44 Prisoner population		385.9	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		62.2	sr	95.2			
	47 Population within 500 metres of derelict site	959	30.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	143	63.8	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	31	24.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	23	19.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	126	94.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	131	97.8	%	97.5			
	57 Child dental health in primary 1	16	57.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		501.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carmunnock North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.2	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	82.8	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	73	670.0	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		32.6	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	144.3	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		16.4	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		○	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	75	724	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1		△	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	69	401.4	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>		47.2	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	26	234.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	19	176.2	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	17	203.4	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	468	4,867.3	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	46	3,767.6	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>		53.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		456.2	sr	710.4		○	
Mental Health	23 Prevalence of diabetes	121	3.5	sr2	3.5		○	
	24 Patients prescribed drugs for anxiety/depression/psychosis	289	9.5	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>		74.7	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		7.1	sr	15.1		○	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	90	3.8	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		○	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		○	
Education	32 Single adult dwellings	349	30.2	%	37.8		○	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	192.1	mean	179.7		△	
Economy	35 Primary school attendance	n/a	96.4	%	95.2		○	
	36 Secondary school attendance	n/a	95.2	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		○	
	38 Population income deprived	150	5.2	%	15.1		○	
	39 Working age population employment deprived	135	7.0	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	40	2.2	%	4.4		○	
Crime	41 Dependence on out of work benefits or child tax credit	165	26.4	%	46.6		○	
	42 People claiming pension credits (aged 60+)	30	4.7	%	11.0		○	
	43 Crime rate	107	37.0	cr2	49.5		○	
	44 Prisoner population		100.0	sr	205.5		○	
Environment	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault <sup>2</sup>		88.0	sr	95.2		○	
	47 Population within 500 metres of derelict site	451	16.1	%	30.0		○	
Women's & Children's Health	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		○	
	50 Breast screening uptake <sup>2</sup>	394	81.4	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	34.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	65	94.2	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	68	98.6	%	97.5		○	
	57 Child dental health in primary 1	12	63.2	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		426.3	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carnwadric West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	164	1,120.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	16	118.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	35	255.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		38.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	295	1,998	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	42	264.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	102	442.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	54	381.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	56	405.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	42	285.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	97	652.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,259	8,447.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	120	7,047.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	73.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		267.1	sr	710.4			
Mental Health	23 Prevalence of diabetes	251	5.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	524	10.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	72	440.8	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		31.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	425	10.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,229	55.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	178.6	mean	179.7			
	35 Primary school attendance	n/a	93.2	%	95.2			
Economy	36 Secondary school attendance	n/a	90.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,730	34.5	%	15.1			
	39 Working age population employment deprived	730	22.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	290	8.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	960	75.4	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	175	22.1	%	11.0			
	43 Crime rate	382	76.1	cr2	49.5			
	44 Prisoner population	17	440.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	46	273.3	sr	95.2			
	47 Population within 500 metres of derelict site	3,616	72.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	311	60.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	71	38.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	22	80.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	11.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	201	91.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	216	98.2	%	97.5			
	57 Child dental health in primary 1	31	56.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	504.9	sr	377.5			

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Muirend and Old Cathcart Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.2	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	82.5	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	155	656.3	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	75.5	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	22	147.1	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		16.5	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		○	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	154	827	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions <sup>2</sup>		36.4	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	160	467.5	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	25	109.1	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	75	373.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	46	207.4	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	41	251.2	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	927	4,838.4	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	158	5,206.8	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>	13	75.5	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	25	451.1	sr	710.4		○	
Mental Health	23 Prevalence of diabetes	191	3.0	sr2	3.5		○	
	24 Patients prescribed drugs for anxiety/depression/psychosis	449	8.8	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	197.5	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		12.6	sr	15.1		○	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	145	3.5	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		○	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		○	
Education	32 Single adult dwellings	890	39.6	%	37.8		○	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	235.9	mean	179.7		△	
	35 Primary school attendance	n/a	95.7	%	95.2		○	
Economy	36 Secondary school attendance	n/a	94.4	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		○	
	38 Population income deprived	440	9.0	%	15.1		○	
	39 Working age population employment deprived	215	6.8	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	105	3.2	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	325	30.9	%	46.6		○	
Crime	42 People claiming pension credits (aged 60+)	75	6.8	%	11.0		○	
	43 Crime rate	106	21.6	cr2	49.5		○	
	44 Prisoner population		26.9	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
Environment	46 Patients hospitalised after an assault <sup>2</sup>		51.5	sr	95.2		○	
	47 Population within 500 metres of derelict site	728	14.7	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		○	
	50 Breast screening uptake <sup>2</sup>	448	79.3	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	67	44.4	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	137	92.6	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	144	97.3	%	97.5		○	
	57 Child dental health in primary 1	27	71.1	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		191.5	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Carnwadric East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	106	729.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		86.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	161.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		24.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	145	1,305	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		93.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	97	410.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	195.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	40	307.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	219.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	57	525.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	803	6,941.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	113	6,219.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		30.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	11	494.4	sr	710.4			
	23 Prevalence of diabetes	176	4.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	341	10.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	24	210.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	220	7.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	702	48.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	159.7	mean	179.7			
	35 Primary school attendance	n/a	94.0	%	95.2			
	36 Secondary school attendance	n/a	91.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	790	23.7	%	15.1			
	39 Working age population employment deprived	300	14.5	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	120	5.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	465	60.5	%	46.6			
	42 People claiming pension credits (aged 60+)	135	17.9	%	11.0			
	43 Crime rate	108	32.4	cr2	49.5			
	44 Prisoner population		159.3	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		57.4	sr	95.2			
	47 Population within 500 metres of derelict site	3,277	97.7	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	301	70.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	28	26.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	22.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	87	93.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	93	100.0	%	97.5			
	57 Child dental health in primary 1	16	55.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		466.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Kingspark South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	75	600.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		46.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	21	188.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	111	926	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		27.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	89	455.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	11	94.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	28	249.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	200.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	60	477.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	762	6,213.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	65	4,408.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		71.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		379.5	sr	710.4			
	23 Prevalence of diabetes	147	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	433	9.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	12	90.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	145	4.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	682	38.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	168.9	mean	179.7			
	35 Primary school attendance	n/a	94.4	%	95.2			
	36 Secondary school attendance	n/a	90.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	680	16.8	%	15.1			
	39 Working age population employment deprived	265	9.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	4.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	680	66.5	%	46.6			
	42 People claiming pension credits (aged 60+)	45	7.1	%	11.0			
Crime	43 Crime rate	218	53.8	cr2	49.5			
	44 Prisoner population		66.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	18	143.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	313	7.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	356	74.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	19	22.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	55.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	15.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	150	95.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	156	99.4	%	97.5			
	57 Child dental health in primary 1	21	46.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		409.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a = data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Newlands Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	149	745.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		38.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	92.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		29.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	209	1,146	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		42.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	143	459.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	32	150.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	258.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	54	254.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	68	402.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,080	6,016.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	132	5,328.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	95.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	15	596.2	sr	710.4			
	23 Prevalence of diabetes	279	4.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	549	9.2	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	40	239.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		30.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	230	5.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	793	35.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	209.2	mean	179.7			
	35 Primary school attendance	n/a	95.5	%	95.2			
	36 Secondary school attendance	n/a	93.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	840	15.4	%	15.1			
	39 Working age population employment deprived	355	10.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	130	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	470	35.0	%	46.6			
	42 People claiming pension credits (aged 60+)	110	10.0	%	11.0			
Crime	43 Crime rate	165	30.2	cr2	49.5			
	44 Prisoner population		288.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	106.9	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,309	23.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	568	77.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	18	11.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	68	40.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	199	95.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	205	98.6	%	97.5			
	57 Child dental health in primary 1	29	63.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	524.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Nitshill Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	73.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	188	1,060.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	105.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	45	267.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		4.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	386	2,454	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	35	230.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	150	546.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	71	386.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	82	529.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	43	250.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	197	1,207.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,675	10,038.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	172	8,238.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	20	119.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		234.4	sr	710.4			
	23 Prevalence of diabetes	315	5.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	667	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	61	369.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		22.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	590	13.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,259	50.7	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	122.3	mean	179.7			
	35 Primary school attendance	n/a	92.0	%	95.2			
	36 Secondary school attendance	n/a	86.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,150	39.3	%	15.1			
	39 Working age population employment deprived	910	26.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	345	10.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,230	82.6	%	46.6			
	42 People claiming pension credits (aged 60+)	215	21.2	%	11.0			
Crime	43 Crime rate	463	84.6	cr2	49.5			
	44 Prisoner population	28	791.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	36	206.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,565	64.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	288	59.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	96	42.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	28	76.1	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	9.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	200	91.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	213	97.3	%	97.5			
	57 Child dental health in primary 1	31	40.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	17	546.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Merrylee and Millbrae Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.8	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	79.5	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	112	638.1	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		20.6	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	10	89.7	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		○	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	114	923	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions <sup>2</sup>		82.9	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	85	374.0	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	13	100.6	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	37	293.8	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	17	119.1	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	46	447.3	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	704	5,626.3	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	97	4,801.7	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>		72.0	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	512.9	sr	710.4		○	
	23 Prevalence of diabetes	146	3.5	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	339	9.2	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	23	207.9	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1		△	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	120	4.2	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		○	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		○	
	32 Single adult dwellings	528	36.4	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	191.3	mean	179.7		△	
	35 Primary school attendance	n/a	96.5	%	95.2		○	
Economy	36 Secondary school attendance	n/a	94.6	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		○	
	38 Population income deprived	370	10.8	%	15.1		○	
	39 Working age population employment deprived	180	8.2	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	50	2.3	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	220	30.5	%	46.6		○	
Crime	42 People claiming pension credits (aged 60+)	75	10.2	%	11.0		○	
	43 Crime rate	93	27.2	cr2	49.5		○	
	44 Prisoner population		110.9	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
Environment	46 Patients hospitalised after an assault <sup>2</sup>		51.8	sr	95.2		○	
	47 Population within 500 metres of derelict site	1,170	34.4	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		○	
	50 Breast screening uptake <sup>2</sup>	368	78.8	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	49	45.0	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	116	92.1	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	125	99.2	%	97.5		○	
	57 Child dental health in primary 1	24	72.7	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		357.1	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cathcart Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	126	755.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		67.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	169.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		8.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	180	1,315	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		58.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	136	500.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	167.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	49	352.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	24	147.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	47	335.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	898	6,169.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	116	5,542.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	75.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	447.1	sr	710.4			
	23 Prevalence of diabetes	177	3.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	428	9.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	33	222.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		2.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	245	6.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,556	54.4	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	220.2	mean	179.7			
	35 Primary school attendance	n/a	95.6	%	95.2			
	36 Secondary school attendance	n/a	93.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	690	15.7	%	15.1			
	39 Working age population employment deprived	390	12.4	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	155	4.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	290	42.9	%	46.6			
	42 People claiming pension credits (aged 60+)	125	16.1	%	11.0			
	43 Crime rate	128	29.2	cr2	49.5			
	44 Prisoner population		48.9	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	11	92.9	sr	95.2			
	47 Population within 500 metres of derelict site	4,206	94.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	373	77.1	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	18	13.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	32.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	96	94.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	99	97.1	%	97.5			
	57 Child dental health in primary 1	18	62.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		192.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Kingspark North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	105	770.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		43.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	192.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	121	899	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		66.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	115	532.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>		59.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	39	279.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	205.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	46	335.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	814	5,995.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	72	4,584.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	19	140.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	829.1	sr	710.4			
	23 Prevalence of diabetes	165	3.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	449	9.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	11	80.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		25.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	4.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	623	35.5	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	187.1	mean	179.7			
	35 Primary school attendance	n/a	95.4	%	95.2			
Economy	36 Secondary school attendance	n/a	93.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	535	12.0	%	15.1			
	39 Working age population employment deprived	245	8.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	120	4.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	565	50.8	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	50	6.9	%	11.0			
	43 Crime rate	142	31.9	cr2	49.5			
	44 Prisoner population		160.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	14	103.8	sr	95.2			
	47 Population within 500 metres of derelict site	1,202	27.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	417	76.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	13	13.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	48	30.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	138	92.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	149	99.3	%	97.5			
	57 Child dental health in primary 1	30	61.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		377.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Crookston South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.6	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	77.3	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	132	942.4	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		71.0	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	192.2	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		15.0	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1	●		
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0	●		
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	225	1,986	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4	●		
	11 Patients hospitalised with drug related conditions <sup>2</sup>	27	300.6	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0	●		
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0	●		
	14 Patients registered with cancer <sup>1</sup>	122	539.2	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	49	325.9	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	38	340.6	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	34	245.0	sr	173.8	○		
	18 Patients hospitalised with asthma <sup>2</sup>	105	845.5	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,050	8,724.8	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	108	5,983.8	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	11	93.3	sr	79.4	○		
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		263.9	sr	710.4	○		
	23 Prevalence of diabetes	202	4.9	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	441	11.0	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	35	312.9	sr	303.0	○		
	26 Deaths from suicide <sup>1</sup>		32.6	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3	●		
	28 Adults claiming incapacity benefit/severe disability allowance	355	11.4	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7	●		
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8	●		
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14	●		
	32 Single adult dwellings	720	49.5	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	●		
	34 Average tariff score of all pupils on the S4 roll	n/a	140.5	mean	179.7	△		
	35 Primary school attendance	n/a	91.8	%	95.2	●		
	36 Secondary school attendance	n/a	85.7	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8	●		
	38 Population income deprived	1,295	32.5	%	15.1	●		
	39 Working age population employment deprived	540	22.5	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	210	8.8	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	845	76.5	%	46.6	●		
	42 People claiming pension credits (aged 60+)	165	20.3	%	11.0	●		
Crime	43 Crime rate	231	57.9	cr2	49.5	●		
	44 Prisoner population	21	853.6	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4	●		
	46 Patients hospitalised after an assault <sup>2</sup>	26	229.1	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	1,570	39.7	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	○		
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0	○		
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	203	61.3	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	50	42.4	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4	○		
	53 Low weight live births <sup>2</sup>			%	2.3	○		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	133	90.5	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	146	99.3	%	97.5	○		
	57 Child dental health in primary 1	15	35.7	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0	○		
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		393.9	sr	377.5	○		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Pollokshaws Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	69.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	235	1,052.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	21	115.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	147.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	337	1,829	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	33	163.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	162	444.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	56	255.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	61	305.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	47	193.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	75	424.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,347	7,148.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	219	7,479.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	19	111.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	31	842.2	sr	710.4			
Mental Health	23 Prevalence of diabetes	230	3.8	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	518	10.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	102	536.1	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>	10	30.1	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	415	8.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,717	55.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	149.6	mean	179.7			
	35 Primary school attendance	n/a	93.7	%	95.2			
Economy	36 Secondary school attendance	n/a	89.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,605	28.7	%	15.1			
	39 Working age population employment deprived	725	19.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	230	6.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	565	62.6	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	275	23.2	%	11.0			
	43 Crime rate	369	66.0	cr2	49.5			
	44 Prisoner population	16	333.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	24	132.7	sr	95.2			
	47 Population within 500 metres of derelict site	5,416	99.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	311	64.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	21.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	76.1	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	51	30.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	156	89.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	166	95.4	%	97.5			
	57 Child dental health in primary 1	21	63.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	441.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Mount Florida Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	111	785.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		41.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	230.6	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		47.1	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	184	1,451	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	131.5	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	101	453.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	170.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	30	230.0	sr	347.0			○
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	195.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	33	257.8	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	784	6,012.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	94	5,544.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	95.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	17	864.5	sr	710.4			
	23 Prevalence of diabetes	191	4.4	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	439	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	39	288.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		17.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	200	5.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,124	49.4	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	192.4	mean	179.7			△
	35 Primary school attendance	n/a	95.1	%	95.2			
	36 Secondary school attendance	n/a	91.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	730	18.0	%	15.1		●	
	39 Working age population employment deprived	320	11.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	125	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	330	50.8	%	46.6		●	
	42 People claiming pension credits (aged 60+)	135	17.8	%	11.0	●		
Crime	43 Crime rate	246	60.7	cr2	49.5		●	
	44 Prisoner population		154.2	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		53.9	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	2,127	53.1	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	315	73.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	12.7	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			●
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	38	35.5	%	26.4			○
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	93	89.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	100	96.2	%	97.5			
	57 Child dental health in primary 1	12	42.9	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		328.2	sr	377.5			○

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Langside Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	118	888.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		34.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	219.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		61.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	116	991	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		79.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	75	374.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	16	142.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	24	236.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	18	121.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	32	294.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	649	5,636.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	70	4,136.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		67.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	10	526.1	sr	710.4			
	23 Prevalence of diabetes	120	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	373	9.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	30	271.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		2.8	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	130	3.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,083	47.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	196.5	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
Economy	36 Secondary school attendance	n/a	94.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	410	11.2	%	15.1			
	39 Working age population employment deprived	215	7.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	100	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	165	34.3	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	60	10.3	%	11.0			
	43 Crime rate	134	36.5	cr2	49.5			
	44 Prisoner population		81.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>		34.1	sr	95.2			
	47 Population within 500 metres of derelict site	2,353	62.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	237	69.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	15	9.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	75	58.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	72	88.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	79	97.5	%	97.5			
	57 Child dental health in primary 1	14	70.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		224.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Shawlands East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.8	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	80.3	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	63	699.2	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		89.7	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	182.2	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.2	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		○	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	109	1,288	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions <sup>2</sup>		76.8	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	68	482.1	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>		96.6	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	26	317.3	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	13	154.6	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	41	399.2	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	525	6,086.1	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	39	3,656.1	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>		79.3	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		360.7	sr	710.4		○	
	23 Prevalence of diabetes	108	4.1	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	327	10.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	30	315.7	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		2.6	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	170	6.0	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		○	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		○	
	32 Single adult dwellings	1,052	53.4	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5	●		
	34 Average tariff score of all pupils on the S4 roll	n/a	180.9	mean	179.7		△	
	35 Primary school attendance	n/a	93.7	%	95.2		○	
	36 Secondary school attendance	n/a	93.1	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		○	
	38 Population income deprived	480	15.6	%	15.1		○	
	39 Working age population employment deprived	260	11.0	%	11.6		○	
Economy	40 Working age population claiming Jobseeker's Allowance	120	4.8	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	255	64.4	%	46.6		○	
	42 People claiming pension credits (aged 60+)	55	13.3	%	11.0		○	
	43 Crime rate	129	42.0	cr2	49.5		○	
	44 Prisoner population		67.8	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
Environment	46 Patients hospitalised after an assault <sup>2</sup>		62.7	sr	95.2		○	
	47 Population within 500 metres of derelict site	1,250	39.4	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		○	
	50 Breast screening uptake <sup>2</sup>	191	70.5	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>	17	17.9	%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	37.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	65	83.3	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	73	93.6	%	97.5		○	
	57 Child dental health in primary 1			%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		779.1	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Crookston North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	133	983.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	174.5	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	223.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		11.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	163	1,594	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		110.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	101	416.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	48	351.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	385.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	200.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	71	775.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	859	8,045.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	147	7,578.6	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		24.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		106.9	sr	710.4			○
	23 Prevalence of diabetes	172	4.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	362	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	28	336.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1			△
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	225	9.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	614	45.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	171.3	mean	179.7			△
	35 Primary school attendance	n/a	93.2	%	95.2			
	36 Secondary school attendance	n/a	89.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	795	26.5	%	15.1			
	39 Working age population employment deprived	330	19.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	6.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	510	77.3	%	46.6			
	42 People claiming pension credits (aged 60+)	155	20.3	%	11.0			
Crime	43 Crime rate	180	59.9	cr2	49.5			
	44 Prisoner population		229.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		97.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	129	4.5	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	245	69.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	25	33.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>			%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	84	92.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	90	98.9	%	97.5			
	57 Child dental health in primary 1	11	50.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		368.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Battlefield Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.3	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	75.9	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	150	882.5	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	88.8	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	133.7	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.6	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	190	1,294	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		33.3	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	106	424.8	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	25	169.7	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	60	455.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	232.8	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	78	568.5	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,100	7,174.8	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	146	7,098.1	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		54.3	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	673.4	sr	710.4			○
	23 Prevalence of diabetes	222	4.7	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	508	9.3	%	9.7			○
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	57	315.6	sr	303.0			○
	26 Deaths from suicide <sup>1</sup>		32.9	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	5.8	%	5.6			○
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,390	49.7	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	173.7	mean	179.7		△	
	35 Primary school attendance	n/a	93.9	%	95.2		○	
	36 Secondary school attendance	n/a	91.1	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	960	19.4	%	15.1		●	
	39 Working age population employment deprived	360	10.0	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	180	5.0	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	505	60.1	%	46.6		●	
	42 People claiming pension credits (aged 60+)	160	20.5	%	11.0	●		
Crime	43 Crime rate	339	68.7	cr2	49.5		●	
	44 Prisoner population		166.4	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	93.2	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	2,108	42.0	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	286	71.1	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>	23	12.2	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			○
	53 Low weight live births <sup>2</sup>	10	4.7	%	2.3		●	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	84	47.7	%	26.4			○
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	136	89.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	145	95.4	%	97.5		○	
	57 Child dental health in primary 1	16	48.5	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		364.8	sr	377.5			○

**Notes:**

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

**Key:**

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Pollok South and West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	106	605.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		40.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	159.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	186	993	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		19.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	132	498.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	37	207.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	321.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	21	109.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	104	541.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,180	6,243.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	102	5,295.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		27.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		137.5	sr	710.4			
	23 Prevalence of diabetes	187	3.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	735	9.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	49	254.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		17.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	285	5.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	858	31.3	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	197.5	mean	179.7			
	35 Primary school attendance	n/a	95.3	%	95.2			
	36 Secondary school attendance	n/a	91.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	810	12.5	%	15.1			
	39 Working age population employment deprived	425	9.9	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	150	3.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	825	48.6	%	46.6			
	42 People claiming pension credits (aged 60+)	105	11.2	%	11.0			
	43 Crime rate	185	28.5	cr2	49.5			
	44 Prisoner population		102.5	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	63.9	sr	95.2			
	47 Population within 500 metres of derelict site	1,090	16.5	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	339	75.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	12.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	15	48.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	71	23.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	301	94.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	310	96.9	%	97.5			
	57 Child dental health in primary 1	55	68.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	352.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Shawlands West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.8	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	79.7	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	96	886.6	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		61.3	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	191.2	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7		△	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	129	1,213	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		17.8	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	76	422.1	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	19	181.9	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	24	256.7	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	23	193.9	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	32	242.7	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	634	5,834.7	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	86	6,657.9	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>		38.9	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	590.9	sr	710.4		○	
	23 Prevalence of diabetes	117	3.5	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	313	9.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	30	225.7	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		35.6	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	110	3.0	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,129	50.8	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	127.3	mean	179.7		△	
	35 Primary school attendance	n/a	92.1	%	95.2		○	
	36 Secondary school attendance	n/a	91.3	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	570	14.7	%	15.1		○	
	39 Working age population employment deprived	210	6.8	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	110	3.4	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	230	52.8	%	46.6		○	
	42 People claiming pension credits (aged 60+)	80	15.5	%	11.0		○	
Crime	43 Crime rate	263	67.6	cr2	49.5		○	
	44 Prisoner population		239.2	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		41.8	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	1,442	35.9	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	205	70.7	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>	21	16.0	%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	37	40.2	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	65	89.0	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	67	91.8	%	97.5		○	
	57 Child dental health in primary 1			%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		425.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Toryglen and Oatlands Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	69.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	218	830.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	97.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	152.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		23.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	445	2,427	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	41	245.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	215	547.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	78	299.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	93	447.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	51	199.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	106	612.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,769	8,953.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	204	6,011.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	59.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	35	835.8	sr	710.4			
	23 Prevalence of diabetes	328	4.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	639	10.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	67	378.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		25.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	620	12.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,673	56.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	138.9	mean	179.7			
	35 Primary school attendance	n/a	92.9	%	95.2			
	36 Secondary school attendance	n/a	88.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,140	38.4	%	15.1			
	39 Working age population employment deprived	885	26.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	305	8.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,005	78.0	%	46.6			
	42 People claiming pension credits (aged 60+)	345	25.9	%	11.0			
Crime	43 Crime rate	349	62.6	cr2	49.5			
	44 Prisoner population	18	481.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	44	269.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	5,419	92.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	419	61.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	36	38.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	27	75.0	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	12.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	185	87.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	197	93.4	%	97.5			
	57 Child dental health in primary 1	23	41.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	407.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Maxwell Park Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	145	548.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		17.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	67.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	157	768	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		10.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	135	391.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	98.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	60	274.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	235.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	80	421.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,083	5,475.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	156	5,558.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		51.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	637.1	sr	710.4			
	23 Prevalence of diabetes	332	4.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	564	8.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	34	171.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	115	2.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	716	31.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	198.1	mean	179.7			
	35 Primary school attendance	n/a	94.2	%	95.2			
	36 Secondary school attendance	n/a	94.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	690	12.1	%	15.1			
	39 Working age population employment deprived	175	4.8	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	80	2.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	525	38.7	%	46.6			
	42 People claiming pension credits (aged 60+)	85	7.2	%	11.0			
	43 Crime rate	331	57.8	cr2	49.5			
	44 Prisoner population		73.0	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		34.4	sr	95.2			
	47 Population within 500 metres of derelict site	800	13.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	553	73.4	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	10	4.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	86	38.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	221	94.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	230	98.3	%	97.5			
	57 Child dental health in primary 1	30	66.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	19	627.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Strathbungo Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	112	754.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	101.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	140.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	208	1,293	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	31	121.4	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	75	319.7	sr	412.6			○
	15 Patients hospitalised with COPD <sup>2</sup>	19	162.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	48	358.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	25	151.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	50	336.6	sr	472.9			○
	19 Patients hospitalised as an emergency <sup>2</sup>	1,008	6,312.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	86	5,982.4	sr	4,607.6		●	
	21 Road traffic accident casualties <sup>2</sup>	14	72.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		517.7	sr	710.4			
	23 Prevalence of diabetes	191	4.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	567	8.7	%	9.7			○
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	60	358.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	235	4.8	%	5.6			○
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,301	42.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	169.7	mean	179.7			△
	35 Primary school attendance	n/a	90.7	%	95.2	●		
	36 Secondary school attendance	n/a	89.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	905	16.0	%	15.1			
	39 Working age population employment deprived	445	10.4	%	11.6			○
	40 Working age population claiming Jobseeker's Allowance	225	5.1	%	4.4			○
	41 Dependence on out of work benefits or child tax credit	495	48.0	%	46.6			
	42 People claiming pension credits (aged 60+)	75	11.4	%	11.0			
Crime	43 Crime rate	535	94.6	cr2	49.5			○
	44 Prisoner population	15	321.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	21	83.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,797	47.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	275	66.4	%	75.3			○
	51 Mothers smoking during pregnancy <sup>2</sup>	29	11.9	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	51.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>	11	4.1	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	95	47.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	188	87.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	188	87.9	%	97.5			
	57 Child dental health in primary 1	22	62.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	479.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Govanhill East and Aikenhead Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.3	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	78.2	yrs	79.5	○		
	3 Deaths all ages <sup>2</sup>	158	1,028.8	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	107.2	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	210.9	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		58.6	sr	18.7	●		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	293	2,177	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	30	221.7	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	120	486.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	57	425.0	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	437.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	34	225.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	80	584.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,198	8,669.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	132	7,120.9	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		84.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	920.0	sr	710.4			
	23 Prevalence of diabetes	207	4.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	438	8.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	64	474.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		12.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	460	12.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,173	54.3	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	155.0	mean	179.7			△
	35 Primary school attendance	n/a	92.1	%	95.2	●		
	36 Secondary school attendance	n/a	88.9	%	91.1			○
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,520	36.4	%	15.1	●		
	39 Working age population employment deprived	700	24.9	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	165	5.7	%	4.4			●
	41 Dependence on out of work benefits or child tax credit	710	79.6	%	46.6	●		
	42 People claiming pension credits (aged 60+)	170	21.8	%	11.0	●		
Crime	43 Crime rate	273	65.4	cr2	49.5			●
	44 Prisoner population	11	325.8	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	30	230.2	sr	95.2			●
Environment	47 Population within 500 metres of derelict site	2,704	62.7	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	302	67.3	%	75.3			●
	51 Mothers smoking during pregnancy <sup>2</sup>	12	9.8	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			○
	53 Low weight live births <sup>2</sup>	10	6.5	%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	41	27.0	%	26.4			○
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	148	91.9	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	151	93.8	%	97.5			○
	57 Child dental health in primary 1			%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		322.5	sr	377.5			○

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Govanhill West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.4	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	79.3	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	126	828.5	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		42.3	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	189.4	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		38.0	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	273	1,715	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	27	116.7	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	91	380.4	sr	412.6			○
	15 Patients hospitalised with COPD <sup>2</sup>	44	323.9	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	400.1	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	33	225.0	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	88	553.3	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,267	7,589.7	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	91	5,379.5	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>	11	59.7	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		347.9	sr	710.4			○
Mental Health	23 Prevalence of diabetes	273	5.4	sr2	3.5		●	
	24 Patients prescribed drugs for anxiety/depression/psychosis	635	8.6	%	9.7			○
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	66	385.3	sr	303.0		○	
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		33.9	sr	15.1		○	
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	405	8.5	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,290	45.0	%	37.8		●	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	139.2	mean	179.7		△	
	35 Primary school attendance	n/a	91.6	%	95.2	●		
Economy	36 Secondary school attendance	n/a	86.8	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,755	30.1	%	15.1		●	
	39 Working age population employment deprived	670	16.7	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	235	5.6	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	1,140	78.8	%	46.6	●		
Crime	42 People claiming pension credits (aged 60+)	90	12.8	%	11.0		○	
	43 Crime rate	485	83.1	cr2	49.5		●	
	44 Prisoner population	22	393.8	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	32	175.3	sr	95.2		●	
	47 Population within 500 metres of derelict site	3,984	65.0	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	266	64.1	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	24	10.4	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>	12	57.7	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	16	5.6	%	2.3	●		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	85	34.0	%	26.4			○
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	245	88.8	%	92.1		●	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	251	90.9	%	97.5		●	
	57 Child dental health in primary 1	16	34.8	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	20	504.6	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Pollok North and East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.2	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	71.4	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	159	1,093.8	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	116.9	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	168.2	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		22.4	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	266	2,081	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	24	171.7	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	115	521.9	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	75	532.3	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	67	494.4	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	34	208.1	sr	173.8	○		
	18 Patients hospitalised with asthma <sup>2</sup>	138	971.9	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,322	9,707.9	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	157	8,925.5	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		55.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		102.4	sr	710.4	○		
	23 Prevalence of diabetes	188	4.3	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	534	10.6	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	56	412.0	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		30.8	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	365	10.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	870	46.2	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	126.6	mean	179.7	△		
	35 Primary school attendance	n/a	91.8	%	95.2	●		
	36 Secondary school attendance	n/a	86.8	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,485	33.2	%	15.1	●		
	39 Working age population employment deprived	555	20.2	%	11.6	●		
Economy	40 Working age population claiming Jobseeker's Allowance	280	10.3	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	1,015	76.3	%	46.6	●		
	42 People claiming pension credits (aged 60+)	195	25.9	%	11.0	●		
	43 Crime rate	298	66.7	cr2	49.5	●		
	44 Prisoner population	18	655.7	sr	205.5	●		
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	16	114.2	sr	95.2	○		
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			○
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	253	58.8	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	71	35.7	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	18	52.2	cr2	41.4	○		
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	21	10.8	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	178	91.8	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	189	97.4	%	97.5	○		
	57 Child dental health in primary 1	24	46.2	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	22	808.9	sr	377.5	●		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Mossspark Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	229	877.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	60.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	105.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		25.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	236	1,251	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	15	88.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	201	431.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	70	294.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	80	384.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	43	174.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	117	658.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,467	7,338.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	246	8,143.8	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		33.7	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	10	217.1	sr	710.4			○
	23 Prevalence of diabetes	274	4.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	586	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	48	252.6	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	330	7.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,029	44.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.0	mean	179.7			△
	35 Primary school attendance	n/a	94.7	%	95.2			
	36 Secondary school attendance	n/a	90.2	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,115	20.1	%	15.1			
	39 Working age population employment deprived	465	13.7	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	160	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	630	52.2	%	46.6			
	42 People claiming pension credits (aged 60+)	255	19.7	%	11.0			
	43 Crime rate	179	32.3	cr2	49.5			○
	44 Prisoner population		145.1	sr	205.5			○
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	72.9	sr	95.2			○
	47 Population within 500 metres of derelict site	3,751	65.9	%	30.0			○
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	402	71.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	22.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	20	58.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	38	22.0	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	146	94.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	153	98.7	%	97.5			
	57 Child dental health in primary 1	17	54.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	614.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Pollokshields East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	97	937.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		101.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>		100.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		7.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	127	1,225	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		48.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	43	285.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	255.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	39	453.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	15	173.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	86	755.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	853	7,298.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	76	7,712.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		32.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		342.4	sr	710.4			
	23 Prevalence of diabetes	292	9.3	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	410	7.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	236.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	200	5.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	644	33.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.2	mean	179.7			
	35 Primary school attendance	n/a	92.6	%	95.2			
	36 Secondary school attendance	n/a	90.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,420	33.1	%	15.1			
	39 Working age population employment deprived	320	11.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	3.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,035	85.1	%	46.6			
	42 People claiming pension credits (aged 60+)	60	13.4	%	11.0			
Crime	43 Crime rate	255	59.4	cr2	49.5			
	44 Prisoner population	14	428.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		52.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,345	97.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	151	49.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	18	6.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	15	5.2	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	108	44.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	208	89.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	218	93.6	%	97.5			
	57 Child dental health in primary 1	28	50.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	381.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Pollokshields West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.2	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	76.3	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	91	555.7	sr	707.8		○	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		49.4	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>		62.3	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		16.7	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1		○	
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	137	1,016	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4		○	
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	107.8	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	83	390.0	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	15	120.3	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	36	329.5	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	207.6	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	78	606.4	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	864	6,409.8	sr	6,378.9		○	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	72	4,698.2	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>	10	76.3	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		307.2	sr	710.4		○	
	23 Prevalence of diabetes	264	6.3	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	428	8.0	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	40	284.7	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		9.8	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	225	6.5	%	5.6		○	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8		○	
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14		○	
	32 Single adult dwellings	668	35.6	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	137.6	mean	179.7		△	
	35 Primary school attendance	n/a	93.1	%	95.2		○	
	36 Secondary school attendance	n/a	88.0	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8		○	
	38 Population income deprived	1,190	26.6	%	15.1		○	
	39 Working age population employment deprived	340	12.0	%	11.6		○	
	40 Working age population claiming Jobseeker's Allowance	125	4.3	%	4.4		○	
	41 Dependence on out of work benefits or child tax credit	825	68.1	%	46.6		○	
	42 People claiming pension credits (aged 60+)	35	4.9	%	11.0		○	
Crime	43 Crime rate	271	60.5	cr2	49.5		○	
	44 Prisoner population		229.5	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4		○	
	46 Patients hospitalised after an assault <sup>2</sup>	19	123.6	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	3,049	67.5	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0		○	
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	328	71.3	%	75.3		○	
	51 Mothers smoking during pregnancy <sup>2</sup>	18	9.0	%	22.6		○	
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	78	44.3	%	26.4		○	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	191	89.7	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	202	94.8	%	97.5		○	
	57 Child dental health in primary 1	18	37.5	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		255.9	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cardonald South and East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	158	910.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		11.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	188.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		62.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	198	1,829	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	165.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	109	496.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	22	163.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	38	325.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	280.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	99	878.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	964	8,170.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	144	7,123.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		59.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		39.7	sr	710.4			
	23 Prevalence of diabetes	165	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	416	11.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	33	300.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	215	8.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	903	51.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	153.6	mean	179.7			
	35 Primary school attendance	n/a	93.3	%	95.2			
	36 Secondary school attendance	n/a	88.5	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	925	27.0	%	15.1			
	39 Working age population employment deprived	385	18.0	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	160	7.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	505	63.7	%	46.6			
	42 People claiming pension credits (aged 60+)	140	19.2	%	11.0			
	43 Crime rate	359	104.7	cr2	49.5			
	44 Prisoner population	15	517.0	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	18	179.3	sr	95.2			
	47 Population within 500 metres of derelict site	44	1.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	247	72.9	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	43	29.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	10.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	132	92.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	136	95.1	%	97.5			
	57 Child dental health in primary 1	16	48.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	585.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cardonald West and Central Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	193	686.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		28.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	23	115.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		11.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	255	1,345	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	10	78.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	178	436.4	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	43	156.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	76	335.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	45	153.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	103	571.2	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,282	6,548.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	235	6,921.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	68.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		130.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	253	3.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	595	10.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	55	279.3	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		14.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	245	5.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,049	43.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	194.7	mean	179.7			
	35 Primary school attendance	n/a	95.2	%	95.2			
Economy	36 Secondary school attendance	n/a	92.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	760	14.3	%	15.1			
	39 Working age population employment deprived	375	11.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	3.6	%	4.4			
	41 Dependence on out of work benefits or child tax credit	545	51.0	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	230	16.3	%	11.0			
	43 Crime rate	252	47.4	cr2	49.5			
	44 Prisoner population		281.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>		68.6	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	540	77.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	22	15.9	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	29	20.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	143	94.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	148	98.0	%	97.5			
	57 Child dental health in primary 1	21	50.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		344.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Gorbals and Hutchesontown Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	64.5	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	77.2	yrs	79.5	○		
	3 Deaths all ages <sup>2</sup>	241	1,062.6	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	25	128.9	sr	57.2	●		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	37	205.1	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.0	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	470	2,423	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	65	296.5	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	175	517.8	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	91	415.9	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	73	366.1	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	210.4	sr	173.8	○		
	18 Patients hospitalised with asthma <sup>2</sup>	99	549.2	sr	472.9	○		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,718	8,557.6	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	206	7,352.6	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	16	80.2	sr	79.4	○		
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	19	552.1	sr	710.4	○		
	23 Prevalence of diabetes	276	4.1	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	683	9.7	%	9.7	○		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	100	477.0	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		22.7	sr	15.1	○		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	700	12.6	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	2,224	57.9	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	104.4	mean	179.7	△		
	35 Primary school attendance	n/a	92.2	%	95.2	●		
	36 Secondary school attendance	n/a	86.6	%	91.1	●		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	2,280	36.8	%	15.1	●		
	39 Working age population employment deprived	1,045	24.9	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	305	6.8	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	915	69.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	315	26.1	%	11.0	●		
Crime	43 Crime rate	429	69.2	cr2	49.5	●		
	44 Prisoner population	18	339.5	sr	205.5	○		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	54	251.1	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,261	49.9	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	○		
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	368	66.1	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	12	19.4	%	22.6	○		
	52 Teenage pregnancies <sup>2</sup>	16	53.5	cr2	41.4	○		
	53 Low weight live births <sup>2</sup>			%	2.3	○		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	55	25.7	%	26.4	○		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	182	92.4	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	188	95.4	%	97.5	○		
	57 Child dental health in primary 1	16	35.6	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	473.5	sr	377.5	○		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Kingston West and Dumbreck Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.8	yrs	74.5		○	
	2 Life expectancy - females <sup>1</sup>	n/a	80.9	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	147	868.6	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	82.5	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	208.8	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.5	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	201	1,511	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	126.7	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer <sup>1</sup>	124	455.5	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	33	211.2	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	47	317.1	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	25	147.8	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	65	542.0	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	945	6,994.7	sr	6,378.9	●	●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	127	5,805.9	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		59.0	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		238.7	sr	710.4		○	○
	23 Prevalence of diabetes	187	4.1	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	408	9.8	%	9.7		○	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	52	433.0	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>		13.5	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	250	7.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,009	50.5	%	37.8	●		
33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5				
Education	34 Average tariff score of all pupils on the S4 roll	n/a	165.7	mean	179.7		△	
	35 Primary school attendance	n/a	94.0	%	95.2		○	
	36 Secondary school attendance	n/a	90.3	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	855	22.6	%	15.1	●		
	39 Working age population employment deprived	395	16.3	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	145	5.9	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	385	54.6	%	46.6	●		
	42 People claiming pension credits (aged 60+)	150	17.3	%	11.0	●		
Crime	43 Crime rate	258	68.3	cr2	49.5		○	
	44 Prisoner population		106.5	sr	205.5		○	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	108.7	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	2,418	63.2	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	257	67.8	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	19	14.2	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	42	36.8	%	26.4			○
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	102	90.3	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	108	95.6	%	97.5		○	
	57 Child dental health in primary 1	11	50.0	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		225.3	sr	377.5		○	

**Notes:**

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

**Key:**

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Laurieston and Tradeston Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.6	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	72.1	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	131	1,137.4	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		63.7	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	331.4	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		45.8	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	357	2,956	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	97	574.3	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	105	553.1	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	36	333.3	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	53	513.4	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	31	267.9	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	69	710.8	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,134	9,560.6	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	109	8,505.5	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>	20	141.9	sr	79.4	○		
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	18	1,142.1	sr	710.4	○		
	23 Prevalence of diabetes	127	4.0	sr2	3.5	○		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	514	9.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	89	617.5	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>	12	52.1	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	385	10.9	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,067	40.1	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	100.7	mean	179.7	△		
	35 Primary school attendance	n/a	92.7	%	95.2	○		
	36 Secondary school attendance	n/a	86.4	%	91.1	○		
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,180	29.1	%	15.1	●		
	39 Working age population employment deprived	765	24.5	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	260	8.4	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	385	61.0	%	46.6	●		
	42 People claiming pension credits (aged 60+)	125	23.3	%	11.0	●		
Crime	43 Crime rate	759	186.9	cr2	49.5	●		
	44 Prisoner population	25	534.5	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	52	320.4	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,429	86.3	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2	○		
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	182	57.6	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	22	26.5	%	22.6	○		
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	31	34.4	%	26.4	○		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	96	88.1	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	96	88.1	%	97.5	○		
	57 Child dental health in primary 1	13	48.1	%	61.8	○		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		140.3	sr	377.5	○		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cardonald North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	151	903.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	117.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	25	194.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	212	1,674	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	17	165.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	138	502.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	42	222.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	52	373.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	34	188.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	117	905.2	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,148	8,671.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	164	7,723.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	102.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		185.8	sr	710.4			
	23 Prevalence of diabetes	173	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	485	11.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	25	212.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		2.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	305	9.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	973	50.3	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	149.1	mean	179.7			
	35 Primary school attendance	n/a	92.4	%	95.2			
	36 Secondary school attendance	n/a	89.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,145	28.9	%	15.1			
	39 Working age population employment deprived	475	20.0	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	160	6.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	680	71.2	%	46.6			
	42 People claiming pension credits (aged 60+)	225	25.7	%	11.0			
	43 Crime rate	181	45.6	cr2	49.5			
	44 Prisoner population		430.3	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	143.7	sr	95.2			
	47 Population within 500 metres of derelict site	108	2.8	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	365	73.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	43	31.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	40.7	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	19.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	128	92.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	135	97.1	%	97.5			
	57 Child dental health in primary 1	15	40.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	678.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Craigton Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.8	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	75.4	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	210	980.3	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	85.7	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	143.1	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.3	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	253	1,770	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	20	192.9	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	166	453.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	59	321.0	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	85	519.7	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	42	190.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	108	865.5	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,273	8,814.0	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	206	6,942.6	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		29.7	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		277.6	sr	710.4			○
	23 Prevalence of diabetes	231	4.7	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	445	11.6	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	51	392.4	sr	303.0			○
	26 Deaths from suicide <sup>1</sup>		6.3	sr	15.1			○
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	315	10.0	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,029	45.5	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	152.6	mean	179.7			△
	35 Primary school attendance	n/a	94.1	%	95.2			○
	36 Secondary school attendance	n/a	87.8	%	91.1			○
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,005	25.4	%	15.1	●		
	39 Working age population employment deprived	440	19.3	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	115	5.3	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	400	60.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	300	27.8	%	11.0	●		
Crime	43 Crime rate	206	52.1	cr2	49.5			○
	44 Prisoner population		292.6	sr	205.5			○
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	23	230.0	sr	95.2	●		
	47 Population within 500 metres of derelict site	1,667	46.1	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	302	68.0	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	25	24.3	%	22.6	○		
	52 Teenage pregnancies <sup>2</sup>	13	52.8	cr2	41.4			○
	53 Low weight live births <sup>2</sup>			%	2.3			○
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	11	12.0	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	73	88.0	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	80	96.4	%	97.5			○
	57 Child dental health in primary 1	10	38.5	%	61.8	●		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	1,023.5	sr	377.5	●		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Hillington Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	83.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	99	779.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	114.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>		86.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		14.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	171	1,593	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	15	140.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer <sup>1</sup>	93	403.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	35	281.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	42	319.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	14	105.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	99	931.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	892	7,786.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	112	6,578.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		59.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		89.0	sr	710.4			
	23 Prevalence of diabetes	142	4.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	411	10.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	29	214.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		22.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	135	4.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	765	45.6	%	37.8			
33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5				
Education	34 Average tariff score of all pupils on the S4 roll	n/a	158.4	mean	179.7			
	35 Primary school attendance	n/a	93.4	%	95.2			
	36 Secondary school attendance	n/a	88.3	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	635	18.2	%	15.1			
	39 Working age population employment deprived	225	10.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	90	4.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	490	61.2	%	46.6			
	42 People claiming pension credits (aged 60+)	130	19.6	%	11.0			
Crime	43 Crime rate	117	33.6	cr2	49.5			
	44 Prisoner population		144.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	120.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,445	41.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	314	77.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	26	20.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	16.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	110	90.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	119	98.3	%	97.5			
	57 Child dental health in primary 1	23	63.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	642.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Penilee Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	233	968.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	19	116.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	28	163.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		16.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	311	1,820	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	23	152.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	165	479.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	50	227.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	86	441.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	234.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	183	1,048.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,498	8,003.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	182	5,935.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	64.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		168.0	sr	710.4			
	23 Prevalence of diabetes	268	4.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	647	10.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	68	386.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		17.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	410	9.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,113	47.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	128.3	mean	179.7			
	35 Primary school attendance	n/a	93.4	%	95.2			
	36 Secondary school attendance	n/a	87.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,625	29.0	%	15.1			
	39 Working age population employment deprived	645	19.6	%	11.6			
Economy	40 Working age population claiming Jobseeker's Allowance	240	7.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	940	61.8	%	46.6			
	42 People claiming pension credits (aged 60+)	275	22.7	%	11.0			
	43 Crime rate	345	61.6	cr2	49.5			
	44 Prisoner population	14	419.4	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	31	201.5	sr	95.2			
	47 Population within 500 metres of derelict site	1,641	29.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	389	64.3	%	75.3			
Women's & Children's Health	51 Mothers smoking during pregnancy <sup>2</sup>	68	37.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	36.7	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	16.2	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	152	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	160	98.8	%	97.5			
	57 Child dental health in primary 1	23	44.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		298.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Kinning Park and Festival Park Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	178	1,147.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		68.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	16	188.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		63.1	sr	18.7	●		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	182	1,634	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	90.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	69	395.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	36	286.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	36	333.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	21	171.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	80	746.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	924	7,816.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	126	8,120.5	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		78.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		83.7	sr	710.4			○
Mental Health	23 Prevalence of diabetes	194	5.7	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	488	11.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	25	231.9	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		14.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	195	5.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	908	45.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.8	mean	179.7			△
	35 Primary school attendance	n/a	93.0	%	95.2			
Economy	36 Secondary school attendance	n/a	87.6	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	795	20.8	%	15.1			
	39 Working age population employment deprived	300	10.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	125	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	385	65.0	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	130	21.5	%	11.0			
	43 Crime rate	220	57.7	cr2	49.5			
	44 Prisoner population	11	352.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>		64.1	sr	95.2			
	47 Population within 500 metres of derelict site	3,359	88.6	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	165	60.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	15	9.9	%	22.6			○
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	27.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	90	91.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	95	96.9	%	97.5			
	57 Child dental health in primary 1	14	58.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		537.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Ibrox East and Cessnock Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	72.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	153	1,415.7	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		132.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	224.2	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		127.2	sr	18.7	●		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	219	2,407	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	30	232.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	78	591.9	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	29	374.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	39	483.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	23	271.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	78	851.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	928	9,416.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	115	11,166.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		104.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		313.4	sr	710.4			
Mental Health	23 Prevalence of diabetes	125	4.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	415	11.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	41	433.3	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		37.4	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	280	9.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	909	43.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	133.6	mean	179.7			
Economy	35 Primary school attendance	n/a	92.6	%	95.2			
	36 Secondary school attendance	n/a	84.0	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,005	28.8	%	15.1			
	39 Working age population employment deprived	530	20.7	%	11.6			
Crime	40 Working age population claiming Jobseeker's Allowance	205	8.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	415	60.4	%	46.6			
	42 People claiming pension credits (aged 60+)	90	20.3	%	11.0			
	43 Crime rate	423	121.3	cr2	49.5			
	44 Prisoner population	14	454.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	20	158.3	sr	95.2			
	47 Population within 500 metres of derelict site	3,466	101.3	%	30.0	△		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	115	53.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	48	29.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	99.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>	11	6.6	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	25.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	104	89.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	108	93.1	%	97.5			
	57 Child dental health in primary 1	12	42.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		284.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Ibrox Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	63.9	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	72.0	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	122	1,304.3	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		113.4	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	245.7	sr	134.7	○		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		12.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	194	2,545	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	38	391.4	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	77	565.1	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	31	365.4	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	30	424.6	sr	347.0	○		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	20	190.4	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	68	893.1	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	800	9,672.7	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	87	8,036.9	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		18.8	sr	79.4			○
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	0	0.0	sr	710.4			△
	23 Prevalence of diabetes	117	4.6	sr2	3.5		●	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	328	11.8	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	35	401.8	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		24.8	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	315	13.5	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	817	60.1	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	137.6	mean	179.7			△
	35 Primary school attendance	n/a	91.9	%	95.2	●		
Economy	36 Secondary school attendance	n/a	85.7	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,070	38.3	%	15.1	●		
	39 Working age population employment deprived	495	26.4	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	165	8.6	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	440	63.4	%	46.6	●		
	42 People claiming pension credits (aged 60+)	120	27.1	%	11.0	●		
Crime	43 Crime rate	310	110.9	cr2	49.5		●	
	44 Prisoner population	12	591.4	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	133.3	sr	95.2		○	
Environment	47 Population within 500 metres of derelict site	2,813	99.5	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	120	53.6	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	32	31.7	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	13	75.6	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	11	13.8	%	26.4		●	
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	84	87.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	92	95.8	%	97.5		○	
	57 Child dental health in primary 1	17	63.0	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		524.6	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Govan and Linthouse Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	66.7	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	71.9	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	249	1,392.9	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	96.2	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	44	296.9	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		24.7	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	457	2,753	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	73	408.3	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
Ill Health & Injury	14 Patients registered with cancer <sup>1</sup>	168	578.1	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	82	481.2	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	73	447.1	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	33	187.4	sr	173.8	○		
	18 Patients hospitalised with asthma <sup>2</sup>	174	1,070.3	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	1,835	10,836.1	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	190	9,126.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		59.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		78.9	sr	710.4	○		
	23 Prevalence of diabetes	246	4.5	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	782	12.8	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	122	707.3	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>	19	64.1	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	625	13.7	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	2,026	62.9	%	37.8	●		
33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5				
Education	34 Average tariff score of all pupils on the S4 roll	n/a	106.2	mean	179.7	△		
	35 Primary school attendance	n/a	91.5	%	95.2	●		
	36 Secondary school attendance	n/a	85.0	%	91.1	●		
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	2,165	40.3	%	15.1	●		
	39 Working age population employment deprived	1,095	30.0	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	460	12.2	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	860	73.9	%	46.6	●		
	42 People claiming pension credits (aged 60+)	245	26.1	%	11.0	●		
Crime	43 Crime rate	831	154.6	cr2	49.5	●		
	44 Prisoner population	29	634.5	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	52	284.6	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	5,193	95.1	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	309	58.3	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	72	30.9	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	17	61.8	cr2	41.4	○		
	53 Low weight live births <sup>2</sup>			%	2.3	○		
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	36	17.1	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	196	89.5	%	92.1	○		
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	206	94.1	%	97.5	●		
	57 Child dental health in primary 1	20	58.8	%	61.8	○		
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	464.6	sr	377.5	○		

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Drumoyne and Shieldhall Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	65.3	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	76.0	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	294	1,220.2	sr	707.8	●		
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	18	94.0	sr	57.2	○		
	5 Early deaths from cancer (< 75s) <sup>2</sup>	56	307.6	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		19.2	sr	18.7	○		
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	442	2,314	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	44	260.7	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	231	589.5	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	101	434.0	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	96	437.7	sr	347.0	●		
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	65	263.9	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	202	1,081.0	sr	472.9	●		
	19 Patients hospitalised as an emergency <sup>2</sup>	2,001	9,852.5	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	273	8,922.7	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		50.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		129.4	sr	710.4			○
	23 Prevalence of diabetes	330	5.1	sr2	3.5	●		
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	878	12.8	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	85	447.3	sr	303.0	●		
	26 Deaths from suicide <sup>1</sup>	12	41.6	sr	15.1	●		
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	545	11.3	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,697	52.3	%	37.8	●		
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	150.5	mean	179.7			△
	35 Primary school attendance	n/a	93.8	%	95.2			○
	36 Secondary school attendance	n/a	87.8	%	91.1			●
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,775	30.0	%	15.1	●		
	39 Working age population employment deprived	815	22.2	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	235	6.3	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	960	74.1	%	46.6	●		
	42 People claiming pension credits (aged 60+)	360	28.8	%	11.0	●		
Crime	43 Crime rate	539	91.1	cr2	49.5			●
	44 Prisoner population	16	434.6	sr	205.5			●
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	21	136.2	sr	95.2			○
Environment	47 Population within 500 metres of derelict site	2,847	48.1	%	30.0			●
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	432	70.1	%	75.3			●
	51 Mothers smoking during pregnancy <sup>2</sup>	62	28.8	%	22.6			●
	52 Teenage pregnancies <sup>2</sup>	13	47.4	cr2	41.4			○
	53 Low weight live births <sup>2</sup>			%	2.3			●
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	13.8	%	26.4			●
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	234	94.4	%	92.1			○
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	243	98.0	%	97.5			○
	57 Child dental health in primary 1	28	44.4	%	61.8			●
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	466.9	sr	377.5			○

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.  'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.  In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



## Further information

### Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBS:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

### Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

### Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

#### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

#### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

#### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

#### Dataworx:

##### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB