



# Health and Wellbeing Profiles 2010

## Spine Pack: West Dunbartonshire



# West Dunbartonshire CHCP



	page
1. IZ One	4
2. IZ Two	5
3. IZ Three	6
4. IZ Four	7
5. IZ Five	8
6. IZ Six	9
7. IZ Seven	10
8. IZ Eight	11
9. IZ Nine	12
10. IZ Ten	13
11. IZ Eleven	14
12. IZ Twelve	15
13. IZ Thirteen	16
14. IZ Fourteen	17
15. IZ Fifteen	18
16. IZ Sixteen	19
17. IZ Seventeen	20
18. IZ Eighteen	21

# West Dunbartonshire CHCP Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.5	yrs	74.5		●	
	2 Life expectancy - females <sup>1</sup>	n/a	77.7	yrs	79.5		●	
	3 Deaths all ages <sup>2</sup>	3,314	845.6	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	226	75.5	sr	57.2		●	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	475	157.2	sr	134.7		●	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	73	23.8	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	959	28.9	%	24.1		●	
	8 Smoking prevalence <sup>3</sup>	n/a	27.0	%	25.0		○	
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	3,496	1,157	sr	1,088		●	
	10 Deaths from alcohol conditions <sup>1</sup>	332	65.3	sr	46.4		●	
	11 Patients hospitalised with drug related conditions <sup>2</sup>	218	87.4	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a	13.0	%	14.0		○	
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a	68.0	%	73.0		○	
	14 Patients registered with cancer <sup>1</sup>	2,497	433.9	sr	412.6		●	
	15 Patients hospitalised with COPD <sup>2</sup>	741	199.4	sr	158.6		●	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	1,296	373.2	sr	347.0		●	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	759	202.1	sr	173.8		●	
	18 Patients hospitalised with asthma <sup>2</sup>	998	344.6	sr	472.9		○	
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	20,792	6,769.7	sr	6,378.9		●	
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	2,412	5,143.5	sr	4,607.6		●	
	21 Road traffic accident casualties <sup>2</sup>	170	64.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	194	343.8	sr	710.4		○	
	23 Prevalence of diabetes	4,244	3.9	sr2	3.5		●	
	24 Patients prescribed drugs for anxiety/depression/psychosis	11,588	12.0	%	9.7		●	
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	860	289.4	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>	104	23.1	sr	15.1		●	
	27 People (65+) receiving free personal care at home <sup>3</sup>	1,053	7.1	%	5.3		○	
	28 Adults claiming incapacity benefit/severe disability allowance	5,425	7.3	%	5.6		●	
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	392	41.6	%	31.7		○	
	30 Households assessed as homeless <sup>3</sup>	1,263	3.0	%	1.8	●		
Education	31 Children looked after by local authority <sup>3</sup>	376	19	cr2	14		○	
	32 Single adult dwellings	17,187	38.8	%	37.8		●	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	4.9	%	7.5		○	
	34 Average tariff score of all pupils on the S4 roll	n/a	171.9	mean	179.7		○	
	35 Primary school attendance	n/a	94.9	%	95.2		○	
	36 Secondary school attendance	n/a	90.7	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	20.2	%	14.8	△		
	38 Population income deprived	19,425	21.3	%	15.1		●	
	39 Working age population employment deprived	9,040	15.8	%	11.6		●	
	40 Working age population claiming Jobseeker's Allowance	3,405	6.0	%	4.4		●	
	41 Dependence on out of work benefits or child tax credit	12,110	57.0	%	46.6		●	
	42 People claiming pension credits (aged 60+)	3,335	16.4	%	11.0		●	
Crime	43 Crime rate	6,309	69.3	cr2	49.5		●	
	44 Prisoner population	205	351.6	sr	205.5		●	
	45 Referrals to Children's Reporter for violence-related offences	104	12.7	cr2	8.4	○		
	46 Patients hospitalised after an assault <sup>2</sup>	343	132.4	sr	95.2		●	
	47 Population within 500 metres of derelict site	56,854	62.5	%	30.0		●	
	48 People living in 15% most 'access deprived' areas	2,407	2.6	%	14.2		○	
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	43.0	%	52.0		●	
	50 Breast screening uptake <sup>2</sup>	8,128	71.3	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	855	31.2	%	22.6		●	
	52 Teenage pregnancies <sup>2</sup>	235	44.3	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>	65	2.4	%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	486	15.9	%	26.4		●	
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	2,720	90.7	%	92.1		●	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	2,939	98.0	%	97.5		○	
	57 Child dental health in primary 1	479	56.9	%	61.8		●	
	58 Child obesity in primary 1	n/a		%	8.0		○	
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	180	409.1	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ One Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.1	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	73.8	yrs	79.5	●		
	3 Deaths all ages <sup>2</sup>	167	950.1	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		48.6	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	27	215.8	sr	134.7	●		
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		22.3	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	164	1,157	sr	1,088		○	
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		27.2	sr	85.1		○	
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	134	526.7	sr	412.6	●		
	15 Patients hospitalised with COPD <sup>2</sup>	27	169.6	sr	158.6		○	
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	329.9	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	215.5	sr	173.8		○	
	18 Patients hospitalised with asthma <sup>2</sup>	49	371.8	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,107	7,576.6	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	94	4,704.5	sr	4,607.6		○	
	21 Road traffic accident casualties <sup>2</sup>		36.6	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		281.9	sr	710.4		○	●
	23 Prevalence of diabetes	199	4.0	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	564	11.3	%	9.7		●	
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	56	385.0	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		16.8	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	345	9.4	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	921	39.0	%	37.8		○	
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	161.0	mean	179.7		△	
	35 Primary school attendance	n/a	94.3	%	95.2		○	
	36 Secondary school attendance	n/a	89.4	%	91.1		○	
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,320	28.9	%	15.1	●		
	39 Working age population employment deprived	595	20.8	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	235	8.1	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	840	70.0	%	46.6	●		
	42 People claiming pension credits (aged 60+)	155	18.5	%	11.0	●		
Crime	43 Crime rate	503	110.3	cr2	49.5		●	
	44 Prisoner population	15	480.5	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	32	240.6	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	3,139	68.0	%	30.0	●		
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			○
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	341	66.6	%	75.3		●	
	51 Mothers smoking during pregnancy <sup>2</sup>	54	33.8	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	18	72.9	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	23	13.5	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	160	88.9	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	173	96.1	%	97.5		○	
	57 Child dental health in primary 1	29	56.9	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	472.8	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Two Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	289	1,242.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	16	149.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	211.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		69.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	182	1,364	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	82.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	129	493.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	52	319.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	68	480.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	48	269.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	26	221.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,267	8,242.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	172	6,507.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	94.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	17	504.3	sr	710.4			
	23 Prevalence of diabetes	188	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	565	12.0	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	71	476.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		30.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	335	9.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,191	48.1	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	172.5	mean	179.7			
	35 Primary school attendance	n/a	94.2	%	95.2			
	36 Secondary school attendance	n/a	89.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,370	31.9	%	15.1			
	39 Working age population employment deprived	575	21.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	245	8.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	685	72.9	%	46.6			
	42 People claiming pension credits (aged 60+)	255	25.9	%	11.0			
Crime	43 Crime rate	632	147.0	cr2	49.5			
	44 Prisoner population	14	477.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	30	244.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,300	96.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	266	66.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	64	38.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	10	43.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	25	13.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	145	91.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	158	99.4	%	97.5			
	57 Child dental health in primary 1	18	42.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		322.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# IZ Three Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	208	904.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	14	71.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	33	169.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	237	1,298	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	74.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	174	464.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	78	334.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	80	357.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	50	231.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	62	346.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,490	7,805.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	155	5,620.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	61.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		267.3	sr	710.4			
Mental Health	23 Prevalence of diabetes	284	4.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	709	10.8	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	78	468.4	sr	303.0			
Social Care & Housing	26 Deaths from suicide <sup>1</sup>		25.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	455	9.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
Education	32 Single adult dwellings	1,060	38.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	156.9	mean	179.7			
	35 Primary school attendance	n/a	93.7	%	95.2			
Economy	36 Secondary school attendance	n/a	90.1	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,740	29.2	%	15.1			
	39 Working age population employment deprived	740	20.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	275	7.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,080	70.2	%	46.6			
Crime	42 People claiming pension credits (aged 60+)	275	20.7	%	11.0			
	43 Crime rate	536	90.0	cr2	49.5			
	44 Prisoner population		220.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
Environment	46 Patients hospitalised after an assault <sup>2</sup>	23	140.5	sr	95.2			
	47 Population within 500 metres of derelict site	2,536	43.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Women's & Children's Health	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	537	68.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	92	42.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	26	66.7	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	29	12.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	196	87.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	215	96.4	%	97.5			
	57 Child dental health in primary 1	36	60.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	366.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Four Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	236	902.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	87.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	39	205.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	169	1,025	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		33.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	178	437.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	53	173.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	83	371.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	52	230.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	47	344.3	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,205	6,604.1	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	198	5,875.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		26.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		257.8	sr	710.4			
	23 Prevalence of diabetes	243	3.9	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	525	10.7	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	47	320.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		33.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	320	8.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	967	42.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	167.8	mean	179.7			
	35 Primary school attendance	n/a	94.0	%	95.2			
	36 Secondary school attendance	n/a	91.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,050	22.3	%	15.1			
	39 Working age population employment deprived	445	16.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	160	6.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	605	64.7	%	46.6			
	42 People claiming pension credits (aged 60+)	265	19.2	%	11.0			
Crime	43 Crime rate	312	66.2	cr2	49.5			
	44 Prisoner population		106.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	97.0	sr	95.2			
	47 Population within 500 metres of derelict site	4,068	88.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	470	72.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	39	33.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	17	72.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	20	17.5	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	106	93.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	111	98.2	%	97.5			
	57 Child dental health in primary 1	18	58.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		473.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Five Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	70.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	277	951.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	23	112.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	30	166.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		35.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	221	1,137	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	14	95.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	204	488.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	48	193.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	74	287.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	74	263.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	43	231.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,499	7,225.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	181	4,934.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	72.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	263.1	sr	710.4			
	23 Prevalence of diabetes	255	3.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	627	10.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	101	525.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		31.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	435	9.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,310	41.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	175.9	mean	179.7			
	35 Primary school attendance	n/a	94.6	%	95.2			
	36 Secondary school attendance	n/a	90.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,545	27.0	%	15.1			
	39 Working age population employment deprived	740	21.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	290	8.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	765	62.4	%	46.6			
	42 People claiming pension credits (aged 60+)	305	22.4	%	11.0			
Crime	43 Crime rate	457	79.9	cr2	49.5			
	44 Prisoner population	15	416.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	16	94.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,851	68.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	524	72.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	84	41.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	12	44.8	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	22	11.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	159	86.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	176	96.2	%	97.5			
	57 Child dental health in primary 1	18	54.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		314.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# IZ Six Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	115	646.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		28.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	150.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		7.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	67	518	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		21.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	101	402.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	130.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	46	332.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	223.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	18	183.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	709	5,501.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	69	3,161.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		32.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		271.0	sr	710.4			
	23 Prevalence of diabetes	183	3.9	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	411	10.7	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	28	225.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		5.1	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	160	5.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	725	40.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	196.6	mean	179.7			
	35 Primary school attendance	n/a	95.5	%	95.2			
	36 Secondary school attendance	n/a	93.8	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	490	13.6	%	15.1			
	39 Working age population employment deprived	245	11.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	105	4.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	330	45.2	%	46.6			
	42 People claiming pension credits (aged 60+)	155	16.1	%	11.0			
Crime	43 Crime rate	186	51.5	cr2	49.5			
	44 Prisoner population		267.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		18.3	sr	95.2			
	47 Population within 500 metres of derelict site	1,600	45.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	387	77.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	24	26.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	18.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	96	92.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	103	99.0	%	97.5			
	57 Child dental health in primary 1	20	64.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		543.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Seven Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	83.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	117	586.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	78.8	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	102.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	118	684	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		21.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	111	398.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	18	75.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	66	361.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	39	161.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	31	175.2	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	979	5,536.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	117	5,082.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	67.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		200.2	sr	710.4			
	23 Prevalence of diabetes	197	3.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	527	9.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	26	138.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	170	3.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	767	32.4	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	208.7	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	93.2	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	560	10.2	%	15.1			
Economy	39 Working age population employment deprived	270	7.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	135	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	385	28.9	%	46.6			
	42 People claiming pension credits (aged 60+)	140	13.9	%	11.0			
	43 Crime rate	146	26.5	cr2	49.5			
	44 Prisoner population		234.8	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	78.5	sr	95.2			
	47 Population within 500 metres of derelict site	3,699	67.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	472	78.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	34	20.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	12	33.1	cr2	41.4			
Women's & Children's Health	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	22.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	145	90.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	158	98.1	%	97.5			
	57 Child dental health in primary 1	14	46.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	502.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Eight Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	69.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	157	953.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	92.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	35	275.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		51.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	164	1,203	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		39.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	136	513.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	40	271.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	68	435.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	211.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	52	313.3	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,227	7,642.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	107	5,060.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	15	96.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		222.5	sr	710.4			
	23 Prevalence of diabetes	233	4.7	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	665	10.9	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	57	384.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		37.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	345	8.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,035	42.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	147.0	mean	179.7			
	35 Primary school attendance	n/a	94.4	%	95.2			
	36 Secondary school attendance	n/a	89.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,645	30.8	%	15.1			
	39 Working age population employment deprived	585	17.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	275	8.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,270	78.1	%	46.6			
	42 People claiming pension credits (aged 60+)	195	22.2	%	11.0			
Crime	43 Crime rate	456	85.5	cr2	49.5			
	44 Prisoner population	10	387.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	25	208.4	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	367	65.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	93	45.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	30	71.9	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	24	10.6	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	212	91.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	224	96.6	%	97.5			
	57 Child dental health in primary 1	30	45.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	19	549.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Nine Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	280	785.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		34.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	31	147.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		36.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	252	1,097	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	12	59.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	162	393.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	51	170.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	101	370.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	45	152.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	63	299.6	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,369	6,001.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	219	5,300.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	61.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	19	350.6	sr	710.4			
	23 Prevalence of diabetes	276	3.4	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	752	12.5	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	44	180.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		9.6	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	260	5.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,403	44.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	191.0	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	93.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	705	11.5	%	15.1			
	39 Working age population employment deprived	395	10.1	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	160	4.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	400	35.4	%	46.6			
	42 People claiming pension credits (aged 60+)	220	14.5	%	11.0			
Crime	43 Crime rate	388	63.3	cr2	49.5			
	44 Prisoner population		110.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	65.2	sr	95.2			
	47 Population within 500 metres of derelict site	5,923	96.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	503	74.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	27	17.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	47	29.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	146	89.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	162	99.4	%	97.5			
	57 Child dental health in primary 1	46	76.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		372.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# IZ Ten Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	159	793.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	93.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	86.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	122	765	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		35.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	124	426.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	36	195.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	273.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	36	198.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	29	240.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	843	5,566.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	100	4,109.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		68.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		237.6	sr	710.4			
	23 Prevalence of diabetes	197	3.4	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	534	11.1	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	25	155.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		28.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	155	4.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	595	30.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	206.0	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	93.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	610	13.7	%	15.1			
	39 Working age population employment deprived	250	8.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	3.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	425	44.1	%	46.6			
	42 People claiming pension credits (aged 60+)	130	11.4	%	11.0			
Crime	43 Crime rate	142	32.0	cr2	49.5			
	44 Prisoner population		150.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		41.3	sr	95.2			
	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	529	78.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	25.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	50.4	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	19.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	116	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	126	98.4	%	97.5			
	57 Child dental health in primary 1	26	60.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		257.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Eleven Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	118	625.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		29.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	21	130.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.7	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	160	1,009	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		35.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	134	465.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	23	118.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	396.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	152.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	45	296.2	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	865	5,690.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	107	4,772.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	89.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	500.8	sr	710.4			
	23 Prevalence of diabetes	216	3.7	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	521	11.8	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	249.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.7	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	190	5.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	631	32.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	187.6	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
	36 Secondary school attendance	n/a	92.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	485	11.0	%	15.1			
	39 Working age population employment deprived	295	10.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	75	2.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	325	36.0	%	46.6			
	42 People claiming pension credits (aged 60+)	115	11.0	%	11.0			
Crime	43 Crime rate	145	32.9	cr2	49.5			
	44 Prisoner population		174.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		59.3	sr	95.2			
	47 Population within 500 metres of derelict site	2,040	47.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	862	19.6	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	465	76.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	12.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	21	17.8	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	102	95.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	107	100.0	%	97.5			
	57 Child dental health in primary 1	33	70.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		210.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Twelve Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	68.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	75.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	234	936.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	17	96.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	140.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		14.3	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	317	1,738	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	40	260.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	167	456.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	73	323.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	85	404.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	45	208.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	89	464.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,435	7,802.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	186	6,412.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	17	112.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	23	573.4	sr	710.4			
	23 Prevalence of diabetes	259	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	741	12.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	66	369.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	15	50.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	385	8.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,105	39.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	158.0	mean	179.7			
	35 Primary school attendance	n/a	94.2	%	95.2			
	36 Secondary school attendance	n/a	88.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,500	26.4	%	15.1			
	39 Working age population employment deprived	720	20.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	280	8.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	835	62.1	%	46.6			
	42 People claiming pension credits (aged 60+)	190	14.9	%	11.0			
Crime	43 Crime rate	470	82.7	cr2	49.5			
	44 Prisoner population	23	629.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	36	230.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	5,089	90.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	481	65.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	51	33.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	21	58.2	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	13.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	153	86.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	171	96.6	%	97.5			
	57 Child dental health in primary 1	16	38.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	12	450.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Thirteen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	67.6	yrs	74.5	●		
	2 Life expectancy - females <sup>1</sup>	n/a	77.2	yrs	79.5		○	
	3 Deaths all ages <sup>2</sup>	161	883.0	sr	707.8		●	
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	63.8	sr	57.2		○	
	5 Early deaths from cancer (< 75s) <sup>2</sup>	24	149.9	sr	134.7		○	
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		33.1	sr	18.7		○	
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	254	1,630	sr	1,088	●		
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	21	156.7	sr	85.1	●		
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	123	414.1	sr	412.6		○	
	15 Patients hospitalised with COPD <sup>2</sup>	43	232.2	sr	158.6	●		
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	59	353.7	sr	347.0		○	
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	56	303.8	sr	173.8	●		
	18 Patients hospitalised with asthma <sup>2</sup>	81	500.9	sr	472.9		○	
	19 Patients hospitalised as an emergency <sup>2</sup>	1,219	7,634.1	sr	6,378.9	●		
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	136	5,995.7	sr	4,607.6	●		
	21 Road traffic accident casualties <sup>2</sup>		60.8	sr	79.4		○	
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		399.0	sr	710.4		○	
	23 Prevalence of diabetes	214	3.8	sr2	3.5		○	
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	688	12.5	%	9.7	●		
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	51	352.1	sr	303.0		○	
	26 Deaths from suicide <sup>1</sup>		16.3	sr	15.1		○	
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	280	7.0	%	5.6	●		
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	913	33.8	%	37.8		○	
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	161.5	mean	179.7		△	
	35 Primary school attendance	n/a	94.9	%	95.2		○	
	36 Secondary school attendance	n/a	89.3	%	91.1		○	
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,180	23.9	%	15.1	●		
	39 Working age population employment deprived	560	18.1	%	11.6	●		
	40 Working age population claiming Jobseeker's Allowance	225	7.2	%	4.4	●		
	41 Dependence on out of work benefits or child tax credit	800	60.3	%	46.6	●		
	42 People claiming pension credits (aged 60+)	145	14.7	%	11.0	●		
Crime	43 Crime rate	365	73.9	cr2	49.5		●	
	44 Prisoner population	13	485.4	sr	205.5	●		
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	39	260.4	sr	95.2	●		
Environment	47 Population within 500 metres of derelict site	994	19.7	%	30.0		○	
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2		○	
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	409	68.1	%	75.3	●		
	51 Mothers smoking during pregnancy <sup>2</sup>	49	31.4	%	22.6	●		
	52 Teenage pregnancies <sup>2</sup>	11	32.6	cr2	41.4		○	
	53 Low weight live births <sup>2</sup>			%	2.3		○	
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	28	13.0	%	26.4	●		
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	188	94.5	%	92.1		○	
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	198	99.5	%	97.5		○	
	57 Child dental health in primary 1	29	56.9	%	61.8		○	
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	450.8	sr	377.5		○	

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# IZ Fourteen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	111	781.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	69.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	29	178.1	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		34.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	204	1,291	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	27	188.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	97	405.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	149.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	74	466.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	25	158.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	75	458.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,085	7,037.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	75	4,487.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	14	90.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		456.0	sr	710.4			
	23 Prevalence of diabetes	272	4.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	782	14.2	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	37	239.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	350	8.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	911	38.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	148.6	mean	179.7			
	35 Primary school attendance	n/a	94.5	%	95.2			
	36 Secondary school attendance	n/a	88.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,245	24.0	%	15.1			
	39 Working age population employment deprived	600	17.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	200	6.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	1,000	71.0	%	46.6			
	42 People claiming pension credits (aged 60+)	105	10.8	%	11.0			
Crime	43 Crime rate	333	64.1	cr2	49.5			
	44 Prisoner population	15	473.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	21	148.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	4,998	95.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	480	67.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	55	33.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	35.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	29	12.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	201	93.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	214	99.1	%	97.5			
	57 Child dental health in primary 1	35	54.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	14	475.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Fifteen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	170	869.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	90.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	29	163.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		5.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	200	1,111	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	15	98.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	140	456.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	47	234.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	82	431.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	148.2	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	65	396.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,081	6,326.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	130	5,428.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		49.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	15	542.7	sr	710.4			
	23 Prevalence of diabetes	258	4.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	754	14.1	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	27	161.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		18.2	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	305	6.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	901	37.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	172.0	mean	179.7			
	35 Primary school attendance	n/a	95.5	%	95.2			
	36 Secondary school attendance	n/a	91.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	895	16.8	%	15.1			
	39 Working age population employment deprived	460	13.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	155	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	520	42.0	%	46.6			
	42 People claiming pension credits (aged 60+)	140	12.8	%	11.0			
Crime	43 Crime rate	239	44.9	cr2	49.5			
	44 Prisoner population	14	407.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	19	117.6	sr	95.2			
	47 Population within 500 metres of derelict site	4,763	90.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	486	73.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	43	30.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	12	36.4	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	22.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	144	90.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	155	97.5	%	97.5			
	57 Child dental health in primary 1	28	57.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		368.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Sixteen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	153	1,004.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	83.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	182.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		32.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	204	1,420	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	18	137.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	108	463.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	36	220.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	71	454.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	224.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	69	503.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,073	7,504.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	110	6,116.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		43.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>		298.4	sr	710.4			
	23 Prevalence of diabetes	220	4.4	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	665	13.9	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	23	163.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		27.0	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	305	8.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	838	39.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	173.9	mean	179.7			
	35 Primary school attendance	n/a	95.0	%	95.2			
	36 Secondary school attendance	n/a	89.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	1,085	24.0	%	15.1			
	39 Working age population employment deprived	515	17.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	175	5.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	680	58.5	%	46.6			
	42 People claiming pension credits (aged 60+)	165	18.8	%	11.0			
	43 Crime rate	296	65.5	cr2	49.5			
Crime	44 Prisoner population	11	359.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	115.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,038	65.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	891	19.7	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	324	66.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	24.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	14	44.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	14.6	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	162	94.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	170	98.8	%	97.5			
	57 Child dental health in primary 1	26	60.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	504.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# IZ Seventeen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	200	846.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	20	99.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	29	135.4	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		13.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	241	1,229	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	90.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	152	389.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	42	171.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	105	441.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	50	208.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	83	442.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,236	6,729.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	155	5,239.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		47.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	12	284.3	sr	710.4			
	23 Prevalence of diabetes	291	4.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	787	14.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	51	271.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		16.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	335	7.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,089	39.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	181.6	mean	179.7			
	35 Primary school attendance	n/a	95.6	%	95.2			
	36 Secondary school attendance	n/a	90.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	925	17.1	%	15.1			
	39 Working age population employment deprived	530	15.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	140	4.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	535	50.8	%	46.6			
	42 People claiming pension credits (aged 60+)	235	17.0	%	11.0			
Crime	43 Crime rate	425	78.7	cr2	49.5			
	44 Prisoner population	11	400.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	84.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,043	56.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	532	69.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	23	18.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	19.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	130	89.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	145	99.3	%	97.5			
	57 Child dental health in primary 1	31	59.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	480.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# IZ Eighteen Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	72.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	162	766.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		44.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	102.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		14.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	220	1,216	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	85.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	123	346.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	119.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	60	291.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	37	158.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	71	385.0	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,103	6,322.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	101	3,665.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		49.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	423.4	sr	710.4			
	23 Prevalence of diabetes	259	3.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	771	13.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	210.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		23.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	295	6.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	825	32.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	170.9	mean	179.7			
	35 Primary school attendance	n/a	94.6	%	95.2			
	36 Secondary school attendance	n/a	89.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,075	20.0	%	15.1			
	39 Working age population employment deprived	520	15.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	180	5.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	630	53.0	%	46.6			
	42 People claiming pension credits (aged 60+)	145	11.1	%	11.0			
Crime	43 Crime rate	278	51.7	cr2	49.5			
	44 Prisoner population	25	716.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	23	157.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,773	70.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	654	12.2	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	555	72.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	39	31.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	25	15.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	159	90.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	173	98.3	%	97.5			
	57 Child dental health in primary 1	26	53.1	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		228.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	<p>Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.</p> <p>'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.</p> <p>In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.</p>	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



## Further information

### Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBSP:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

### Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

### Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

#### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

#### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

#### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

#### Dataworx:

##### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB