Children and young people health and wellbeing profiles 2010

East Renfrewshire CHCP



These profiles comprise 38 indicators of health, wellbeing, and wider determinants, presented alongside a population summary, for each Community Health Partnership (CHP) in Scotland. The age range covered is from conception to age 24 years. The profiles have been compiled by NHS Health Scotland's Public Health Observatory Division, part of the Scottish Public Health Observatory collaboration (ScotPHO). They complement ScotPHO's 2010 Community Profiles, published by ISD Scotland.

Each profile contains a map of the area, a population summary, a spine chart showing findings for all 38 health and wellbeing indicators, and a commentary on key findings.

Additional data, figures and information are available through the ScotPHO website: www.scotpho.org/profiles. This includes a Scotland overview report, a technical report, and an interactive tool that presents the following (subject to disclosure rules and data availability):


- Data for CHPs, health boards, and, where possible, intermediate zones
- Spine charts and rank charts
- Time series data and charts

These Children and young people profiles complement ScotPHO's Community Profiles by providing a specific focus on this important population group. Some indicators are included in both sets of profiles. Together the profiles provide a set of resources designed to help prioritise action, inform planning of services, and address inequalities at local level throughout Scotland.

Population summary

	Indicator	Number	Measure	Scot. Av.
1	Population aged <1	860	1.0	1.1
2	Population aged 1-4	3,991	4.5	4.4
3	Population aged 5-15	12,928	14.5	12.0
4	Population aged 16-24	10,093	11.3	12.0
5	Primary school pupils	7,231	8.1	7.1
6	Secondary school pupils	6,327	7.1	5.8
7	Minority ethnic groups	1,112	8.2	4.6
8	Live births	863	9.7	11.4
9	Children living in rural areas	1,062	3.8	17.3

Notes, by indicator number: 1–4 Data from General Register Office for Scotland (GROS) 2009 small area population estimates, measure presented as % of total population; 5–7 Data from school census (Scottish Government) 2008, measure presented as % of total population (5 & 6) and % of total number of pupils (7); 8 Data from GROS 2009, measure presented as crude rate per 1,000 population; 9 Data from Scottish Government 6-fold urban/rural classification 2008, measure presented as % of population aged 0–24.



© Community Health Partnership boundaries – Scottish Government 2007
This product includes mapping data licensed from Ordnance Survey © Crown Copyright 2010.
All rights reserved. Licence Number 389221.







East Renfrewshire CHCP

Children and young people health and wellbeing profiles 2010



Mortality

Mortality rates in East Renfrewshire Community Health & Care Partnership (CHCP) are either lower than the Scottish average (age 16–24 years) or are not significantly different.

Behaviours

East Renfrewshire CHCP has a lower rate of alcohol-related and drug-related harm, as measured by hospital admissions, than Scotland as a whole. Using a small sample of 15 year olds, it is estimated that the prevalence of smoking and alcohol use is below the national average and the prevalence of drug use is similar. An estimated 47% of children walk or cycle to school. This compares with an average for Scotland of 52% but the difference is not significant.

Physical health

In East Renfrewshire, 71% of children in primary 1 have no obvious dental decay experience, compared with 62% in Scotland. This is a good indicator of dental health and a useful proxy for general health and nurture. The local rates are lower than the Scottish average across a range of physical health indicators based on hospital admissions. The rate for unintentional injuries in the home does not differ significantly and no data are available for the child obesity indicator.

Mental health

Due to a lack of robust local indicators, these profiles are very limited in their coverage of mental health and have no indicators of positive mental health and wellbeing. For East Renfrewshire CHCP, the suicide rate is lower than the Scottish average (the exact number is not presented for disclosure reasons). The 'difficulties' score is also better than that for Scotland as a whole.

Social care

Both social care indicators reflect recorded utilisation of services rather than health or wellbeing and should therefore be interpreted with caution and with the benefit of local knowledge. East Renfrewshire has a lower rate of both looked after children and child protection referrals compared with Scotland as a whole.

Education

In East Renfrewshire CHCP, the average tariff score appears to be above the national average for looked after children and is the highest in Scotland for S4 pupils in general. It is not possible to assess whether these patterns may be due to chance, and for looked after children data may be based on small numbers. School attendance rates are also above the national average.

Employment and prosperity

East Renfrewshire CHCP is better than the Scottish average for all four employment and prosperity indicators. At 31%, the proportion of children living in families reliant on out of work benefits or child tax credit is one of the lowest for all CHPs and much lower than the proportion in Scotland overall (47%). The proportion of young people not in employment, education or training is less than half the national average, relatively few children live in 'income deprived' areas and nearly 93% of school leavers enter positive and sustained destinations.

Crime

The rate of referrals to the Scottish Children's Reporter Administration for violence-related offences in East Renfrewshire is lower than the national rate though this may reflect local practice. Compared with the Scottish average, the rate of assault-related hospital admissions is lower as is the proportion of children and young people living in 'crime deprived' areas.

Pregnancy and infancy

Breastfeeding rates and the proportion of mothers smoking during pregnancy are both significantly better (higher and lower respectively) than the Scottish average. The rate of low weight live births is not significantly different. Immunisation rates are either similar to or better than Scotland as a whole. The teenage pregnancy rate (under 18 years) is relatively low.

East Renfrewshire CHCP

Children and young people health and wellbeing profiles 2010



This chart compares the local value for each indicator with the Scottish average and range for all CHPs

Note that values that are not significantly different from the Scottish average, or that are significantly better, may still indicate an important public health problem. For figures based on small numbers, data may be suppressed. For further information see the technical report.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- O Statistically significantly 'better' than Scottish average
- Statistically significant difference compared with Scottish average
- \triangle No significance can be calculated



Domain	Indicator	Number	Measure	Туре	Scot. Average	'Worst' Scotland Average	'Best'
Mortality	1 Infant mortality rate, <1 year ²	16	60.2	cr	43.0	0	
	² Mortality rate, aged 1-15 ²	8	1.6	cr	1.4		
	3 Mortality rate, aged 16-24 ²	10	3.3	cr	6.3		
Behaviours	⁴ Active travel to school ⁴	n/a	47.0	%	52.0	0	
	⁵ Alcohol related & attributable hospital patients ²	142	44.5	sr	82.9		
	⁶ Drug related hospital patients ²	19	21.8	sr	42.4		
	⁷ Smoking prevalence, age 15 ⁴	n/a	11.2	%	15.1		
	⁸ Alcohol use, age 15 ⁴	n/a	23.8	%	29.6	0	
	⁹ Drug use, age 15 ⁴	n/a	7.1	%	6.8	O	
	10 Road traffic accidents ²	47	51.5	sr	87.9	0	
	11 Emergency admission hospital patients ²	1,939	3,998.5	sr	5,541.1	0	
<u> </u>	12 Child dental health in primary 1	659	70.8	%	61.8	0	
Physical Health	13 Unintentional injuries in the home, < 15 years ²	144	322.2	sr	377.5	•	
± =	14 Extraction of multiple teeth, aged 0-15 ²	289	565.0	sr	898.8	Q	_
	15 Asthma hospital patients, aged 0-15 ²	150	287.2	sr	382.1	0	
	16 Child obesity in primary 1	n/a		%	8.0		
Mental	17 Deaths from suicide ³		2.2	sr	6.7	0	
	¹⁸ Strengths & difficulties score ⁴	n/a	11.7	mean	12.3		
Social	19 Children looked after by Local Authority 1, 4	159	7.4	cr	13.8		
	20 Child protection referrals ^{1,4}	95	5.3	cr	13.9		
_	²¹ Education outcomes for looked after children ⁴	n/a	73.4	mean	63.0	Δ	
Education	22 Secondary school attendance	n/a	94.5	%	91.1		
ong	23 Primary school attendance	n/a	96.6	%	95.2		
	24 Attainment of National Qualifications for S4	n/a	258.8	mean	179.7	Δ	
	25 Residence in 'access deprived' areas	807	2.9	%	14.8		
Employment & Prosperity	26 Reliance on out of work benefits / child tax credit	6,995	30.7	%	46.6		
sper	27 Not in education, employment or training 4	200	4.1	%	8.8		0
Pro P	28 School leavers - positive & sustained destinations	970	92.6	%	85.7		
ய்≪	29 Residence in 'income deprived' areas	1,069	3.8	%	16.5	0	
٥	30 Assault hospital patients ²	62	67.8	sr	110.5	0	
Crime	31 Referrals to SCRA for violence-related offences 1	34	3.5	cr	8.4		
	32 Residence in 'crime deprived' areas	1,156	4.1	%	15.8		
Pregnancy & Infancy	33 Immunisation uptake at 24 months - all excl MMR ²	2,894	98.6	%	97.5		
	34 Immunisation uptake at 24 months - MMR ²	2,713	92.4	%	92.1	0	
	35 Babies exclusively breastfed at 6-8 weeks ²	970	36.4	%	26.4	0	
	36 Teenage pregnancies, <18 years 1,2	95	17.4	cr	41.4		
	37 Mothers smoking during pregnancy ²	309	13.6	%	22.6	0	
	38 Low weight live births ²	58	2.5	%	2.3	0	

Notes on indicators, by indicator number [year of data shown]: 1–3 Crude rate per 10,000 population [2007–09]; 4 % children walking or cycling to school [2007/08]; 5 Aged 15–24 [2007–09]; 6 Aged 0–24 [2007–09]; 7 % smoking at least one cigarette a week [2006]; 8 % who usually drink alcohol at least once a week [2006]; 9 % who usually take illicit drugs at least once a month [2006]; 10 Patients aged 0–24 discharged from hospital after a road traffic accident emergency admission [2007–09]; 11 Aged 0–15 [2007–09]; 12 % with no obvious decay experience from basic inspection [2008/09]; 13 Emergency hospital admissions for unintentional injury in the home [2007–09]; 14 Hospital admissions (inpatients & day cases) for extraction of multiple teeth [2007–09]; 15 [2007–09]; 16 % children with BMI in the top 5% of the UK reference range [2008/09]; 17 Aged 0–24 [2000–09]; 18 Total difficulties score, aged 13 & 15 [2006]; 19 Children looked after by local authority, aged 0–18, crude rate per 1,000 population [2009]; 20 Child protection referrals, aged 0–15, crude rate per 1,000 population [2009]; 21 Average tariff score, S4 pupils [2008/09]; 22 Attendance rate, publicly funded secondary schools [2008/09]; 23 Attendance rate, publicly funded primary schools [2008/09]; 24 Average tariff score [2008/09]; 25 % aged 0–24 living in datazones which are in the 15% most access deprived in Scotland [2008]; 26 % of children aged 0–19 in households dependent on out of work benefits or child tax credit more than the family element [2008]; 27 % of young people aged 16–19 not in education, employment or training [2008]; 28 % school leavers in positive and sustained destinations [2008/09]; 29 % aged 0–24 living in datazones which are in the 15% most income deprived in Scotland [2008]; 30 Aged 0–24 [2007–09]; 31 Referrals to SCRA (Scottish Children's Reporter Administration) for violence-related offences, aged 8–15, crude rate per 1,000 population [2009/10]; 32 % aged 0–24 living in datazones which are in the 15% most crime deprived in Scot

Footnotes: 1 Denotes indicator where categorisation as better or worse than Scottish average is not appropriate and data are subject to local interpretation; 2 Three-year combined number, and three-year annual average measure; 3 Ten-year combined number, and ten-year annual average measure; 4 Data not available below local authority level

Key to type of measure: n/a = data not available, or cannot be calculated; cr = crude rate (see technical report); sr = age-sex standardised rate per 100,000 population; % = per cent; mean = average

Children and young people health and wellbeing profiles 2010

Notes and further information

Data gaps and limitations of profiles

These profiles present the most comprehensive set of indicators available at the time of analysis. However, their coverage was restricted by limitations in the availability of robust local data. Data were unavailable for many potentially valuable indicators that had received strong support at the consultation stage. As a result, important aspects of health and wellbeing – including diet, physical activity, early development, mental health, and sexual health – are under-represented in the profiles. This reinforces the need to strengthen existing data systems to provide robust local data, and to develop new indicators of children and young people's health and wellbeing where necessary.

Alignment with menu of local indicators for use in Single Outcome Agreements

A number of profiles indicators (nos 4, 16, 24, 26, 28, 35, 38) are identical to those included in version 4 of the menu of local outcome indicators provided by the Improvement Service (available at www.improvementservice. org.uk/local-outcome-indicators). Other profile indicators are similar to indicators included in the menu but are not identical, and differences may be crucial to interpretation (nos 12, 36). For further information please see the technical report.

Data sources

Source of data included in profiles	Indicator(s)
General Register Office for Scotland	1, 2, 3, 17, 36
Scottish Household Survey	4
ISD Scotland, Hospital Discharge Dataset (SMR01)	5, 6, 10, 11, 13, 14, 15, 30
Scottish Adolescent Lifestyle & Substance Use Survey (SALSUS)	7, 8, 9, 18
National Dental Inspection Programme	12
Child Health Systems Programme – school-aged children	16
Scottish Government	19, 20, 21, 22, 23, 24, 27, 28
Scottish Index of Multiple Deprivation (SIMD)	25, 29, 32
HM Revenue & Customs (HMRC)	26
Scottish Children's Reporter Administration	31
Scottish Immunisation Recall System	33, 34
Child Health Systems Programme – pre-school children	35
ISD Scotland, Maternity Record Dataset (SMR02)	37, 38

Authors

Rory J Mitchell, Elaine Tod and Gerry McCartney, NHS Health Scotland

Acknowledgements

Andy Gasiorowski of the ISD ScotPHO team for invaluable help with data provision, analysis, and the creation of spine charts; Sandra Auchterlonie of NHS Health Scotland for administrative support and work on profiles design; other ScotPHO colleagues – Louise Flanagan, Jane Parkinson, Judith Moggach and David Gordon (NHS Health Scotland), Diane Stockton, Alison Burlison, Dariusz Blaszczak and Linsey Galbraith (ISD ScotPHO), Bruce Whyte (Glasgow Centre Population Health); members of the Children and young people health and wellbeing profiles project group; everyone who took part in the consultation exercise; Dataworx Ltd for work on automating spine chart production; Prepress Projects Ltd for profiles design and typesetting; everyone who provided data for the profiles.

Further information

Rory J Mitchell, NHS Health Scotland Public Health Observatory Division: nhs.healthscotland-pho@nhs.net

Published by: NHS Health Scotland, Edinburgh; November 2010

